DEPARTMENT OF THE INTERIOR

FRANKLIN K. LANE, Secretary

UNITED STATES GEOLOGICAL SURVEY

GEORGE OTIS SMITH, Director

BULLETIN 637

SPIRIT LEVELING IN TEXAS

1896 TO 1915, INCLUSIVE

R. B. MARSHALL, CHIEF GEOGRAPHER


Work done in cooperation with the State of Texas in 1902, 1903, 1909, and 1910, and with Harris County in 1915





Dk 2896 WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

LEVELING IN TEXAS, 1896-1915, -Interior Dept. -U. S. 6. S. Bulletin 637



DEPARTMENT OF THE INTERIOR

FRANKLIN K. LANE, Secretary

UNITED STATES GEOLOGICAL SURVEY GEORGE OTIS SMITH, Director

Bulletin 637

SPIRIT LEVELING IN TEXAS

1896 TO 1915, INCLUSIVE

R. B. MARSHALL, CHIEF GEOGRAPHER

Work done in cooperation with the State of Texas in 1902, 1903, 1909, and 1910, and with Harris County in 1915





Wpisano do inwentarza

Dział.

GOVERNMENT PRINTING OFFICE POLICE Ment of Franks Team

1916

Degratic &

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

15 CENTS PER COPY

CONTENTS.



A STATE OF THE PARTY OF THE PAR	Page.
Introduction	5
Cooperation	5
Previous publication	5
Personnel	5
Classification.	5
Bench marks	6
Datum	6
Topographic maps.	7
Precise leveling.	8
Anapra and El Paso quadrangles (El Paso County).	8
Primary leveling.	9
Atlanta, Jefferson, Linden, New Boston, and Texarkana quadrangles	9
(Bowie, Cass, and Marion counties)	9
Bassett, Boxelder, Daingerfield, Gilmer, Mount Pleasant, Mount Vernon,	9
and Shawneetown quadrangles (Bowie, Cass, Red River, and Titus	
counties)	13
Bonham, Clarksville, Denison, Denton, Gainesville, Montague, and Paris	
quadrangles (Cook, Fannin, Grayson, Lamar, Montague, and Red River	
counties)	19
Dallas, Farmersville, Kaufman, and McKinney quadrangles (Collin, Dal-	
las, Kaufman, and Rockwall counties)	29
Bobbin, Brenham, Bryan, Giddings, Hearne, Marlin, Sealy, Taylor, Tem-	
ple, and Waco 30' quadrangles (including various 7½' quadrangles along	
Brazos and Little rivers) (Austin, Bell, Brazos, Burleson, Falls, McLen-	
nan, Milam, Robertson, Waller, and Washington counties)	34
Austin, Bandera, Bastrop, Blanco, Boerne, Burnet, Flatonia, Fredericks-	
burg, Georgetown, Giddings, Halstead, Llano, New Braunfels, Sabinal,	
San Antonio special, San Marcos, and Uvalde quadrangles and region	
adjacent to San Antonio special quadrangle (Atascosa, Bandera, Bas-	
trop, Bexar, Blanco, Burnet, Caldwell, Comal, Fayette, Frio, Gonzales,	
Guadalupe, Hays, Kendall, Kerr, Lavaca, Lee, Llano, Mason, Medina,	
San Saba, Travis, Uvalde, Williamson, Wilson, and Zavalla counties)	65
Agua Fria, Alpine, Chisos Mountains, Marfa, Saratoga Mountain, Shafter,	
and Terlingua quadrangles (Brewster and Presidio counties)	108
Chispa and Van Horn quadrangles (El Paso County).	115
Cerro Alto quadrangle (El Paso County).	118
El Paso quadrangle (El Paso County).	120
Brownsville, Harlingen, Isabel, Mission, and San Juan quadrangles (Cam-	120
eron and Hidalgo counties)	121
Brownsville, Harlingen, Isabel, Mier, Mission, Rosita, Samfordyce, and	121
Brownsville, Harringen, Isabel, Miel, Mission, Itosta, Samioldyce, and	195
San Juan quadrangles (Cameron, Hidalgo, and Starr counties)	125
	100
ties).	129
Farmersville, Mineola, Sulphur Springs, and Wills Point quadrangles	100
(Hunt, Rains, Smith, and Wood counties)	136


CONTENTS.

Primary leveling—Continued.	Page.
Archer City, Eschite, Henrietta, Montague, and Walter quadrangles	
(Archer, Clay, and Wichita counties)	144
Bobbin, Conroe, Houston, and Rosenberg 30' (including Addicks, Aldine,	
Alief, Almeda, Ashford, Bellaire, Burnett, Clodine, Cypress, Deepwater,	
Fauna, Hillendahl, Hockley, Holik, Houston Heights, Humble, Katy,	
La Porte, Louetta, Mykawa, Park Place, Rosehill, Settegast, Spring,	
Waller, and Weeden 7½') quadrangles (Fort Bend and Harris counties)	158
Appendix A: Elevations adjusted by the United States Coast and Geodetic	
Survey from precise leveling	191
Appendix B: Secondary elevations	243
Index	245

ILLUSTRATION.

		(5 (0)2,000 a)	Page.
PLATE	I.	Geological Survey bench marks	5





GEOLOGICAL SURVEY BENCH MARKS.

A, Tablet used in cooperating States. The State name is inserted at G. B and D, Copper temporary bench mark, consisting of a nail and copper washer. A, C, and E, Tablets for stone or concrete structures. F, Iron post used where there is no rock.

SPIRIT LEVELING IN TEXAS, 1896 TO 1915, INCLUSIVE.

R. B. MARSHALL, Chief Geographer.

INTRODUCTION.

Cooperation.—The State of Texas contributed financially to the work of 1902 and 1903 through the University of Texas Mineral Survey, in 1909 and 1910 through the State Reclamation Service, A. A. Stiles, State reclamation engineer, and in 1915 Harris County con-

tributed directly through W. H. Ward, county judge.

Previous publication.—All results of spirit leveling in Texas previously published by the United States Geological Survey and all the results of later work are included in this report, rearranged by quadrangles. Elevations are based on heights of bench marks along precise-level lines of the United States Coast and Geodetic Survey as adjusted in 1912, and on the precise-level line of the United States Geological Survey from the Texas-New Mexico boundary line to El Paso. The elevations of certain bench marks in Brewster and Presidio counties are based on railroad datum, as noted in the several headings, and are, therefore, only approximate.

Personnel.—The field work from 1896 to 1906, inclusive, was done under E. M. Douglas, geographer, and the later work under E. C. Barnard and S. Tatum, geographers, under the general direction of R. B. Marshall, chief geographer. The names of the various levelmen are given in the introductions to the lists. The office work of computation, adjustment, and preparation of lists was done mainly by S. S. Gannett, geographer, and D. H. Baldwin, topographer, and since 1907 under the general direction of E. M. Douglas, geographer.

Classification.—The elevations are classified as precise or primary, according to the methods employed in their determination. For precise-level lines instruments and rods of the highest grade are used, each line is run both forward and backward, and every precaution is taken to guard against error. The allowable divergence between the forward and the backward lines in feet is represented by the formula $0.017\sqrt{D}$, in which D is the distance in miles between bench marks. For primary lines standard Y levels are used; lines are run in circuits or are closed on precise lines, with an allowable closing error in feet represented by $0.05\sqrt{D}$, in which D is the length of the

circuit in miles, sufficient care being given to the work to maintain this standard. For levels of both classes careful office adjustments are made, the small outstanding errors being distributed over the lines.

Bench marks.—The standard bench marks are of two forms. The first form is a circular bronze or aluminum tablet (C and E, Pl. I), 3\frac{1}{2} inches in diameter and one-quarter inch thick, having a 3-inch stem. which is cemented in a drill hole in solid rock in the wall of some public building, a bridge abutment, or other substantial masonry structure. The second form (F, Pl. I), used where masonry or rock is not available, consists of a hollow wrought-iron post 3½ inches in outer diameter and 4 feet in length, which is set about 3 feet in the ground. The bottom is spread out to a width of 10 inches in order to give a firm bearing on the earth. A bronze or aluminum-bronze cap is riveted upon the top of the post. A third style of bench mark with abbreviated lettering (B and D, Pl. I), is used for unimportant points. This consists of a special copper nail 1½ inches in length driven through a copper washer seven-eighths inch in diameter. The tablets, as well as the caps on the iron posts, are appropriately lettered, and cooperation by States is indicated by the addition of the State name (G, Pl. I).

The numbers stamped on the bench marks described in the following pages represent the elevations to the nearest foot as determined by the levelman. These numbers are stamped with \(\frac{3}{16}\)-inch steel dies on the tablets or post caps to the left of the word "feet." The office adjustment of the notes and the reduction to mean sea level datum may so change some of the figures that the original markings are 1 or 2 feet in error. It is assumed that engineers and others who have occasion to use the bench-mark elevations will apply to the Director of the United States Geological Survey, at Washington, D. C., for the adjusted values and will use the markings as identification numbers only.

Datum.—All elevations determined by the United States Geological Survey and United States Coast and Geodetic Survey are referred to mean sea level, which is the level that the sea would assume if the influence of winds and tides were eliminated. This level is not the elevation determined from the mean of the highest and the lowest tides, nor is it the half sum of the mean of all the high tides and the mean of all the low tides, which is called the half-tide level. Mean sea level is the average height of the water, all stages of the tide being considered. It is determined from observations made by means of tidal gages placed at stations where local conditions, such as long, narrow bays, rivers, and like features will not affect the height of the water. To obtain even approximately correct results, these observations must extend over at least one lunar month, and if accuracy is desired they must extend over several years. At ocean stations

the half-tide level and mean sea level usually differ but little. It is assumed that there is no difference between the mean sea levels determined from observations in the Atlantic Ocean, the Gulf of Mexico, and the Pacific Ocean.

The connection with tidal stations for bench marks in certain areas that lie at some distance from the seacoast is still uncertain, and this fact is indicated by the addition of a letter or word to the right of the word "Datum" on tablets or posts. For such areas corrections for published results will be made from time to time as the precise-level lines of the United States Geological Survey, the United States Coast and Geodetic Survey, or other Government organizations are extended.

Topographic maps.—Maps of the following quadrangles wholly or partly in Texas have been published by the United States Geological Survey up to May 1, 1916. They may be obtained, except as noted, for 10 cents each or \$3 for 50, on application to the Director of the Survey at Washington, D. C.:

Abilene. Albany. Alpine. Anson. Atlanta (Tex.-Ark.-La.). Austin. Ballinger. Barnes Bridge. Bastrop. Blanco. Brackett. Bradv. Breckenridge. Brownwood. Buckholts. Burnet. Cerro Alto. Chisos Mountains (double sheet, 20 cents.)

Chisos Mountains (double Chispa.
Cleburne.
Coleman.
Courtney.
Dangerfield.
Dallas.
Denison (Tex.-Okla.).
Eagle Mountain.
Eastland.
Eden.

Flatonia.
Fort Davis.
Fort Hancock.
Fort McKavett.
Fort Worth.

El Paso.

Fredericksburg.
Gainesville (Tex.-Okla.).

Gatesville.
Georgetown.
Granbury.
Hamilton.
Hayrick.
Kerrville.
Lampasas.
Howth.
Linden.
Llano.
Marfa.
Mason.
Meridian.
Millican.

Mission.
Montague (Tex.-Okla.).
New Boston.
Nueces.

Palo Pinto.
Panoche.
Polvo.
Rio Grande.
Roby.
Rock Springs.
Rockwall.
Ruidosa.

San Angelo. San Antonio (double sheet, 20 cents).

San Carlos.
San Juan.
San Marcos.

Salt Basin.

San Saba.	Terlingua special.
Shafter.	Texarkana (TexArk.).
Sherwood.	Texas contour map (15 cents).
Sierra Blanca.	Uvalde.
Stephenville.	Valentine.
Sweetwater.	Van Horn.
Taylor.	Waco.
Temple.	Weatherford.
Terlingua.	Market State of the State of the State of

PRECISE LEVELING.

Anapra and El Paso quadrangles.

EL PASO COUNTY.

The following are the results for the Texas portion of a precise-level line run in 1905 by M. S. Bright along the Atchison, Topeka & Santa Fe Ry., from Albuquerque, N. Mex., to El Paso, Tex. The elevations accord with the 1912 adjustment.

ANAPRA QUADRANGLE.

[Latitude 31° 30′-32°; longitude 106° 30′-107°.]

From La Tuna south along Atchison, Topeka & Santa Fe Ry. to El Paso.	
	Feet.
"3774"	786. 977
Canutillo, 80 feet east of main track, at southwest corner of J. J. Cumflid's	
house; iron post stamped "350-B-1905"	
Montoya, in front of signboard; top of rail	753. 41
Montoya, 1.5 miles south of, 40 feet west of road crossing, 5 feet east of fence	
corner; iron post stamped "354-B-1905" 3, 7	
Whites spur; top of rail	747.4
Whites spur, 2.8 miles south of, 0.25 mile north of milepost 1159, 50 feet east	
of track, 16 feet east of public road; iron post stamped "357-B-1905" 3, 7	740. 150
Whites spur, 5.25 miles south of, 240 feet north of public-road crossing, 100	
feet east of river, 45 feet east of track, 12 feet east of wagon road; iron post	
stamped "359-B-1905"	733. 398
International boundary line monument 1; top of masonry at northeast cor-	
ner (Boundary Commission elevation, 3,713.6)	726. 443
EL PASO QUADRANGLE.1	
[Latitude 31° 30′-32°; longitude 106°-106° 30′.]	
From Union Station via City Hall to El Paso County courthouse and return to Union Station	
El Paso, Atchison, Topeka & Santa Fe Ry. station, in front of; top of rail. 3, 7	09. 7
El Paso, city hall, in west end of lower stone step at north entrance; alumi-	
num tablet stamped "3698" (C. & G. S. adjusted elevation, 1912) 3, 7	10.902
El Paso, city hall, in east end of steps at south entrance, in cement; alumi-	
num tablet stamped "365-B-1905" (C. & G. S. adjusted elevation, 1912). 3, 7	09.871
El Paso County courthouse, in west end of lower step at south entrance;	
aluminum tablet stamped "366-B-1905" (C. & G. S. adjusted elevations, 1912)	10. 531
El Paso County courthouse, on top of pyramid stone at west side of north	
entrance; cross (city bench mark)	11. 407
El Paso, in front of Southern Pacific R. R. station; top of rail	
El Paso, in front of Union station; top of rail	

¹ For elevations by primary leveling, see pages 120-121.

PRIMARY LEVELING.

Atlanta, Jefferson, Linden, New Boston, and Texarkana quadrangles.

BOWIE, CASS, AND MARION COUNTIES.

The elevations in these lists are based on elevations of the Coast and Geodetic Survey precise-level line along Missouri, Kansas & Texas Railway at Jefferson and Pittsburg.

The leveling was done by Chester Irvine in 1905.

JEFFERSON QUADRANGLE.

[Latitude 32° 30'-33°; longitude 94°-94° 30'.]

From Jefferson via Texas & Pacific Ry. northeast to Bivins.

Jefferson, opposite Missouri, Kansas & Texas Ry. station, 16 feet north of	
track, 7 feet north of telegraph pole, in top of limestone post 6 by 6 inches	Feet.
on top; bottom of square hole (C. & G. S. b. m. G 3)	189. 445
Jefferson, 2.7 miles north of, 300 feet east of Rowe's house, 20 feet west of	
track, in southwest corner of right of way fence at road crossing; iron post	
stamped "190 Adj 1903"	189.880
Jefferson, 6.5 miles north of, west of track, at corner of right of way fence	
at road crossing; iron post stamped "295 Adj 1903"	295. 267
Lodi, in front of station; top of rail	247.7
Lodi, 100 feet south of station, 40 feet east of track, at corner of right of way	
fence; iron post stamped "253 Adj 1903"	253. 258
Lodi, 3 miles north of, 40 feet west of spur to lumber shed, 500 feet north-	
west of milepost 39; iron post stamped "23I Adj 1903"	231. 277
Kildare, in front of station; top of rail	285. 28
Kildare, 1 mile north of, 600 feet north of milepost 36, 40 feet west of track,	
at road crossing; iron post stamped "252 Adj 1903"	252. 118
Wayne water tank, 0.5 mile north of, 350 feet north of Lynch's house, 40	
feet east of track at road crossing; iron post stamped "268 Adj 1903"	268. 108
Linden southeast along road to Kildare.	III TAN
Linden, 3.5 miles southeast of, 10 feet north of road, at forks, south end of	
lane at fence corner; iron post stamped "358 Adj 1903"	358. 728
Kildare, 2.5 miles northwest of, 700 feet north of crossroads, on small sum-	
mit 10 feet east of road; iron post stamped "342 Adj 1903"	342.706
ATLANTA QUADRANGLE.	
[Latitude 33°-33° 15'; longitude 94°-94° 15'.]	
From Bivins north along Texas & Pacific Ry. to Alamo Mills	
Bivins, 30 feet north of track, 200 feet northeast of station; iron post stamped	
"313 Adj 1903, Prim. Trav. Sta. No. 25"	313. 270
Bivins, in front of station; top of rail	314.0
Atlanta, 3 miles south of, 50 feet east of track, 20 feet east of first telegraph	
pole north of milepost 27; iron post stamped "279 Adj 1903"	279.388
Atlanta, 0.2 mile south of station, 120 feet south of milepost 24, 40 feet east	
of road crossing, in corner of right of way fence; iron post stamped "256	
Adj 1903".	256. 241
Queen City, 100 feet north of water tank, 40 feet east of track at road cross-	
ing, in corner of right of way fence; iron post stamped "Prim. Trav. Sta.	334 081
No 65 334 Adi 1903"	

Queen City, in front of station; top of rail.	Feet
Lanark, 150 feet north of station signboard, 40 feet east of track, at road	346. 1
crossing; iron post stamped "338 Adj 1903"	338. 112
Springdale, 30 feet west of station signboard, 10 feet north of track; iron	
post stamped "244 Adj 1903".	244. 428
Alamo, 900 feet north of station signboard, 50 feet west of track at road cross-	
ing, in corner of right of way fence; iron post stamped "Prim. Trav. Sta.	040,000
No. 107, 243 Adj 1903"	243. 022
From Atlanta east along Texas, Arkansas & Louisiana Ry. to Bloomburg, thence south along Kansas City Southern Ry. to State line near Ravana Ark.	
Atlanta, 0.2 mile south of, 120 feet south of milepost 24, 40 feet east of road	
crossing, in corner of right of way fence; iron post stamped "256 Adj	
1903"	256. 241
Atlanta, in front of station; top of rail.	260.5
Atlanta, 3.9 miles northeast of, north of track at road crossing; iron post stamped "349 Adj 1903"	349. 183
Bloomburg, 350 feet west of station, 20 feet south of track, at road crossing;	010. 100
iron post stamped "310 Adj 1903"	309.861
Bloomburg, in front of station; top of rail	307.0
Bloomburg, 2.5 miles south of, 40 feet east of track, on State line; iron post	Carry Dell
stamped "261 Adj 1903"	261. 494
From Atlanta northwest along road 3.4 miles.	
Atlanta, 3.4 miles northwest of, 400 feet west of cabin, 15 feet north of road,	
at edge of large basin; iron post stamped "330 Adj 1903"	329. 739
TEXARKANA QUADRANGLE.	
[Latitude 33° 15′-33° 30′; longitude 94°-94° 15′.]	
From Alamo Mills north along Texas & Pacific Ry. to Texarkana.	
Sulphur, 1,900 feet south of station, 40 feet west of track at road crossing, in	
corner of right of way fence; iron post stamped "232 Adj 1903"	232. 414
Sulphur, opposite station; top of rail. Sulphur, 2.5 miles north of, 40 feet west of track, 30 feet south of milepost 5,	237. 9
south of gate at road crossing; iron post stamped "288 Adj 1903"	288. 202
Texarkana, 2.9 miles south of, 600 feet north of milepost 3, south of road,	200. 202
50 feet east of track; iron post stamped "274 Adj 1903"	273. 946
Texarkana, in front of Kansas City Southern Ry. station; top of rail	290.0
Texarkana post office, in stone railing south front west of steps, 5 feet above	
sidewalk; bronze tablet stamped "332 Adj 1903"	331. 836
Texarkana, Miller County (Ark.) courthouse, at northeast corner of yard, United States Geological Survey meridian mark; bronze tablet stamped	
"337 Adj 1903 1905 Texarkana"	337. 387
From Texarkana southwest along tracks of St. Louis & Southwestern Ry. Co. of Texas to Redwater.	
Eylau, 1.5 miles southeast of station, in fence corner northwest of road cross-	
ing; iron post stamped "341 Adj 1903"	341.404
Rowans spur, 100 feet east of station signboard, south of track; iron post	000
stamped "287 Adj 1903". Redwater, 2.9 miles east, Beesley road crossing, 30 feet east of track, in fence	286. 642
corner; iron post stamped "260 Adj 1903"	260.410
The state of the s	-00.110

286.224

of track; iron post stamped "294 Adj 1903". Park, in front of station; top of rail. Park, 2 miles west of, 340 feet east of milepost 7, 40 feet north of track; iron post stamped "349 Adj 1903". Park, 2 miles west of, 340 feet east of milepost 7, 40 feet north of track; iron post stamped "Prim. Trav. Sta. No. 23, 346 Adj 1903". Stamped "Prim. Trav. Sta. No. 23, 346 Adj 1903". From Tearkana north along Kansas City Southern Ry. to Whatley. Ghio Park, 25 feet southwest of main entrance of park, at street car crossing; iron post stamped "348 Adj 1903". Whatley, in front of station; top of rail. NEW BOSTON QUADRANGLE. [Latitude 33° 15′-33° 30′; longitude 94° 15′-94° 30′.] From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in front of station; top of rail. Clem Sawmill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". Maud, 150 feet northwest of station, north of track near large oak tree; iron post stamped "289 Adj 1903". Maud, 150 feet northwest of station, north of track near large oak tree; iron post stamped "289 Adj 1903". Says. Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "290 Adj 1903". Says. Fow siding, 0.5 mile east of, west of track at road crossing at Ashburn's house; iron post stamped "270 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "33 Adj 1903". New Boston, 25 mile seast of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "367 Adj 1903". New Boston, 0.5 mile west of station, north of Mitchell house, at junction of seasons, in front of station; top of rail. New Boston, 3 miles southwest of, north of Mitchell house, at junction of seasons.	Inimani Enternice	
of track; iron post stamped "294 Adj 1903". Park, 200 feet east of station; top of rail. Park, 200 feet east of station, north of track; iron post stamped "319 Adj 1903". Park, 2 miles west of, 340 feet east of milepost 7, 40 feet north of track; iron post stamped "Prim. Trav. Sta. No. 23, 346 Adj 1903". Stamped "Prim. Trav. Sta. No. 23, 346 Adj 1903". From Texarkana north along Kansas City Southern Ry. to Whatley. Ghio Park, 25 feet southwest of main entrance of park, at street car crossing; iron post stamped "348 Adj 1903". Whatley, in front of station; top of rail. Whatley, north end of siding, 40 feet east of track, near fourth telegraph pole north of milepost 482; iron post stamped "300 Adj 1903". NEW BOSTON QUADRANGLE. [Latitude 33" 15"-33" 30"; longitude 94" 15"-94" 30".] From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903". 293. Redwater, in front of station; top of rail. Colens Sawmill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". 249. Maud, in front of station; top of rail. Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "220 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "363 Adj 1903". Stamped "363 Adj 1903". Stamped "364 Adj 1903". Stamped "365 Adj 1903". Stamped "367 Adj 1903". Stamped "368 Adj 1903". Stamped "369 Adj 1903". Stampe	From Texarkana west along Texas & Pacific Ry. to Leary.	
Park, 2 miles west of, 340 feet east of milepost 7, 40 feet north of track; iron post stamped "Prim. Trav. Sta. No. 23, 346 Adj 1903". Leary, 150 feet northeast of signboard post, north of track; iron post stamped "379 Adj 1903". From Texarkana north along Kansas City Southern Ry. to Whatley. Ghio Park, 25 feet southwest of main entrance of park, at street car crossing; iron post stamped "348 Adj 1903". Whatley, in front of station; top of rail. (Latitude 33° 15′-33° 30′; longitude 94° 15′-94° 30′.] From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903". Redwater, in front of station; top of rail. Clem Sammill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". Amud, 150 feet northwest of station, north of track near large oak tree; iron post stamped "229 Adj 1903". Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "290 Adj 1903". Sesson Maud, 150 feet northwest of station, north of track and east of road crossing; iron post stamped "290 Adj 1903". Corley, 0.5 mile east of, west of track at road crossing at Ashburn's house; iron post stamped "270 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "Prim. Trav. Sta. No. 52, 376 Adj 1903". Sew Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "363 Adj 1903". New Boston, 2 miles southwest of, north of track and east of road crossing; in fence corner; iron post stamped "367 Adj 1903". New Boston, 3 miles southwest of, north of track and east of road crossing, in fence corner; iron post stamped "367 Adj 1903". New Boston, 6.5 mile southwest of, north of Mitchell	of track; iron post stamped "294 Adj 1903". Park, in front of station; top of rail. Park, 200 feet east of station, north of track; iron post stamped "349 Adj	Feet. 293.797 352.2
From Texarkana north along Kansas City Southern Ry. to Whatley. Ghio Park, 25 feet southwest of main entrance of park, at street car crossing; iron post stamped "348 Adj 1903". Whatley, in front of station; top of rail. Whatley, north end of siding, 40 feet east of track, near fourth telegraph pole north of milepost 482; iron post stamped "300 Adj 1903". NEW BOSTON QUADRANGLE. [Latitude 33° 15′-33° 30′; longitude 94° 15′-94° 30′.] From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903". Season and the station of station; top of rail. Clem Sawmill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". Maud, in front of station; top of rail. Season and track of St. Louis Southwest along track of St. Louis Southwest of road crossing; iron post stamped "250 Adj 1903". Corley, in front of station; top of rail. Corley, in front of station; top of rail. Corley, in front of station; top of rail. Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "290 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "270 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "363 Adj 1903". South Boston, 25 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "367 Adj 1903". New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "367 Adj 1903". Southwes Boston, 3 miles southwest of, north of Mitchell house, a	Park, 2 miles west of, 340 feet east of milepost 7, 40 feet north of track; iron post stamped "Prim. Trav. Sta. No. 23, 346 Adj 1903"	349.359 346.447
Ghio Park, 25 feet southwest of main entrance of park, at street car crossing; iron post stamped "348 Adj 1903"	"379 Adj 1903"	379.024
iron post stamped "348 Adj 1903". Whatley, in front of station; top of rail. Whatley, north end of siding, 40 feet east of track, near fourth telegraph pole north of milepost 482; iron post stamped "300 Adj 1903". NEW BOSTON QUADRANGLE. [Latitude 33° 15-33° 30′; longitude 94° 15-94° 30′.] From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903". 293. Redwater, in front of station; top of rail. 291. Clem Sawmill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". 289. Maud, 150 feet northwest of station, north of track near large oak tree; iron post stamped "289 Adj 1903". 289. Corley, in front of station; top of rail. 300. Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "290 Adj 1903". 289. Fowk siding, 0.5 mile east of, west of track at road crossing at Ashburn's house; iron post stamped "270 Adj 1903". Prom Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "71m. Trav. Sta. No. 52, 376 Adj 1903". 374. Hooks, 75 feet west of station; top of rail. 375. New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "363 Adj 1903". 386. New Boston, 5 mile seast of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "367 Adj 1903". 387. New Boston, 1 miles southwest of, north of Mitchell house, at junction of New Boston, 3 miles southwest of, south of road on north bank of Anderson New Boston, 6.5 miles southwest of, south of road on north bank of Anderson	From Texarkana north along Kansas City Southern Ry. to Whatley.	
From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903"	iron post stamped "348 Adj 1903". Whatley, in front of station; top of rail. Whatley, north end of siding, 40 feet east of track, near fourth telegraph	348.011 306.2 300.086
From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to point near Bassett. Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903"	NEW BOSTON QUADRANGLE.	
Redwater, in fence corner 200 feet east of station, 40 feet north of road crossing; iron post stamped "294 Adj 1903". Redwater, in front of station; top of rail. Clem Sawmill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". Maud, in front of station; top of rail. Separate of track near large oak tree; iron post stamped "289 Adj 1903". Corley, in front of station; top of rail. Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "290 Adj 1903". Fowk siding, 0.5 mile east of, west of track at road crossing at Ashburn's house; iron post stamped "270 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "Prim. Trav. Sta. No. 52, 376 Adj 1903". Whaley, in front of station; top of rail. Whaley, 10 feet northeast of signboard, 30 feet west of gate; iron post stamped "363 Adj 1903". New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "357 Adj 1903". New Boston, 0.5 mile west of station, north of track and east of road crossing, in fence corner; iron post stamped "367 Adj 1903". New Boston, 3 miles southwest of, north of Mitchell house, at junction of New Boston, and DeKalb roads; iron post stamped "341 Adj 1903". New Boston, 6.5 miles southwest of, north of Mitchell house, at junction of New Boston, 6.5 miles southwest of, south of road on north bank of Anderson		
ing; iron post stamped "294 Adj 1903". Redwater, in front of station; top of rail. Clem Sawmill spur, at corner fence 40 feet southeast of road crossing; iron post stamped "250 Adj 1903". Maud, in front of station; top of rail. Maud, 150 feet northwest of station, north of track near large oak tree; iron post stamped "289 Adj 1903". Corley, 0.5 mile west of, in fence corner 100 feet northeast of road crossing; iron post stamped "290 Adj 1903". Fowk siding, 0.5 mile east of, west of track at road crossing at Ashburn's house; iron post stamped "270 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "Prim. Trav. Sta. No. 52, 376 Adj 1903". Whaley, in front of station; top of rail. Whaley, 10 feet northeast of signboard, 30 feet west of gate; iron post stamped "363 Adj 1903". New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "357 Adj 1903". New Boston, 0.5 mile west of station, north of track and east of road crossing, in fence corner; iron post stamped "367 Adj 1903". New Boston, 3 miles southwest of, north of Mitchell house, at junction of New Boston, and DeKalb roads; iron post stamped "341 Adj 1903". New Boston, 6.5 miles southwest of, south of road on north bank of Anderson	From Redwater southwest along track of St. Louis Southwestern Ry. Co. of Texas to	
Maud, in front of station; top of rail	ing; iron post stamped "294 Adj 1903"	293. 981 291. 4
Maud, 150 feet northwest of station, north of track near large oak tree; iron post stamped "289 Adj 1903"	post stamped "250 Adj 1903"	249.821
Corley, in front of station; top of rail	Maud, 150 feet northwest of station, north of track near large oak tree; iron	288. 550
Fowk siding, 0.5 mile east of, west of track at road crossing at Ashburn's house; iron post stamped "270 Adj 1903". From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail. Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "Prim. Trav. Sta. No. 52, 376 Adj 1903". Whaley, in front of station; top of rail. Whaley, 10 feet northeast of signboard, 30 feet west of gate; iron post stamped "363 Adj 1903". New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "357 Adj 1903". New Boston, in front of station; top of rail. New Boston, 0.5 mile west of station, north of track and east of road crossing, in fence corner; iron post stamped "367 Adj 1903". Secondary 1903". 366. New Boston, 3 miles southwest of, north of Mitchell house, at junction of New Boston and DeKalb roads; iron post stamped "341 Adj 1903". New Boston, 6.5 miles southwest of, south of road on north bank of Anderson	Corley, in front of station; top of rail	300.3
From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along road to Simms. Hooks, in front of station; top of rail	Fowk siding, 0.5 mile east of, west of track at road crossing at Ashburn's	270.150
Hooks, in front of station; top of rail	From Leary west along Texas & Pacific Ry. to New Boston, thence southwest along	
Hooks, 75 feet west of station, north of track and east of road crossing; iron post stamped "Prim. Trav. Sta. No. 52, 376 Adj 1903''		274 5
Whaley, in front of station; top of rail. Whaley, 10 feet northeast of signboard, 30 feet west of gate; iron post stamped "363 Adj 1903". New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "357 Adj 1903". New Boston, in front of station; top of rail. New Boston, 0.5 mile west of station, north of track and east of road crossing, in fence corner; iron post stamped "367 Adj 1903". New Boston, 3 miles southwest of, north of Mitchell house, at junction of New Boston and DeKalb roads; iron post stamped "341 Adj 1903". New Boston, 6.5 miles southwest of, south of road on north bank of Anderson	Hooks, 75 feet west of station, north of track and east of road crossing; iron	376. 454
New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at road crossing; iron post stamped "357 Adj 1903"	Whaley, in front of station; top of rail. Whaley, 10 feet northeast of signboard, 30 feet west of gate; iron post	360.7
New Boston, in front of station; top of rail	New Boston, 2 miles east of, 100 feet east of milepost 20, south of track at	362.790
in fence corner; iron post stamped "367 Adj 1903"	New Boston, in front of station; top of rail.	357. 541 353. 6
New Boston, 6.5 miles southwest of, south of road on north bank of Anderson	in fence corner; iron post stamped "367 Adj 1903"	366. 714
	New Boston, 6.5 miles southwest of, south of road on north bank of Anderson	340.854

1903.....

LINDEN QUADRANGLE.

[Latitude 33°-33° 15'; longitude 94° 15'-94° 30'.]

From point 3.4 miles northwest of Atlanta west along road via Douglassville to Cusseta.	
Atlanta, 7.5 miles northwest of, 15 feet south of road at summit, 100 feet north of cabin; iron post stamped "420 Adj 1903"	Feet. 419.822
Douglassville, 3 miles east of, 12 feet south of road, 200 feet southwest of large white house; iron post stamped "408 Adj 1903"	408.021
Douglassville, 100 feet northeast of Baptist Church, south of road at fence	
corner; iron post stamped "385 Adj 1903"	384.993
at cabin; iron post stamped "303 Adj 1903"	303.433
From Cusseta southeast along road to Linden.	
Cusseta, at forks of road 100 feet southwest of Fulcher store; iron post	105 100
stamped "485 Adj 1903". Cusseta, 2.8 miles south of, 20 feet west of road, 20 feet west of house; iron	485. 430
post stamped "385 Adj 1903"	385.579
Cusseta, 4 miles south of, 3 feet northeast of crossroads; iron post stamped "Prim. Trav. Sta. No. 341 400 Adj 1903"	400.251
Cusseta, 6 miles southeast of, signboard "Linden 6½ miles" at crossroads;	400.231
iron post stamped "402 Adj 1903"	402.631
Linden, 3 miles northwest of, 10 feet west of road, 80 feet south of road forks, 500 feet north of old gin; iron post stamped "467 Adj 1903"	467.501
Linden, at northeast corner of Cass County courthouse yard; iron post	authorf.
stamped "379 Adj 1903, Prim. Trav. Sta."	379.186
Linden, 0.5 mile southeast of, 20 feet southwest of road forks, at end of lane; iron post stamped "367 Adj 1903"	367.160
From Roach southwest along road to Linden.	
Linden, 5 miles northeast of, 200 feet south of road, at north front of New	
Colony Church; iron post stamped "306"	306.019
Linden, 3 miles northeast of, 10 feet north of road at summit, 300 feet east of cabin; iron post stamped "371 Adj 1903"	371.094
All the commenced and the second of the seco	371.034
From Atlanta southwest along road to Roach.	W00 770
Roach, 40 feet southeast of road forks; iron post stamped "308 Adj 1903	308.116
From Linden west along road to point near Milne, thence north to point 5 miles south- east of Cusseta on Cusseta-Linden road	
Linden, 4.8 miles west of, 10 feet south of road and east of basin; iron post	000 051
stamped "320 Adj 1903"	320. 051
road; iron post stamped "310 Adj 1903"	310. 010
Jaybart, 2 miles north of, 40 feet southeast of road forks; iron post stamped "300 Adj 1903"	300. 317
Almira, 150 feet west of post office, southwest of forks of road; iron post	500,011
stamped "357 Adj 1903"	357. 992

Bassett, Boxelder, Daingerfield, Gilmer, Mount Pleasant, Mount Vernon, and Shawneetown quadrangles.

BOWIE, CASS, RED RIVER, AND TITUS COUNTIES.

The elevations in the following list are based on the Coast and Geodetic Survey precise level line along the Missouri, Kansas & Texas Ry.

The leveling was done by W. A. Gelbach, in 1908, with the exception of a line along the St. Louis Southwestern Railway Co. of Texas tracks, run by Chester Irvine in 1905.

BASSETT QUADRANGLE.

[Latitude 33° 15'-33° 30'; longitude 94° 30'-94° 45'.]

From Simms southwest along track of St. Louis Southwestern Ry. of Texas to	
Bridge 103.	Feet.
Simms, in front of station; top of rail	276. 2
Simms, 1,000 feet west of signboard, 60 feet south of west end of siding; iron	
post stamped "275 Adj 1903"	274.860
Bassett, 60 feet east of station, 20 feet south of track, 20 feet west of pump	
house; iron post stamped "249 Adj 1903"	249. 226
Finley, 0.5 mile east of, sixth telegraph pole east of milepost 454, in corner	
of right of way fence, 40 feet southeast of road crossing; iron post stamped	7 51 005
"261 Adj 1903"	261. 339
Finley, in front of station signboard; top of rail	259. 3
Naples, 4.5 miles east of, 40 feet south of track, 150 feet west of Bridge 103;	in and lo
iron post stamped "259 Adj 1903"	259. 439
From Simms north along highway to Malta.	
Simms, 100 feet southeast of Simms's house, north of road near telegraph	
pole; iron post stamped "352 Adj 1903".	352, 479
Simms, 0.5 mile west of, signboard "Bassett 4 M," T road east, in root on	002. 170
north side of tree; head of spike.	338, 42
Simms, 2.2 miles northwest of, on Malta road, northeast corner of cross-	
roads: head of spike in root of tree	360. 76
Simms, 2.8 miles north of, on Malta road, in front of T road north, 400 feet	
west of John Harris's house; iron post stamped "Prim. Trav. Sta. No. 94,	
352 1908"	352. 269
Anderson Creek bridge, 0.3 mile north of, northeast corner of T road east;	
head of spike in root on south side of tree	284. 75
Anderson Creek bridge, 1.3 miles north of, 100 feet north of bridge over	
small stream, east of road at road fork west; iron post stamped "306 1908".	306. 189
De Kalb, 9 miles southeast of, T road east; spike in root of tree with sign-	
board	350.66
Malta, 2 miles south of, west of Simms road at junction of New Boston-	
De Kalb road, 50 feet west of small creek, in top of small knoll; iron post	
stamped "371 1908"	371. 199
Malta, 1.3 miles south of, at crossroads; head of spike in root of tree	365. 69
Malta, 50 feet north of Texas & Pacific Ry. track, at crossing in front of	
Norman's store, corner of right of way fence; iron post stamped "Prim.	
Trav. Sta. No. 103, 409 1903"	400.033

From De Kalb southwest along highway to Lydia.	N . Tree mail
De Kalb, 0.8 mile south of, at road fork west; head of spike in root of tree.	Feet. 370. 55
De Kalb, 2.1 miles south of, east of road at fork of roads to Dalby Springs	010.00
and Lydia, in top of hill south of Anderson Creek; iron post stamped	
"375 1908"	374. 867
De Kalb, 4 miles southwest of, on Lydia road, 700 feet east of N. Lawrence's	
house, 55 feet west of mail box 76, south of road on top of mound; iron	
post stamped "416 1908"	415. 837
Lydia, 3.5 miles northeast of, on De Kalb road, 60 feet east of signboard	
"De Kalb 7 miles," 200 feet west of small creek, south of road, in top of knoll; iron post stamped "392 1908"	391, 980
	331, 300
From Lydia southeast along highway to Bassett, thence west to Finley.	
Lydia, 3 miles southeast of, on Dalby Springs road, 0.4 mile north of sign-	
board "Dalby Springs 4 miles," northeast corner of crossroads, signboard "De Kalb 8 miles"; iron post stamped "360 1908"	360. 079
Dalby Springs, 0.9 mile north of, 60 feet south of T road west leading to	300.079
Lydia, east of road; iron post stamped "341 1908"	341. 334
Dalby Springs, 100 feet south of bridge; head of spike in root on north side	Single-
of large white-oak tree	308. 07
Dalby Springs, 0.5 mile east of, at northeast corner of T road north, in	
root of tree; head of spike	326. 35
Dalby Springs, 3 miles east of, on Bassett road, 1 mile north of Pinkham,	
500 feet northeast of Christopher Black's house, at crossroads, near mail- box post; iron post stamped "332 1908"	332, 080
Pinkham, 1 mile south of, east of road opposite empty house, 40 feet south	332.000
of fork in road; iron post stamped "276 1908"	275. 560
Bassett, 1.8 miles north of, on Dalby Springs road, east of road opposite	
corner of field, 700 feet north of empty house; iron post stamped "278	
1908"	278. 147
of iron ladder on tank, 2 inches below bottom of tank; notch cut in slope	
of concrete foundation	251. 69
Finley, 0.5 mile east of, at railway crossing, southwest corner of, in corner	
of right-of-way fence, 6 feet west of byroad, 11 feet north of south line of	
right of way, projecting about 1 inch above ground; iron post stamped	
"261 Adj 1903"	261. 339
DAINGERFIELD QUADRANGLE.	
[Latitude 33°-33° 15'; longitude 94° 30'-94° 45'.]	
From Bridge 103 southwest along track of St. Louis Southwestern Ry. Co. of Texas to Omaha.	
Naples, 1.1 miles east of, 120 feet east of bridge 120, 40 feet southwest of	
road crossing at west end of cut; iron post stamped "320 Adj 1903"	319. 794
Naples, in front of station; top of rail.	403. 4
Naples, 1,500 feet west of station, 40 feet north of track, at corner of right of	100 000
way fence at road crossing; iron post stamped "402 Adj 1903"	402. 330
"406 Adj 1903"	409. 088
	200.000
From Naples southeast along highway to Cusseta.	
Naples, 4 miles east of, on Marietta road, 500 feet north of Dr. J. Davis's	
house, south of road, 40 feet west of "Naples 4 miles" post; iron post stamped "388 1908".	207 FOI
eramped 300 1900	387. 501

	10
Dalton, road fork by cotton gin and sawmill; head of spike in base of white-oak tree.	Feet. 300, 02
Dalton, 0.3 mile east of, fork of Bryan's mill and Marietta roads; head of spike in root of tree.	341. 33
Marietta, 3 miles northwest of, on Naples road, 300 feet east of Hampton's house, southeast corner of crossroads; iron post stamped "361 1908"	
Marietta, west edge of, north of road, 200 feet west of blacksmith shop; iron	361. 091
post stamped "356 1908"	356. 019
in root of tree	387. 89
From point near Cusseta southwest and south along highway to Jaybart.	
Flat Creek Church, 180 feet southeast of, in fork of road; iron post stamped "365 1908".	365. 245
Levi Milner's house (formerly Jaybart post office), 0.5 mile south of, at road fork; head of spike in top of stump.	
Sardis, 4.4 miles northeast of, 1 mile south of Levi Milner's house (formerly Jaybart post office), at fork of road, 0.5 mile northeast of sawmill; iron	350. 90
post stamped "343 1908"	343. 224
From Jaybart southwest along highway to Sardis.	
Sardis Church, 180 feet northwest of, in fork of road; iron post stamped "Prim. Trav. Sta. No. 4, 309 1908"	309. 484
From Daingerfield north along highway to Omaha.	
Daingerfield, in west side of county courthouse, in center of fourth brick	
from northwest corner of building, about 4 feet from ground and midway between window and northwest corner; copper bolt (C. & G. S. b. m. A-3).	402. 775
Rocky Branch, 2 miles south of, 4 miles north of Daingerfield, top of hill south of cotton gin, at fork of road to west; head of spike in root of tree.	409. 46
Rocky Branch, 1.7 miles south of, 4.5 miles north of Daingerfield, east of road opposite J. R. Old's house; iron post stamped "430 1908"	429. 619
Omaha, 4 miles south of, 0.3 mile north of signboard "Omaha 4 miles,"	120.010
east of road, in forks of road; iron post stamped "Prim. Trav. Sta. No. 3, 1908, 385"	385. 434
Omaha, 2.5 miles south of, in fork of road in front of small schoolhouse; head of spike in root of tree.	202 02
Omaha, 0.5 mile south of, T road north; head of spike in root of tree	363. 83 386. 08
GILMER QUADRANGLE.	
[Latitude 32° 30'-33°; longitude 94° 30'-95°.]	
From Sardis southwest to Hughes Springs.	
Sardis, 1.9 miles west of, on Hughes Springs road, northeast corner of T road	
north; iron post stamped "330 1908". Hughes Springs, 3.8 miles east of, on Sardis road, south of road at T road	330. 004
north to Linden, foot of mail box 98; head of spike in root of tree Wilson siding, 1.5 miles southeast of Hughes Springs, on Missouri, Kansas	357. 49
& Texas Ry.; top of rail in front of signboard	326. 0
Hughes Springs, in west face of brick building owned by T. B. Keaster, in new part of building, in double column where old and new buildings join,	
11 paces from northwest corner of building, in twenty-first tier of brick above concrete sidewalk; copper bolt (C. & G. S. b. m. B-3)	378. 192

F

N

N N

0

N

SHAWNEETOWN QUADRANGLE.

[Latitude 33° 30'-34°; longitude 94° 30'-95°.]

From Malta west along Texas & Pacific Ry. to De Kalb.

De Kalb, 2.8 miles east of, at railway crossing, 60 feet north of track, in corner of right of way fence; iron post stamped "Prim. Trav. Sta. No. 113, 406". De Kalb, in front of station; top of rail. De Kalb, 1,980 feet west of station, north of track, in corner of right of way fence; iron post stamped "Prim. Trav. Sta. No. 128, 408, 1908"	Feet. 405. 982 408. 4 407. 891
BOXELDER QUADRANGLE.	
[Latitude 33° 15′-33° 30′; longitude 94° 45′-95°.]	
Near Lydia.	
Lydia, 0.3 mile east of by 0.3 mile northeast of, at fork of road; spike in root of tree Lydia, 0.3 mile east of, at junction of roads from Rock Crossing, Dalby Springs, and De Kalb, center of open space at road fork; iron post stamped "389 1908, Prim. Trav. Sta. No. 8"	401. 51
From point 5 miles north of Omaha north along highway to Lydia.	
John Hagard's house, T road west, at northwest corner of T road; head of spike in root of tree. Rock Crossing, 5 miles south of, 700 feet north of John Hagard's house, 0.8	297. 83
mile south of White Oak River bottom, T road east, west of road; iron post stamped "295"	295. 289
tree; head of spike	251. 87
west; iron post stamped "Prim. Trav. Sta. No. 7, 296 1908". Rock Crossing, 2.3 miles north of, in front of house at fork of road (fork of road leads to Dalby Springs, left hand fork leads to Lydia); iron post	296. 107
stamped "Prim. Trav. Sta., 301, 1908". Rock Crossing, 5 miles north of, 6 miles south of Lydia, crossroads at north and of lane near sawmill, southeast corner of; iron post stamped "306".	300. 864
1908". J. M. Eitel's house (formerly Millie post office), 1.1 miles north of, 3 miles south of Lydia, west of road, 40 feet north of road fork east, in old field;	303. 596
iron post stamped "Prim. Trav. Sta., 329, 1908". Lydia, 0.3 mile east of, at junction of roads from Rock Crossing, Dalby Springs, and De Kalb, center of open space at road fork; iron post stamped	329, 085
"Prim. Trav. Sta. No. 8; 389 1908". Lydia, in center of open space, in root on north side of tree; head of spike.	388. 641 377. 19
From Lydia west along highway to Garvensville (Cuthand post office).	
Lydia, 2 miles west of, road fork north to Clarksville; head of spike in root	
of treeLydia, 2.5 miles west of, T road north by small cemetery, north of road on	388. 69
high bank; iron post stamped "373 1908". Shawnee Church, 200 feet south of, at fork of road; iron post stamped "364	373. 270
1908"	363. 722
Shawnee Church, 1.1 miles west of, at road fork north, near guidepost "Annona 103 miles;" head of spike in top of stump	390, 86

Boxelder, 1.5 miles east of, southeast corner of T road south, at north end of lane; iron post stamped "360 1908". Boxelder, 2.5 miles southwest of, on Cuthand road, east of road, opposite	Feet. 360, 226
Cole's house; iron post stamped "315 1908"	315. 132
yards west of empty house west of road, at turn at corner of a field; iron post stamped "320 1908". Garyensville (Cuthand post office), 4.3 miles east of, at fork of Boxelder and	320. 455
Hartsbluff roads, 0.5 mile north of country church; iron post stamped "376 1908"	375. 754
in root of white-oak tree	367. 02
side of large double tree.	364. 23
From Goolesboro east along highway to Rock Crossing.	THELE
Goolesboro, 0.5 mile east of; iron post stamped "Prim. Trav. Sta. No. 109". Goolesboro, 2 miles east of, road fork north, 100 feet east of house; spike head	340. 224 344. 72
in root of tree	344. 72
front of house; spike head in root of tree	383. 38
knoll; iron post stamped "390 1908". Blalock post office, 0.5 mile south of, 3 miles north of Wilkinson post office,	389. 550
west of road at fork; spike in root of white-oak tree. Wilkinson post office, 2.2 miles north of, 1.2 miles south of Blalock post office, west of road; iron post stamped "341 1908".	366. 18 340. 585
Wilkinson post office, 1.6 miles north of, at road fork at north end of lane, west of road; spike head in root of large oak tree.	336. 58
Wilkinson post office, opposite, east of road; iron post stamped "300 1908".	299. 714
P. Harris's house, 0.3 mile north of, on Mount Pleasant-Hartsbluff road, 200 feet north of crossroads, west of road; iron post stamped "325 1908"	324. 606
Mount Pleasant-Hartsbluff road, 2.8 miles east of, on Rock Crossing road, north of road, opposite northeast corner of field by empty house, on top of small knoll; iron post stamped "339 1908".	000 004
Jack Wild's ranch, southwest corner of yard, 1 mile east of house of Arthur	339. 684
Miller; iron post stamped "325 1908". Ellis Bridge, crossing White Oak Creek, 1.5 miles north of, 400 feet north of	325. 186
negro schoolhouse on west side of road; iron post stamped "298 1908". Ellis Bridge, 0.5 mile north of, at crossroads; head of spike in root of white-	297. 101
oak tree in middle of road	290. 37
mile east of slough; head of spike in root of oak tree	302. 09
Rock Crossing, 3 miles west of, on Goolesboro road, southeast corner of yard of an empty house owned by James Roger; iron post stamped "298 1908".	297. 535
MOUNT PLEASANT QUADRANGLE.	
[Latitude 33°-33° 15′; longitude 94° 45′-95°.]	
From Omaha west along track of St. Louis Southwestern Ry. Co. of Texas to Mount Pleasant, thence south to Pittsburg.	
Cookville, 2.8 miles east of, 40 feet south of track at road crossing, in corner	100.055
of right-of-way fence; iron post stamped "404 Adj 1903". Cookville, 1,150 feet west of, 40 feet north of track in fence corner; iron post stamped "440 Adj 1903".	403. 651 440. 204
25286°—Bull. 637—16——2	

Mount Pleasant, 4 miles east of, 1,900 feet east of milepost 476, 40 feet north-	Feet.
east of road crossing; iron post stamped "367 Adj 1903".	367. 461
Mount Pleasant, 0.5 mile north of, 90 feet southeast of road crossing, 80 feet	
east of tool house; iron post stamped "401 Adj"	400. 941
Mount Pleasant, in front of station; top of rail	401. 2
Mount Pleasant, south front of courthouse, 4 feet above ground, in granite	
railing; bronze tablet stamped "413 Adj 1903, Prim. Trav. Sta. No. 231". Mount Pleasant, 2.5 miles south of, 40 feet west of track at road crossing, in	413. 087
corner of right-of-way fence; iron post stamped "397 Adj 1903, Prim. Trav.	
Sta. No. 12"	396. 906
Big Cypress, 1.2 miles north of, 300 feet north of milepost 485, 60 feet west of	390. 900
private road crossing; iron post stamped "293 Adj 1903"	292. 707
Big Cypress, in front of station; top of rail.	352. 0
Pittsburg, 3 miles north of, 80 feet east of road crossing, at milepost 488.	
south side of gate; iron post stamped "Prim. Trav. Sta. No. 37, 315 Adj	
1903"	315. 359
Pittsburg, 0.2 mile north of, 30 feet west of track, 80 feet southwest of road	
crossing; iron post stamped "386 Adj 1903"	385. 834
From Omaha north along highway 5 miles.	
Omaha, 2.3 miles north of, southwest corner of crossroads; head of spike,	107 00
in root of tree. Omaha, 4 miles north of, Motley's cotton gin, southeast corner of crossroads;	421. 62
iron post stamped "Prim. Trav. Sta. No. 2, 1908, 325"	324. 594
Motley's cotton gin, 0.5 mile north of, T road east, east of road; head of spike	021.001
in root of large white-oak tree.	335, 66
From Mount Pleasant northwest along highway to Payne's store.	
Mount Pleasant, 0.5 mile north of station, 80 feet east of tool house by road	
crossing, in corner of field; iron post stamped "401 Adj 1903"	400.941
Mount Pleasant, 2 miles north of, 700 feet north of bridge over creek north	
of two-mile post from Mount Pleasant, east of road; iron post stamped	
"Prim. Trav. Sta. No. 215, 371 1908".	370. 738
Mount Pleasant, 4.5 miles north of, east of road, 400 feet north of road fork	100 000
east; iron post stamped "Prim. Trav. Sta. No. 193, 461 1908"	460. 678
Trav. Sta. No. 178, 398 1908".	397. 708
	331.100
From Cason northwest along highway to Mount Pleasant.	
Cason, 50 feet south of track, in corner of yard at railroad crossing, seven	
telegraph poles west of station; stone marked "U. S. B. M." (C. &	
G. S. b. m. Z ₂)	326. 039
Cason, in front of station; top of rail	336.7
Cason, 2.5 miles north of, T road west to Mount Pleasant; head of spike in	
tree root.	370.71
Cason, 3 miles northwest of, on Mount Pleasant road, 0.7 mile south of	
Swanins Creek, in fork of road near mail box 18; iron post stamped "354	07.
1908". Mount Pleasant, milepost 8 miles southeast of, northwest corner of T road	354, 023
west, 0.6 mile south of creek; iron post stamped "358 1908"	257 940
Mount Pleasant, 6.2 miles southeast of, on Cason road, 150 feet north of	357. 840
schoolhouse in fork of road; spike head in root of large oak tree	408. 91
	-

PRIMARY LEVELING.	19
Mount Pleasant, 3.8 miles southeast of, at junction of Cason road and Mount Pleasant-Daingerfield road, in fork; iron post stamped "380 1908" Mount Pleasant, 3.3 miles southeast of, on Cason road; spike in root of large	Feet. 380.060
oak tree in middle of crossroads	361. 97
MOUNT VERNON QUADRANGLE.	
[Latitude 33°-33° 30'; longitude 95°-95° 30'.]	
From Payne's store north along highway via Goolesboro to Cuthand Creek.	
John Thompson's house, 700 feet south of, west of road, at road fork to west, near post holding five mail boxes; iron post stamped "377 1908"	377. 364
at T road east	373. 78
"Prim. Trav. Sta. No. 154, 336 1908". Mount Pleasant 13-mile post, 200 feet north of, east of road; iron post stamped	336. 037
"Prim. Trav. Sta. No. 130, 308 1908". Goolesboro, 0.5 mile east of, 1,200 feet north of crossroads, west of road, top	307. 937
of hill at south edge of Sulphur River bottom; iron post stamped "Prim. Tray. Sta. No. 109, 340 1908".	340. 224
Sulphur River bridge, 1.3 miles north of, east of road in lane; iron post stamped "Prim. Trav. Sta. No. 86, 330 1908"	330. 113
Sulphur River bridge, 2 miles north of, at road fork east and west; nail in root on north side of tree to east of road	333. 21
Garvensville (Cuthand post office), 1 mile south of, southeast corner of crossroads; iron post stamped "Prim. Trav. Sta. No. 69, 360 1908"	360. 307
Garvensville (Cuthand post office), northeast corner of cemetery, southwest corner of T road west, head of spike in root of tree	373. 04
Garvensville (Cuthand post office), 0.8 mile north of, east of road; iron post stamped "Prim. Trav. Sta. No. 59, 409 1908"	408. 963
Bonham, Clarksville, Denison, Denton, Gainesville, Montague, and Parrangles.	is quad-
COOKE, FANNIN, GRAYSON, LAMAR, MONTAGUE, AND RED RIVER COUNT	IES.

COOKE, FANNIN, GRAYSON, LAMAR, MONTAGUE, AND RED RIVER COUNTIES.

The elevations in the following list are based on bench marks determined by the precise line of the Coast and Geodetic Survey in the western part of the Montague quadrangle.

Most of the leveling was done by E. W. Glafcke in 1899 and 1900, and by M. S. Bright in 1901, 1902, and 1903. One line in the Clarksville quadrangle was run in 1908 by W. A. Gelbach. The leveling in the Denison quadrangle was done by A. F. Hassan in connection with topographic surveys of the former Indian Territory.

MONTAGUE QUADRANGLE.

[Latitude 33° 30'-34°; longitude 97° 30'-98°.]

From Terral, Okla., to St. Jo, Tex., via Chicago, Rock Island & Gulf Ry. and Missouri, Kansas & Texas Ry.

Ringgold. 180 feet east of Missouri, Kansas & Texas Ry. station, at end of	
platform between main tracks and switch; iron post stamped "894	Feet.
Gainy" Variation of the Mirror & Torons & Torons	894. 368
Ringgold, 3.2 miles east of, 50 feet north of the Missouri, Kansas & Texas Ry, track, and 150 feet east of milepost 752, near railroad fence; iron post	
stamped "824 Gainy"	824, 396

Belcherville, 50 feet north of Missouri, Kansas & Texas station, and 10 feet	
north of switch at intersection of sidewalk on principal street; iron post	Feet.
stamped "896 Gainy"	896.461
Belcherville, 3.5 miles east of, at public road crossing, 6 feet north of track,	
east side of road; iron post stamped "853 Gainv"	853. 122
Nocona, southeast corner of principal street, 200 feet north of station; iron	
post stamped "980 Gainv"	980. 296
Nocona, 3.5 miles east of, 9 rail lengths east of milepost 739; iron post	
stamped "904 Gainy".	904. 275
Nocona, 6 miles east of, at public road crossing 40 feet south of track, 6 tele-	
graph poles west of milepost 737; iron post stamped "892 Gainy"	892. 408
Bonita, 200 feet north of Missouri, Kansas & Texas Ry. station; 30 feet north of main track, at base of telegraph pole; iron post stamped "931	
Gainy". (Top of post reported in 1916 to be 1.5 feet under ground)	001 050
Bonita, 3 miles east of, 25 feet north of track, at milepost 731, public road	931. 052
crossing; iron post stamped "1009 Gainy".	1 000 400
St. Jo, 300 feet east of Missouri, Kansas & Texas Ry. station, 10 feet south of	1, 009. 400
main track near wagon road; iron post stamped "1142 Gainy". (Reported	
in 1916 to be 1.3 feet low).	1 140 010
11 1010 10 10 10 10 10 10 10 10 10 10 10	1, 140. 919
From point 4 miles northwest of Bulcher to Nocona.	
Bulcher, 7.2 miles northwest of, A. A. Kennedy's ranch, 800 feet east of	
house, at intersection of public road and Bonita road; iron post stamped	
"977 Gainy"	978. 181
Bulcher, 11 miles northwest of, 8 miles northeast of Nocona, at junction of	370. 101
Nocona and Illinois Bend roads; iron post stamped "1008 Gainy"	1 009 049
Nocona, 5 miles southeast of, at left side of road, at mouth of lane, east of	1, 000. 015
iron bridge across Farmers Creek; iron post stamped "907 Gainy"	907. 630
From Nocona southwest via Montague to Bowie and Ringgold.	
Nocona, 3 miles southwest of, east side of public road to Montague, in sand-	
stone ledge; aluminum tablet stamped "942 Gainy"	942, 599
Nocona, 6.2 miles southwest of, 500 feet due south of Dixie schoolhouse, 10	012.000
feet west of public road, 3.5 miles northeast of Montague; iron post	
stamped "941 Gainy"	941. 616
Montague, in west capstone of county courthouse, south side of main	
entrance; aluminum tablet stamped "1076 Gainy"	1, 075, 682
Montague, 3.7 miles southwest of, north side of telephone road, 500 feet	The state of the s
northwest of farmhouse; iron post stamped "1073 Gainy" 1	1, 072. 926
Montague, 6.5 miles southwest of, at turn of telephone road to north, 1,000	
feet east of east fork of Denton Creek; iron post stamped "1058 Gainv" 1	, 057. 651
Montague, 10.5 miles southwest of, on high mesa to right of road, 0.8 mile	
southwest of suspension bridge, 3.8 miles from Bowie; iron post stamped	
"1127 Gainy"	, 127. 175
Bowie, southwest corner of street at Brown Hotel, 100 feet east of Fort	
Worth & Denver City Ry. station; iron post stamped "1124 Gainv" 1	., 123. 869
Bowie, 2 miles northwest of; top of section of rail west of railroad track for	
marker at milepost 542 1	, 051. 556
Bowie, 3 miles northwest of; top of section of rail on end in ground for	
marker at milepost 541 1	, 014. 93
Bowie, 4 miles northwest of, 40 feet east of Chicago, Rock Island & Gulf Ry.	
track, at public road crossing, 210 feet south of milepost 540; iron post	
stamped "989 Gainv"	989. 358

Bowie, 5 miles northwest of; top of section of rail on end in ground at mile- post 539	Feet. 960. 57
Stoneburg, 500 feet west of Chicago, Rock Island & Gulf Ry. station, at northeast corner of post-office building; iron post stamped "936 Cainy"	936. 228
Stoneburg, 1.5 miles west of; top of section of rail on end in ground for	
marker at milepost 534	901. 676
marker at milepost 533	868. 745
Stoneburg, 3.5 miles northwest of; top of section of rail on end in ground for marker at milepost 532.	863. 43
Stoneburg, 4.5 miles northwest of, 50 feet west of track on right of way, 50	
feet south of milepost 531, opposite Walker's ranch; iron post stamped "876 Gainy"	876. 028
Stoneburg, 5.5 miles northwest of; top of section of rail on end in ground for	
marker at milepost 530. Stoneburg, 6.5 miles northwest of; top of section of rail on end in ground for	865. 65
marker at milepost 529	869. 52
Ringgold, 3 miles south of, 7.5 miles northwest of Stoneburg, intersection of public road and railroad crossing, 1,300 feet north of milepost 528, 46 feet	
east of railroad track; iron post stamped "897 Gainy"	896. 461
From Hardy north to St. Jo.	
Hardy, 1 mile east of, 600 feet south of Henry Norman's farmhouse, south	1 051 005
side of road, top of ridge, in 18-inch post oak tree; spike	1, 051. 837
McCracken's store; iron post stamped "952 Gainsy"	952. 688
Hardy, 1.5 miles north of; northwest side of road, top of ridge in south side of 20-inch broken-top post-oak tree; spike.	1, 019, 785
Gladys, 25 feet west of post office, east side of St. Jo and Hardy road; iron	
post stamped "1027 Gainsv"	1, 028. 021
of fence corner at angle in road north and west, 0.8 mile south of lane run-	
ning west; iron post stamped "1167 Gainsy"	1, 168. 493
From Nocona north 6 miles over Nocona and Reed River station road, thence east to Pearson, thence south to railroad.	
Nocona, 4 miles northwest of, east side of Nocona and Reed River station	
road, 10 feet south of lane leading east; iron post stamped "880 Gainsy". Nocona, 5.25 miles north of, east side of road at intersection of Red River	880. 476
station road with Seag crossing and Nocona road; iron post stamped "846	
Gainsy"	846. 470
road. 15 feet south of road leading west; iron post stamped "936 Gainsy".	936. 619
Pearson, 3.25 miles south of, 500 feet east of Loving's farmhouse, north side of road leading east and head of lane leading south; bronze tablet set in	
sandstone rock stamped "909 Gainsy"	909. 774
From point 6 miles east of Nocona south over settlement roads via Blue Mound to Dye Mound, thence southwest via Mallard to Fruitland.	
Starkeye graveyard, north side at forks, 17 feet east of southwest fence cor-	- The
ner; iron post stamped "987 Gainsy"	988. 034
Blue Mound schoolhouse, 120 feet south of, south side of St. Jo and Montague road; iron post stamped "1123 Gainsy"	1, 124, 108
Dye Mound, 0.25 mile northwest of post office, top of ridge at west end of	
Mound, east side of road by wire fence; iron post stamped "1235 Gainsv"	1, 236. 156

Mallard, northwest corner C. T. Jester's store and post office; iron post	
stamped "985 Gainsy". Dry Valley schoolhouse, 2 feet north of and 200 feet south of crossroads:	
iron post stamped "933 Gainsv"	934. 239
H. H. McPherson's farmhouse, 150 feet east of, 4 feet north of northwest cor-	
ner fence post, at crossroads; iron post stamped "1021 Gainsy"	
From Fruitland along road and railroad west to Lee May's ranch, thence north to Stoneburg.	TON TOWN
Fruitland, in west side of stone chimney on south side of house owned by	pressure.
W. H. Searborough, about 5 feet from ground and 6 inches from edge of	
chimney; copper bolt (C. & G. S. b. m. "H").	1, 053. 781
Bowie, 4 miles south of, 150 feet southeast of Rock Hill schoolhouse, in forks of Park Springs and Bowie and Crafton roads; iron post stamped "972	
Gainsy"	973. 258
Lee May's ranch house, 2,000 feet south of, east side of road, south end of	
lane leading north, 4 feet north of fence corner; iron post stamped "1006	
Gainsv" Montague coal mine, 655 feet west of, on sandstone outcrop; west edge of	1,007.280
chiseled point	984. 471
Bowie, 7 miles west of, 0.6 mile north of Z. M. Wilson's farmhouse, south	001. 111
edge of drain, on east side Stoneburg and Newport public road, 856 feet	
south of crossroads; bronze tablet stamped "1004 Gainsy"	1,005.420
Bowie, 6 miles northwest of, 500 feet west of milepost "Forth Worth 74	P. Lines
Denver 730," 150 feet north of Fort Worth & Denver City R. R. track, at northeast fence corner, head of lane leading north; iron post stamped	S. A. A. S. C.
"995 Gainsv"	995, 976
H. A. Speer's farmhouse, 400 feet north of, 4 feet south of southwest fence	000.010
corner, at crossroads; iron post stamped "947 Gainsy"	947. 802
Stoneburg, southwest corner of southwest one of four inner stone blocks	
supporting water tank, 4 inches from either edge; cross in top of a copper bolt leaded vertically in the stone (C. & G. S. b. m. "E")	935. 130
	959, 150
From Stoneburg east along roads about 3 miles, thence north via Harmony school-house to Belcherville.	
Stoneburg, 3.25 miles east of, 600 feet east of bridge over Victoria Creek,	
150 feet west of road forks, south side of road at fence corner; iron post	ALCO NO.
stamped "893 Gainsv". Belcherville, 4.8 miles south of, south side of Montague and Henrietta road,	892. 627
head of lane leading north to Belcherville; iron post stamped "909	
Gainsy"	908. 982
From Montague southeast to crossing of Forestburg-Montague and Bowie-St. Jo	
public roads.	
Montague, 1 mile southeast of, east side of road in front of house; nail in 16-	
	1, 076. 397
Montague, 4 miles southeast of, south side of road; point on top of milestone 4.	1 125 989
GAINESVILLE QUADRANGLE.	_,
Latitude 33° 30′-34°; longitude 97°-97° 30′.]	
From St. Jo east to Lindsey.	
St. Jo, 3.2 miles east of, 5 telegraph poles east of milepost 723 and 300 feet east of bridge 1453, south side of railroad track, on edge of right of way	
along public road; iron post stamped "1166 Gainv"	1, 166, 103
	C. C. C. C.

St. Jo, 6.2 miles east of, on east side of public road, 60 feet south of Missouri,	
Kansas & Texas Ry. track, near corner of guard fence; iron post stamped	Feet.
"1036 Gainy"	1, 036, 433
Muenster, 125 feet northeast of station in southwest corner of lumber yard	
on principal street; iron post stamped "971 Gainv"	971. 373
Myra, 300 feet north of railroad track, west side of public road, opposite and	
75 feet east of post office; iron post stamped "917 Gainy"	917. 552
Lindsay, southeast corner of Pete Johnson's store on principal street, 750 feet north of railroad track; iron post stamped "796 Gainy"	796. 152
	190. 102
From Gainesville northwest via Marysville to Bulcher.	
Wolf Ridge, 300 feet southeast of schoolhouse 77, at corner of fence forks of	
Gainesville and farmers roads; iron post stamped "927 Gainy"	928. 338
Gainesville, 10.5 miles northwest of, 12 feet southeast of southeast corner post of cultivated land at forks of road, 2 miles north of Wolf Ridge school-	
house; iron post stamped "945 Gainy"	945. 980
Gainesville, 15 miles northwest of, at lower end of Black Hollow, east side	340. 300
of road near top of divide between Black Hollow and Lander Creek; iron	
post stamped "820 Gainv"	820.787
Marysville, 3 feet south of southwest corner of post office, on east side of	
principal street; iron post stamped "873 Gainy"	874. 454
roads, at southeast corner of rail fence around Housinger residence; iron	
post stamped "916 Gainy"	917. 438
Bulcher, northwest corner of post office, 40 feet south of Camp Creek, on	
right bank; iron post stamped "746 Gainy"	747. 482
Bulcher, 4.2 miles northwest of, at intersection of Illinois Bend and St. Jo	
public road, southeast corner of fence west side of road, at J. E. Seitz's	007 555
farm; iron post stamped "900 Gainv"	901. 555
From Gainesville via Huneycutt triangulation point, Callisburg, Woodbine, and Burns, northeast, south, and northwest over main county roads to Gainesville.	
Gainesville, 3 miles east of, 1,400 feet north of bridge over Wheeler Creek, at right-angle turn of lower Callisburg road, on south side, west side of	
lane leading south to Whitesboro road; iron post stamped "757 Gainy"	758. 999
Gainesville, 8 miles northeast of, at junction of upper Callisburg road and	100.000
Walnut Bend road, opposite a large spreading elm tree, 4 feet south of	
Gainesville 8-mile post; iron post stamped "840 Gainv"	841. 193
Gainesville, 12 miles northeast of, at Huneycutt triangulation point; bronze	051 500
tablet stamped "953 Gainy". Callisburg, about 5.5 miles northwest of, 1.8 miles due north of Huneycutt	954. 522
triangulation point, 50 feet south of small drain, on east side of Walnut	
Bend road and north side of road leading east to Callisburg and Ellis	
Ferry road; iron post stamped "845 Gainv"	846. 882
Callisburg, 3 miles north of, on west side of Callisburg and Dexter road,	
south side of lane leading west to Elliott Ferry; iron post stamped	700 000
"795 Gainv"	796. 699
store; iron post stamped "808 Gainsv"	809. 181
Callisburg, 3 miles south of, 500 feet south of Spring schoolhouse, 300 feet	000.101
north of drain on south side of Gainesville and Whitesboro road and west	
side of Callisburg and Woodbine road; iron post stamped "774 Gainsv".	774. 990
Woodbine, 60 feet north of Missouri, Kansas & Texas Ry. track, at south-	
east corner of post office and W. R. Crooks's grocery store, on west side of main road; iron post stamped "763 Gainsy"	764 000
main road, from post stamped 705 Gainsy	764. 332

Woodbine, 4 miles southwest of, 200 feet south of the Gainesville and Pilot Point upper road, on east side of road leading south to Burns, northwest corner of schoolhouse; iron post stamped "742 Gainsv"	Feet. 743. 201
store; iron post stamped "680 Gainsv". Burns, 2.8 miles west of, 200 feet northeast of Prairie Grove schoolhouse, east side of Gainesville and Pilot Point road, north side of road leading	681. 682
east to Burns; iron post stamped "756 Gainsy". Gainesville, 6 miles southeast of, 55 feet west of M. A. Taylor's residence, 60 feet west of large drain, on east side of Gainesville and Pilot Point road, north side of road leading east to schoolhouse; iron post stamped "695	757.858
Gainsv". Gainesville, 2.5 miles southeast of, about 0.25 mile southeast of crossing on Wheeler Creek, on east side of Gainesville and Pilot Point upper road and south side of road leading east to Pilot Point lower road; iron post	696. 383
stamped "759 Gainsv"	760. 704
From Wolf Ridge schoolhouse east to Gainesville-Sivells Bend road, thence north to Sivells Bend, thence southwest to Maryville via Nubbin Ridge.	
Gainesville, 9 miles northwest of, 0.5 mile west of Red River schoolhouse, 500 feet south of a lane leading west to Wolf Ridge, north side of lane leading east to Jim Beaty's ranch, east side main road at fence corner;	
iron post stamped "851 Gainsv". Gainesville, 13 miles northwest of, 1.3 miles northwest of wagon bridge over Fisk Creek, about 400 feet southeast of Lauderdale's house, mouth of lane leading east, at northeast fence corner; iron post stamped "807	852. 013
Gainsv" Gainesville, 18 miles northwest of, in village of Sivells Bend, 0.25 mile west of Dr. Harrison's house, 120 feet east of right-angle turn in main road, at southwest corner of post office, in Greever Bros.' general store, on north	808. 836
side of main road; iron post stamped "874 Gainsv"	875. 428
"874 Gainsv". Gainesville, 17 miles northwest of, west side of Gainesville and Copperas Bluff road, 0.8 mile south of Hickman's house, near head of small drain, at junction of lane leading west to Marysville; iron post stamped "956	875. 657
Gainsv"	956. 954
From Lindsay south along public roads via Reed to Era.	
Gainesville, 5.5 miles southwest of, 2.8 miles east of Reed post office, 0.25 mile west of J. N. Whaley's house, 160 feet west of small drain, south side of Gainesville and Rosston road; iron post stamped "853 Gainsv"	854. 221
Gainesville, 8 miles southwest of, in village of Reed, 600 feet west of lane leading south to Era, north side of Gainesville and Rosston road, at southwest corner of post office, in A. Pulte's store; iron post stamped "952"	504. 221
Gainsv". Era, 3.5 miles northeast of, 800 feet northwest of crossing on Spring Creek, in angle of lane on west side of road at the corner of three wire fences,	953. 660
about 0.5 mile south of summit of hill; iron post stamped "829 Gainsy".	830. 044

From Valley View north to Gainesville.

Gainesville, 7 miles south of, 900 feet south of John Crumley's house and	
50 feet north of G. Spearman's house, in angle of road, on west side; iron	Feet.
post stamped "755 Gainsv".	756. 331
Gainesville, 4 miles south of, 6 miles north of Valley View, 0.6 mile south of lane running east and west, 0.25 mile north of W. Bedlong's residence,	
4 feet east side of road; iron post stamped "754 Gainsy"	755, 621
Gainesville, 2.5 miles southwest of, at fence corner in forks of Gainesville,	
Rosston, and Era roads; iron post stamped "801 Gainsv"	801. 842
From Reed along public roads southwest via Hood to Rosston, thence northwest to	
Free Mound.	
Hood, 58 feet north of J. H. Hewitt's store and north side of Gainesville	
and Rosston road; iron post stamped "996 Gainsv"	997. 404
Rosston, 3 miles northeast of, 680 feet north of Rosston and Era road, north	
side small drain and west side Gainesville and Rosston road; iron post stamped "914 Gainsv"	914. 869
Rosston, 20 feet south of Raner Bros.' general store, 250 feet west of J.	011.000
Dill's store, southwest corner of square; iron post stamped "857 Gainsv".	858. 224
St. Jo, 16 miles southeast of, on west side of Free Mound and Rosston road,	
100 feet east of Hunter schoolhouse, 300 feet north of bridge over Hunter Creek; iron post stamped "886 Gainsv"	007 707
Free Mound, 62 feet west of post office, in D. P. Wilson's store, on south	887. 127
side of Gainesville and Forestburg road, at corner of wire fence around	
gin; iron post stamped "884 Gainsv"	885. 076
At Gainesville.	
Gainesville, in center of north face of top foundation stone at northeast	11.11
corner of brick building on California Street, near station building, used	
by Tyler & Simpson as grocery store; bronze tablet	734. 673
Gainesville, 45.3 feet south of south crossing frog, 2 inches out of ground,	
in line of north and south crossing frogs of Miysouri, Kansas & Texas Ry. with the Gulf, Colorado & Santa Fe Ry., 6.4 feet west of west rail of	
Missouri, Kansas & Texas and 6.8 feet east of east rail of Gulf, Colorado &	
Santa Fe Ry.; iron post.	741. 702
From Gainesville along Gulf, Colorado & Santa Fe Ry. to Marietta, Okla.	
Gainesville, 6 miles north of, about middle of coping stone on east side of north pier of bridge over Red River; copper bolt	662. 055
DENTON QUADRANGLE.	
[Latitude 33°-33° 30'; longitude 97°-97° 30'.]	
From Era east to Valley View.	
Era, 255 feet north of public school, 60 feet east of Seagraves' store, southwest corner of hotel block; iron post	910. 062
Valley View, 3 miles west of, at junction of Valley View-Era and Gaines-	310.002
ville-Bolivar roads, south side of road, by wire fence; iron post stamped	
"800 Gainsy"	801. 366
Valley View, northeast corner of public square, 10 feet north from front of	701 740
A. Gunston's hotel; iron post stamped "720 Gainsv"	721. 546

DENISON QUADRANGLE.

[Latitude 33° 30′-34°; longitude 96° 30′-97°.]

From Denison south along the Missouri, Kansas & Texas Ry. to Sherman.	
Denison, center of base stone of granite foundation of Ford Building, at corner of Main Street and Rush Avenue, occupied by the National Bank of Denison and numerous offices, on left of avenue entrance; bronze tablet.	Feet. 737. 365
Sherman, fire department building, corner of Travis and Cherry streets, first course of stone foundation, 5.2 feet from south edge of stone, 5.8 feet from north edge of stone on left side of main entrance; bronze tablet	729, 828
From Choctaw west along Texas & Pacific Ry. to Southmayd.	
Choctaw, about 1 mile west of, northeast corner of shoe of angle brace, on north side of bridge 72, over Choctaw Creek; cross on anchor bolt Southmayd, 5 miles east of, 20 feet 9 inches south of mile post 160, 48 feet 3 inches south of center of Texas & Pacific Ry. track, and 249 feet west of	579. 796
road crossing; iron post. Southmayd, 9 feet south of mile pole 165, fourth pole west of station, 46 feet south of center of Texas & Pacific Ry. track; iron post	836. 700 743. 736
From Southmayd south to Collinsville along joint line of Texas & Pacific Ry. and Missouri, Kansas & Texas Ry.	
Collinsville, 50 feet south of frog of switch, 5 feet 10 inches east of center of track; iron post.	747. 038
From Ethel east along county roads to Howe.	
Ethel, northeast corner of intersection of roads, inside fence; iron post Ethel, about 6.25 miles east of, northeast corner of intersection of Sherman-	725. 503
Tioga road with Sherman-Howe road, inside fence; iron post	714. 570
section of roads at William Chisholm's house; iron post. Howe, 19 feet 6 inches west of center of Houston & Texas Central R. R. track and 49 feet 6 inches north of northeast corner of station building;	818. 216
iron post	842. 798
in stone.	879. 049
From Sherman south via Houston & Texas Central R. R.	
Sherman, 4 miles south of, lower coping stone west side of south abutment of bridge over Choctaw Creek; copper bolt	654. 053
From Sherman along county road north to Pottsboro, thence west to Dexter, thence south to Whitesboro.	
Pottsboro, 4.75 miles south of, in stone underneath "Good" triangulation signal; copper bolt	882. 759
Pottsboro, 6.5 miles west of, southeast corner of Mrs. Carrie Nicholas's front yard, 285 feet north of center of Pottsboro-Gordonville road; iron post	715. 779
Gordonville, south of Sanderson's drug store, east of post office, 33 feet south of center of road, on Widow Gordon's place, nearly south of old well in	
roadway; iron post	720. 879
and about 200 feet west of Cooke-Grayson county line; iron post	837. 519
T. H. Williams; cross mark cut in foundation stone	781. 049

Dexter, 0.5 mile north of, in stone underneath "Dexter" triangulation station; copper bolt. Dexter, 5.5 miles south of, turn of road east around M. A. Goldston's pasture, about 1,165 feet south of house owned by the Carlock heirs and occu-	Feet. 863. 33
pied by Mr. Stuckey, bench mark inside fence; iron post	795. 244 883. 879
Whitesboro, 3.6 miles west of, at intersection of Dexter road with Gaines- ville-Whitesboro road, in corner of Dr. Younger's yard and across road from Nance Prairie School; iron post	773. 749
From Southmayd southeast on county road to Mormon Grove, thence northeast to Sherman.	
Southmayd, 6.25 miles southeast of, about 1.25 miles south of Valley Summit School, in Halliday's field, across road from Mrs. Keene's pasture, about 20 feet east of the center of road and 2 feet north of division fence,	
600 feet south of head of a timbered drain flowing southwest; iron post Mormon Grove, 550 feet northeast of, cross mark cut in stone underneath "Mormon Grove" triangulation station; copper bolt in stone about 2 feet	760. 144
under surface. Sherman, 3 miles southwest of, inside fence at turn of road to east and directly opposite gate on other side of lane; iron post.	900. 789 801. 519
From Pottsboro north along county road to meander corner on Red River of T. 8 S., Rs. 5 and 6 E., of the Chickasaw survey.	
Fink, 24 feet north of road to Bounds Ferry, inside of fence, west of the post office; iron post.	710. 249
Fink, 2 miles west of, in stone underneath "Fink" triangulation station; copper bolt	839. 45
At Denison.	
Denison, corner of Texas Street and Austin Avenue, in front yard, near gate opening on Texas Street, property known as "Stuart place"; iron post	756. 889
From Pottsboro west to Woodbine along Missouri, Kansas & Texas Ry.	
Pottsboro, foundation stone of southwest corner of brick and stone building	
owned and occupied by J. E. Reeves; bronze tablet	.767. 453
above surface of ground (name of railroad station is Deaver); iron post Whitesboro, 3.5 feet above ground and 15 inches from southeast corner on	631. 657
east side of brick school building; bronze tablet	821, 298
about 30 feet from milepole 691; cross mark on southwest end of coping stone.	699. 298
BONHAM QUADRANGLE.	
[Latitude 33° 30′-34°; longitude 96°-96° 30′.]	
From point 2 miles east of Bonham southeast and northeast along highway and railroad to Honey Grove.	
Bonham, 5 miles east of, 600 feet east of Tom Hilton's cotton gin, 100 feet	
northeast of house, south of road; iron post stamped "618 Paris" Bonham, 8.7 miles east of, 3.5 miles south of Dodd City, corner of fence, at fork of roads to Dodd City and Shady Grove; iron post stamped "662	647. 679
Paris"	691. 784

D 1 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Bonham, 12 miles east of, 50 feet north of Leonard Huff's house, 12 feet east of Windom road and 5 feet south of Bonham road; iron post stamped	-
"636 Paris"	Feet. 665. 314
Bonham, 15.5 miles east of, 770 feet west of Wood's house, at big gate south	000.011
of road; iron post stamped "619 Paris"	648. 003
Honey Grove, 5 miles southwest of, 100 feet north of C. M. Yeager's house,	
in solid stone on west side of Honey Grove-Cox Bridge road; aluminum	
tablet stamped "618 Paris"	646. 354
From Savoy to Honey Grove via Ravenna, Ivanhoe, and Lamasco.	
Savoy, 4 miles northeast of, 600 feet southeast of Powers's ranch house, 800	
feet west of Pottiela Creek, 8 feet south of road, in large sandstone ledge;	
aluminum tablet stamped "594 Paris"	595. 572
Ravenna, on principal street, southeast corner of frame building used as	
post office; iron post stamped "597 Paris".	598. 810
Ivanhoe, 3 miles west of, 5.5 miles east of Ravenna, 0.5 mile east of intersec-	FO4 FOF
tion of crossroads, on south side of road; iron post stamped "593 Paris" Ivanhoe, northeast corner of fence around Sam Keene's residence on	594. 505
principal street; iron post stamped "606 Paris"	607. 877
Ivanhoe, 3 miles east of, 250 feet south of intersection of Bonham road, 40	001.011
feet north of gate to Atkin's ranch, east side of road; iron post stamped	
"607 Paris"	608. 774
Lamasco, southwest corner of Windle & Goodman store building; iron post	
stamped "587 Paris".	588. 100
Bois d'Arc Creek, 1.5 miles east of, 8.5 miles north of Honey Grove, at end of lane on north side of road at turn south; iron post stamped "520 Paris".	521. 595
G. B. Crumpeeker's farm, southeast corner of fence around house, 300 feet	521. 595
east of intersection of Bonham, Paris, and Honey Grove roads; iron post	
stamped "614 Paris"	615. 433
CLARKSVILLE QUADRANGLE.	
[Latitude 33° 30′-34°; longitude 95°-95° 30′.]	
From Paris east along Texas & Pacific Ry. to Clarksville.	
Blossom, 250 feet east of station, 100 feet north of track, east side of sidewalk;	
iron post stamped "525 Paris"	526. 563
Detroit, 100 feet southeast of station, 40 feet south of track, on west side of	
principal street, on right of way; iron post stamped "481 Paris"	482. 662
Bagwells, 150 feet south of station, northwest corner of Dr. W. C. Stephen's	The state of the s
drug store; iron post stamped "475 Paris"	476. 722
aluminum tablet stamped "431 Paris"	432, 249
From Clarksville west to Paris via Faught post office.	102, 213
Clarksville, 3.51 miles north of, at intersection of Clarksville-Albion road,	
southeast corner of J. A. Jamieson's fence; iron post stamped "465 Paris".	466. 846
Clarksville, 8.51 miles northwest of, at intersection of Bagwells and Man-	100. 040
chester public roads, 4 miles northeast of Bagwells, 500 feet south of A. L.	
Cook's house; iron post stamped "481 Paris"	
	482. 189
Detroit, 10 miles north of, intersection of Clarksville, Pine Bluffs, Detroit,	482. 189
and Manchester public roads, southwest corner of Newell & Hubbard's	482. 189
and Manchester public roads, southwest corner of Newell & Hubbard's farm fence, 1,200 feet west of main crossroads, on north side of road; iron	
and Manchester public roads, southwest corner of Newell & Hubbard's farm fence, 1,200 feet west of main crossroads, on north side of road; iron post stamped "509 Paris".	482. 189 510. 650
and Manchester public roads, southwest corner of Newell & Hubbard's farm fence, 1,200 feet west of main crossroads, on north side of road; iron post stamped "509 Paris". Woodland, 5.31 miles west of, 16.51 miles northeast of Paris, 200 feet north	
and Manchester public roads, southwest corner of Newell & Hubbard's farm fence, 1,200 feet west of main crossroads, on north side of road; iron post stamped "509 Paris".	

Faught, 100 feet southeast of post-office building, at intersection of Parand Blossom public roads; iron post stamped "492 Paris". Givens, 150 feet west of building used as post office, at junction of Paris an Pine Bluffs road with Slate Shoal road, alongside rail fence; iron postamped "506 Paris".	. 493, 924 d st
From Cuthand Creek north to Clarksville.	
Stanley, 1.5 miles south of, 1,250 feet south of B. C. Wolf's house, east	of
road; iron post stamped "Prim. Trav. Sta. No. 29 366, 1908"	365. 629
west of road; iron post stamped "Prim. Trav. Sta. 15 390, 1908"	389.588
PARIS QUADRANGLE.	
From Honey Grove south and east along road south of railroad to Paris.	
Honey Grove, 3.7 miles south of, 440 feet southeast of Horace Jones's house	9,
on south side of road; iron post stamped "600 Paris".	601. 562
Honey Grove, 6.7 miles east of, corner of Mrs. C. Jones's yard house, 100 fee south of intersection of Union-Petty road, on south side of public roa	d
and 20 feet west of Union-Petty road; iron post	. 569. 338
Honey Grove, 10 miles east of, on north and south ridge, north side of road	1,
125 feet north of Smith Rollin's house; iron post	589. 304
over creek; iron post	522. 127
Ambia, 45 feet south of Gulf, Colorado & Santa Fe Ry. station, 27 feet we	st
of main track; iron post.	552. 042
Honey Grove, 21 miles east of, 4 miles south of Paris, at public road crossing, 10 feet northeast of dirt road, 15 feet northwest of railroad crossing, 80	5,
feet southeast of Ben Price's house; iron post	. 536. 934
From Honey Grove to Paris via Tiger Town and Maxey.	
Honey Grove, in bottom step of approach to First National Bank, corne	er
of Fifth and Market streets; copper bolt stamped "675 Paris"	. 676.835
Michigan schoolhouse, northeast corner of fence, 7 miles northeast of Hone Grove (by Monkston road), 50 feet northwest of W. Hutchinson's farm	У
house; iron post stamped "607 Paris"	608. 698
Tiger Town, Cothron's store, 30 feet northeast of post-office building,	at
corner of fence; iron post stamped "559 Paris".	. 560. 840
Maxey, northwest corner of post-office building, W. J. Wheeler's store; iro post stamped "569 Paris"	n 570. 359
Paris, 3 miles west of, 300 feet west of bridge over Pine Creek, south sid	le
of road: iron post stamped "494 Paris"	. 495. 341
Paris, post-office building, right side of entrance, in first step; aluminum tablet stamped "601 Paris".	m 602. 507
Dallas, Farmersville, Kaufman, and McKinney quadrangles	
COLLIN DALLAS KAUFMAN, AND ROCKWALL COUNTIES.	

COLLIN, DALLAS, KAUFMAN, AND ROCKWALL COUNTIES.

The elevations in the following list were determined by primary leveling extended from bench marks of the Coast and Geodetic Survey precise-level line along the Missouri, Kansas & Texas Ry. at Rockwall and Rowlett. No connection was made with the Coast and Geodetic Survey bench mark at Garland.

¹ The error distributed in this line is excessive.

The leveling was done by W. A. Gelbach in 1909, in cooperation with the State.

KAUFMAN QUADRANGLE.

[Latitude 32° 30'-33°; longitude 96°-96° 30'.]

From Rockwall southwest along Missouri, Kansas & Texas Ry. to East Fork of Trinity River, thence along highway north 4.5 miles.	
Rockwall, southwest corner of courthouse, in south face, 4 feet above ground copper bolt (C. & G. S. b. m. "G 2") Rockwall, south end of Missouri, Kansas & Texas Ry. station, opposite	Feet. 595. 589
cistern; top of rail. Rockwall, 2.5 miles southwest of, at Missouri, Kansas & Texas Ry. bridge	553. 2
over East Fork of Trinity River, north end of east pier; aluminum tablet stamped "Prim. Trav. Sta. No. 4, 1909, 417"	417. 040
station 343, corner of brush land; copper nail in root of tree	412. 25
traverse station 344; copper nail in leaning bois d'arc tree	412. 26 414. 08
Rockwall, 1.5 miles west of, 40 feet south of road, about 40 feet east of slough bridge, in edge of timberland; iron post stamped "Prim. Trav. Sta. No.	414.00
13, 1909, 416"	415. 649
tree. Rockwall, 1.5 miles west by 1.6 miles north of, 26.6 feet west of primary	413. 59
traverse station 365; copper nail in root of bois d'arc tree	418. 56
Rockwall, 5 miles north by 1.5 miles west of, 35 feet northeast of primary traverse station 384, in edge of timber; copper nail in hackberry tree Rockwall, about 5.5 miles north by 1.5 miles west of, northeast corner of N. F. Evan's field, south side of road; iron post stamped "Prim. Trav.	427. 41
Sta. No. 15, 1909, 433". Rockwall, 6 miles north by 1.5 miles west of, 39 feet west of primary traverse station 389, on line between two fields; copper nail in root of water elm	432. 886
tree. Rockwall, 6.4 miles north by 1.5 miles west of, 16.4 feet north of primary traverse station 391, in fence line; copper nail in elm tree	431. 08
Rockwall, 7 miles north by 1.5 miles west of, primary traverse station 393 plus 119.3, on river bank; copper nail in root of water elm tree	435. 66
From point near Rockwall south to point 2 miles north of Barnes Bridge.	
Barnes Bridge, 4.5 miles north of, east of road, 20 feet west of river bank; copper nail in root of burr-oak tree	407. 68
112; nail in root of leaning burr-oak tree. Barnes Bridge, 3.3 miles north of, 2.5 miles south of Missouri, Kansas & Texas Ry. bridge, 300 feet east of river; iron post stamped "Prim. Trav.	404. 89
Sta. No. 5, 403, 1909''. Barnes Bridge, 2.7 miles north of, 29.5 feet from primary traverse station	403. 442
129; copper nail	402. 62

427.71

426.46

427.40

393.840

391.670

388.690

391.360

From point on Dallas and Forney road 5.8 miles south of Barnes Bridge.

Barnes Bridge, 5.8 miles south of, 800 feet south of bridge over East Fork of Trinity River, at turn of road, near slough, 40 feet south of road corner on Dallas-Forney road; iron post stamped "Prim. Trav. Sta. No. 9, 1909; Feet. No. 29, 1909". 383, 421 DALLAS QUADRANGLE. [Latitude 32° 30'-33°; longitude 96° 30'-97°.] From point 1.6 miles north by 1.5 miles west of Rockwall north 3.2 miles. Rockwall, 1.5 miles west by 2.1 miles north of, 4.5 feet southwest of primary traverse station 368, on bank of river; copper nail in root of 20-inch leaning oak tree 421.53 Rockwall, 1.5 miles west by 2.5 miles north of, primary traverse station 369 plus 519.7, 100 feet east of river; copper nail in root of spotted oak... 421.94 Rockwall, 2.8 miles north by 1.5 miles west of, about 2 miles north of Rockwall-Dallas road, 400 feet east of East Fork of Trinity River, in west edge of timber; iron post stamped "Prim. Trav. Sta. No. 14, 1909, 422"..... 422, 202 Rockwall, 3.1 miles north by 1.5 miles west of, 63.2 feet east of primary traverse station 375; copper nail in root of 16-inch hackberry tree..... 423, 98 Rockwall, 4.1 miles north by 1.5 miles west of, 5.7 feet west of primary traverse station 378, in edge of timber, 40 feet west of river; copper nail in

mary traverse station 382, in top of bois d'arc stump; copper nail......

From point near Barnes Bridge south along highway and west along Texas & Pacific Ry. to Mesquite, thence north along highway to Rowlett.

mulberry tree.....

Rockwall, 4.3 miles north by 1.5 miles west of, 5 feet west of primary traverse station 379, in edge of timber by Geo. Rogers's field, in 20-inch oak; copper nail.

Rockwall, 4.8 miles north by 1.5 miles west of, 100 feet west of slough, at pri-

in top of 8-inch stump.

Barnes Bridge, 2.4 miles south of, primary traverse station 173, 250 feet south of fence; nail in root of leaning white ash...

Barnes Bridge, 2.9 miles south of, primary traverse station 177; copper nail in top of 8-inch stump

Barnes Bridge, 3.4 miles south of, about 0.8 mile north of Dallas-Forney	
road, 320 feet south of corner of wire fence at east and west lane, 18 inches	
west of wire fence on land of Jeff Caldwell; iron post stamped "Prim.	Feet.
Trav. Sta. No. 8, 1909, No. 17" Barnes Bridge, 4.2 miles south of, primary traverse station 184 plus 898;	389. 286
copper nail in root of tree	387. 860
Barnes Bridge, 5 miles south of, primary traverse station 191 plus; copper	007.000
nail in hackberry tree	382. 250
Barnes Bridge, 6.9 miles south of, primary traverse station 204, 75 feet	
southwest of levee; copper nail in leaning elm at corner of field	380. 86
Mesquite, 5.4 miles east of, Texas & Pacific Ry. crossing of East Fork of	
Trinity River, 48 feet east of northeast corner of wagon bridge, about 15	
feet north of center of wagon road, 162 feet south of center of railway water tank; iron post stamped "Prim. Trav. Sta. No. 10, 1909, No. 22"	909 057
Mesquite, 3.8 miles east of, 1.8 miles west of East Fork of Trinity River, 25	383. 657
feet south of track, west side of road, at crossing; iron post stamped	
"1909"	445. 842
Mesquite, 350 feet east of station, at crossing; top of rail	496.6
Mesquite, 500 feet west of station, 100 feet north of tracks; iron post	
stamped "Prim. Trav. Sta. No. 11, 1909, No. 25"	484. 000
Mesquite, 2.5 miles north of, Troad south, in northwest corner of iron bridge over North Mesquite Creek; copper nail	483.79
Newhope, 150 feet north of main crossroads, east side of road; iron post	405. 79
stamped "Prim. Trav. Sta. No. 22, 1909"	533. 847
Newhope, 1.5 miles north of, 1.5 miles south of Rose Hill (Housley), 20 feet	
east of north end of bridge over Duck Creek; iron post stamped "Prim.	
Trav. Sta. No. 21, 1909"	444. 545
Rose Hill (Housley), 300 feet east of road fork, 100 feet southeast of black-	
smith shop, by wire fence; iron post stamped "Prim. Trav. Sta. No. 20, 1909, 505"	504. 267
Rowlett, 2.2 miles south of, 20 feet south of southeast corner of bridge over	504. 207
Rowlett Creek; iron post stamped "1909"	421. 44
From Barnes Bridge west along highway to Newhope.	
Barnes Bridge, 1 mile west of, south side of road, opposite corner of timber-	
land, in root of bois d'arc stump; copper nail	395. 93
Newhope, 2.6 miles northeast of, 30 feet south of west end of bridge over	000.00
Duck Creek; iron post stamped "1909"	428. 432
From Rowlett southeast along highway to point near Barnes Bridge.	
Rowlett, 1.5 miles east of, 30 feet south of west end of west Missouri, Kansas	
& Texas Ry. bridge over Muddy Creek, in corner of right-of-way fence;	
	423. 143
Rowlett, 3.3 miles southeast of, 0.5 mile below junction of Muddy Creek	
and Rowlett Creek, 0.2 mile north of bridge over Rowlett Creek, 300 feet	
northeast of levee; copper nail in east side of dead bois d'arc tree	412.47
Rowlett, 3.4 miles southeast of, 600 feet northwest of bridge over Rowlett Creek; copper nail in northwest corner of small bridge	419.07
Rowlett, 4 miles southeast of, 0.5 mile below bridge over Rowlett Creek,	412. 07
	409.65
Rowlett, 4.2 miles southeast of, east creek bank, 300 feet north of levee, at	
edge of field; copper nail in leaning bois d'arc tree	409. 82
Barnes Bridge, 3 miles northwest of, iron bridge over Rowlett Creek, 10	100 000
feet north of east end of bridge; iron post stamped "407 1909"	406. 868

Inimani LEVELING.	99
From Rose Hill (Housley) northwest to Garland, thence northeast and southeast to Rowlett.	
Centerville, 3.4 miles southeast of Garland, 2.9 miles northwest of Rose Hill, 100 feet east of J. M. Davis & Bros.' store, north side of road at crossroads; iron post stamped "538 1909". Garland, 0.3 mile southeast of station, 500 feet south of Missouri, Kansas & Texas Ry., about 500 feet east of crossing of Missouri, Kansas & Texas Ry.,	Feet. 537. 793
and Gulf, Colorado & Santa Fe Ry., top of northeast corner post of concrete bridge; mark X painted in black Garland, crossing of Missouri, Kansas & Texas Ry., and Gulf, Colorado &	527. 68
Santa Fe Ry.; top of rail	537. 5 540. 4
Trav. Sta. No. 2, 1909, 551"	550. 253
of rail. Sachse, 2.5 miles southwest of, Gulf, Colorado & Santa Fe Ry., at crossing; top of rail.	543. 0 527. 4
Garland, about 3.5 miles northeast of, 200 feet west of fork of road to southwest, near house in small grove, in northeast corner of bridge; top of bolt. Rowlett, 4 miles northwest of, 20 feet from southwest corner of iron bridge	508. 77
over Rowlett Creek; iron post stamped "453 1909". Rowlett, 1.2 miles north of by road, T road northeast, west end of culvert;	452, 535
copper nail. Rowlett, crossing of Missouri, Kansas & Texas Ry., about 1,000 feet west of station; top of rail.	517. 61
Rowlett, in angle formed by right-of-way fence and fence at road crossing about 700 feet east of station, 16 paces north of center of railroad track, 4	506. 7
paces west from crossing, between fourth and fifth telegraph poles east of station; bottom of square hole cut in top of limestone post marked "U. S. B. M." (C. & G. S. b. m. F-2)	E04 000
From point 6 miles northwest of Rowlett north to Murphy.	504. 828
Sachse, 1.5 miles southwest of, east end of north pier of Gulf, Colorado & Santa Fe Ry. bridge 6134 over Rowlett Creek, 3.5 miles north of Garland;	
aluminum tablet stamped "Prim. Trav. Sta. No. 19, 1909, 480"	478. 566 550. 0
of elm tree	565. 63
[Latitude 33°-33° 30′; longitude 96° 30′-97°.]	
From Murphy east to point 1 mile east of Wylie.	
Murphy, 1,200 feet south of St. Louis Southwestern Ry. Co. of Texas station, southwest corner of crossroads near picket fence; iron post stamped	and the
"Prim. Trav. Sta. No. 18, 1909, 576"	574. 853

¹ On account of a gross error of nearly 1 foot in the line from Rowlett via Murphy to point 3 miles east of Wylie, of which this line forms a part, the fraction only has been adjusted, leaving a discrepancy of 1 foot to be found.

Murphy, at crossing west of station; top of rail.

Wylie, about 0.2 mile south of main part of town, front of T road north;	Feet.
iron post stamped "Prim. Trav. Sta. No. 17, 1909, 547"	545. 478
Wylie, 1 mile east of, about 100 feet north of fork of road, copper nail in root	
of leaning tree	465.35

FARMERSVILLE QUADRANGLE.

[Latitude 33°-33° 30'; longitude 96°-96° 30'.]

From point 1 mile east of Wylie east 2 miles.

Wylie, 3 miles east of, 1,350 feet west of bridge over East Fork of Trinity	
River, south side of public road; iron post stamped "Prim. Trav. Sta. No.	
16, 1909, 450." (Adjusted elevation 1 foot greater.)	448. 414

Bobbin, Brenham, Bryan, Giddings, Hearne, Marlin, Sealy, Taylor, Temple, and Waco 30' quadrangles (including various 7½' quadrangles along Brazos and Little rivers).

AUSTIN, BELL, BRAZOS, BURLESON, FALLS, McLENNAN, MILAM, ROBERTSON, WALLER, AND WASHINGTON COUNTIES.

The elevations in the following list were determined by primary leveling extended from bench marks of the Coast and Geodetic Survey precise leveling near Sealy, Temple, and Waco.

The State cooperated in the leveling, which was done in the Sealy 30' quadrangle in 1909 by E. L. McNair, C. H. Semper, and F. H. West; in the Brenham 30' quadrangle in 1909 by McNair, Semper, and West, and in 1910 by West and F. J. McMaugh, in 1911 by S. E. Taylor, in 1912 by C. A. Ecklund; in the Bryan 30'quadrangle in 1909 by Semper and West, and in 1910 by West and Thomas; in the Hearne 30' quadrangle in 1909 by McNair and Semper, and in 1910 by West and P. W. McMillen; in the Marlin 30'quadrangle in 1909 by Semper, and in 1910 by McNair, McMillen, and West; in the Taylor quadrangle in 1909 by McNair, and in 1910 by McNair and McMillen; in the Temple 30' quadrangle in 1910 by McNair and West; in the Waco 30' quadrangle in 1909 by Semper, and in 1910 by West; in the Bobbin quadrangle in 1911 by Taylor, and in the Giddings quadrangle in 1912 by Ecklund. For connections made in 1916 with bench marks in Harris County, see pages 188–190.

SEALY QUADRANGLE.

[Latitude 29° 30'-30°; longitude 96°-96° 30'.]

From McDowell Bridge north along highways to Steel farm.

McDowell, 0.5 mile east of, on the Missouri, Kansas & Texas Ry., on bridge 2156 over Brazos River, at south end of first pier west of Austin-Waller county line, on top surface of southernmost short section of rail resting on cement pier, 2.5 centimeters (about 1 inch) square, chiseled in outline between two transverse girders (C. & G. S. b. m. "S7")

194 590

¹ On account of a gross error of nearly 1 foot in the line from Rowlett via Murphy to point 3 miles east of Wylie, of which this line forms a part, the fraction only has been adjusted, leaving a discrepancy of 1 foot to be found,

McDowell, 0.5 mile east of, on top of iron cylinder pier, west end of bridge, twin cylinder piers, bench mark on pier up river, at joining of west span	EDWIN
and trestle (Brazos River Survey, U. S. Army Engineers, elevation 130.62).	Feet. 124. 202
McDowell, 0.5 mile east of, Missouri, Kansas & Texas Ry. bridge over Brazos River, south side, top of east abutment; aluminum tablet stamped	
"129 1 Prim. Trav. Sta. 10"	129. 255
west of gate at Charles Taylor's farm, south side of road; iron post stamped "126 2 Prim. Trav. Sta. 11".	125. 631
McDowell Bridge, 3.1 miles north of, north of road, in root of elm tree; spike, marked U. S. B. M. 125".	125. 25
Junction of main road with lane down Orange Creek, east margin of road, in root of 48-inch pecan tree; spike marked "U. S. B. M. 131"	130. 84
Wendts Ferry, about 1.3 miles southeast of, in front of Lee Penrise farm-house, south side of road, at front yard fence; iron post stamped "130	100.01
3 Prim. Trav. Sta. 12"	130. 411
spike marked "U. S. B. M. 126"	125. 66
front of house on Frank Meyer's place occupied by Allen McDowell (colored), north side of road, at fence line; iron post stamped "124 4	Rd Poor
Prim. Trav. Sta. 13"	124. 029
feet west of hackberry tree; iron post stamped "128 5 Prim. Trav. Sta. 14" McDowell Bridge, 11.2 miles north of, at three corners, Tom Sterling's land,	128. 236
house occupied by Reader Manning (colored); iron post stamped "135 6 Prim. Trav. Sta. 15"	134. 696
McDowell Bridge, 13.4 miles north of, at corner of Joe Robinson's land, 150 feet northwest of house occupied by Richard Hamilton (colored), at corner of fence, side of road; iron post stamped "136 7 Prim. Trav.	
Sta. 16"	135. 645
road; iron post stamped "170 8 Prim. Trav. Sta. 17"	170. 400
oak; painted "153". Sunnyside, 2.4 miles north of, on J. C. Willis's farm, 350 feet west of house, 50 feet west of road to north, 10 feet east of 5-foot post oak; iron post	152. 50
stamped "155 9 Prim. Trav. Sta. 18"	155. 330
in root of hackberry tree; spike painted "147". Sunnyside, 4.1 miles north of, at west edge of cotton field, 6 feet north of	146. 90
road, 10 feet south of 4-foot ash; iron post stamped "149 10 Prim. Trav. Sta. 19"	149. 408
Steel farm, 0.5 mile south of bridge over Clear Creek, at corner of wire fence, pecan tree used as corner post; iron post stamped "144 11 Prim. Trav. Sta. 20"	144. 038
From McDowell Bridge north along highways to point 1.3 miles south of Cochran.	144. 056
	100
San Felipe, 0.5 mile east of, at junction of McDowell-San Felipe road and south road to Wendt Ferry; iron post stamped "124"	124. 078
between T roads north and south, in root of 5-inch tree; spike marked "153".	152. 88

San Felipe, 0.8 mile north of Methodist Church, on west side of road to Burleigh, just north of small bayou, 1,200 feet north of crossroads; iron post stamped "127"	Feet. 127. 145
San Felipe, 1.7 miles north of Methodist Church, on road to Burleigh in front yard of Arthur Washington's place at T road to San Felipe, spike	
in stump of 12-inch chinaberry tree; marked "154.1"	153. 96
on north side of lane from main road, about 900 feet east of main road to Bellville; iron post stamped "158"	158. 210
Mills Creek, 100 feet north of, north end of upper steel bridge over creek on north side of road, 75 feet east of house occupied by Squire Campbell on Lewis Downley's plantation; iron post stamped "129"	129. 165
0.4 mile south of Macedonia negro schoolhouse, where road makes angle to north; spike in root of 24-inch hackberry tree, marked "127.4"	127. 26
Macedonia schoolhouse, 0.4 mile north of, on east side of road through fields to Burleigh, in front of John Matthew's cabin; spike in root of 15-inch oak, marked "133.4"	133. 20
Hack's ginhouse, 300 feet northwest of, 75 feet west of road along fence line; spike in root of 24-inch pecan tree, marked "137.4"	137. 16
Hack's ginhouse, 0.5 mile north of, on west side of road up river, 300 feet northwest of cabin to east of road, 500 feet southeast of cabin to west of road, 0.5 mile south of Fort's house; iron post stamped "140"	100 000
R. C. Fort's house, 0.8 mile north of, on east side of road up river, on edge of river bank, in root of 12-inch cottonwood tree which stands some-	139. 332
what alone in clearing; spike marked "136.9"	136. 66
of road; spike marked "138.3"	138. 08
post stamped "144"	143. 401
road through Buck's bottom; spike in root of 15-inch oak at northeast corner, marked "141.1"	140. 82
west of road at gate, 600 feet north of Williams's negro cabin; iron post stamped "141"	140. 927
Buck's gin, 0.5 mile northeast of, at northeast end of lot for Buck's quarters, 1,000 feet north of Abe Wright's negro cabin, in root of smaller of two oaks that stand together, 300 feet south of fence; spike marked "154.2"	153. 87
BRENHAM QUADRANGLE.	
[Latitude 30°-30° 30'; longitude 96°-96° 30'.]	
From Steel farm northwest along highway along east side of river to Harmon.	
Steel farm, 0.5 mile north of, gate of farmhouse, east side of road; iron post stamped "152 12 Prim. Trav. Sta. 21"	151. 874
Steel farm, at corner of wire fence front of shanty, in top of guard post; spike painted "160".	160. 79
Steel farm, west side of road, 200 feet south of gate, spike in root of post-oak tree; painted "180"	180. 04
in road to Lewisville, 15 feet east of road; iron post stamped "190 13 Prim. Trav. Sta. 22"	189. 666

Steel farm, 6 miles north of, on road to Lewisville, 0.5 mile west of Hemp- stead road, north side of road, in edge of woods; iron post stamped "202	Feet.
14 Prim. Trav. Sta. 23". Lewisville Church, 0.8 mile northwest of, on Crooks's land, 500 feet north of house occupied by John Bush (colored), west side of road; iron post	205. 174
stamped "185 15 Prim. Trav. Sta. 24". Hempstead, 3.2 miles west of, on Houston & Texas Central R. R., 200 feet east of wooden bridge, 800 feet west of Pointer station sign, 80 feet south	187. 574
of track; iron post stamped "211 16 Prim. Trav. Sta. 25". Harmon, 0.8 mile west of, Houston & Texas Central R. R. bridge over Brazos River, south side, top of east pier; aluminum tablet stamped "169 17	213. 568
Prim. Trav. Sta. 26". Brazos River Bridge, top of west pier, no mark (U. S. Army Engineers'	171. 804
elevation 196.01)	171. 54
New Years Creek, county bridge over, east side, top of north abutment; aluminum tablet stamped "165 18 Prim. Trav. Sta. 27".	164. 913
McGregor farm, south side of road, in root of pecan tree; spike painted "163"	163. 01
"158" Riverside plantation, 0.5 mile west of, 200 feet south of gate to lane, opposite old house, at west margin of road; iron post stamped "164 19 Prim.	157. 81
Trav. Sta. 28"	163. 732
tree; painted "168". R. R. Felder's farm, west side of road, spike in root of ash tree; painted "168".	167. 73
J. F. Buchanan's land, at southwest line, 30 feet north of old river levee, at road to negro houses; iron post stamped "168 20 Prim. Trav. Sta. 29".	167. 56 167. 777
 J. F. Buchanan's land, 0.25 mile west of house, on west side of road, spike in root of elm tree; painted "167". J. F. Buchanan's land, north side of road, spike in root of ash tree; painted 	166. 67
"167" Buchanan's house, 130 feet north of, on Giddings & Buchanan's land, north	167. 08
end of dam across Jackson Creek, at end of wire fence; iron post stamped "171 21 Prim. Trav. Sta. 30"	171. 052
in root of Spanish oak; painted "192". Lott's place, east side of road, spike in root of Spanish oak; painted "192". Jackson Creek dam, 1.5 miles north of Jim Lott's land, near house occupied	192. 42 191. 50
by Martin Avery (colored), at wire gate; iron post stamped "196 22 Prim. Trav. Sta. 31".	196. 264
Lott's place, near Brown's schoolhouse, west side of road, spike in root of post-oak tree; painted "238"	241. 32
house, spike in root of post-oak tree; painted "211"	213. 99
of road; iron post stamped "241 23 Prim. Trav. Sta. 32". Three corners, 600 feet south of, east side of road, spike in root of pecan tree; painted "293".	243. 992
Flat Prairie Church, 0.5 mile southeast of, east side of road, spike in root of elm tree; painted "174".	295. 84 176. 49

Flat Prairie Church, opposite, 6 feet east of gate, north side of road; iron post stamped "185 24 Prim. Trav. Sta. 33"	Feet. 187. 564
Graball-Washington road, 600 feet from, west side of road, spike in root of post-oak tree; painted "200"	203. 99
Graball, 1.6 miles north of, at three corners, east margin of road, spike in	200. 99
root of post oak; painted "225"	229.00
Graball, 2 miles north of, junction of Washington-Brenham roads, north-	
west corner of three corners, 10 feet from corner of fence; iron post stamped "270 25 Prim. Trav. Sta. 34"	273. 800
Bridge over Rocky Creek, 100 feet north of, west margin of road, spike in	273. 800
root of locust tree; painted "240"	244. 26
Old Washington, 1 mile south of, 125 feet south of three corners, west mar-	
gin of road, spike in root of hackberry tree; painted "283"	286. 16
Old Washington, at corner of road opposite store; iron post stamped "225 26 Prim. Trav. Sta. 35"	000 170
Old Washington, bridge over Brazos River, west pier, south end; aluminum	228. 173
tablet stamped "193 27 Prim. Trav. Sta. 36"	196. 314
From Washington north along highway along east side of Brazos River to Harrington,	
thence west along Gulf, Colorado & Santa Fe Ry. to Sand Pit.	
Washington, bridge over Brazos River, south end east pier at top, marked	
"U ∧ S" (U. S. Army Engineers' elevation 201.26)	195. 17
Washington, bridge over Brazos River, 0.5 mile northeast of, north margin	District.
of road, spike in root of pecan tree; painted "1881"	190.84
Washington, bridge over Brazos River, 1.1 miles northeast of, north margin	
of road, spike in root of hackberry tree; painted "180 2"	183. 44
Navasota River Bridge, 200 feet west of, at road leading up Brazos River, corner of fence; iron post stamped "185 28 Prim. Trav. Sta. 37"	100 104
Navasota River Bridge, 1.5 miles north of, 100 feet east of road, spike in root	188. 164
of pecan tree; painted "185 5"	187. 86
Navasota River Bridge, 1.8 miles north of, 20 feet east from end of bridge	State of
over slough; iron post stamped "187 29 Prim. Trav. Sta. 48A"	189. 630
Navasota River Bridge, 2.2 miles north of, south margin of road, spike in	DOMESTIC OF THE PARTY OF THE PA
root of elm tree; painted "186 6". Brazos River, Lock No. 1, at upstream end of; surface of water Oct. 30, 1909.	188. 81
Brazos River, Hidalgo Falls, 400 feet east of Lock No. 1, 10 feet northeast of	153. 82
corner of office building; iron post stamped "190 30 Prim. Trav. Sta. 49A".	193. 037
Brazos River, Lock No. 1, northwest corner post of old lock-tender's house,	
in post marked "U.S.B.M. 201.245"; spike (Corps of Engineers' bench	
mark)	193. 96
Brazos River, Lock No. 1, 4.5 mile north of, 30 feet east of road, spike in root of pecan tree; painted "193 7"	105 77
Brazos River, Lock No. 1, 0.9 mile north of, east margin of road, spike in	195. 77
root of Spanish oak; painted "190 8"	192. 63
Harrington switch, 100 feet south of railroad, 100 feet west of highway, spike	
in root of hackberry tree; painted "191 9"	193. 21
Harrington switch, 0.5 mile west of, 20 feet north of railroad milepost 22, at	700 4-1
fence line; iron post stamped "189 31 Prim. Trav. Sta. 50A"	192. 514
fence line; iron post stamped "195 32 Prim. Trav. Sta. 51A"	198. 226
Harrington switch, 3 miles west of, railroad bridge 2042, north side, east	100. 220
end; top of most easterly bolt in guard rail "198 13"	200. 83
Allenfarm, 2,000 feet west of, 45 feet west of milepost 18, at fence line; iron	
post stamped "201 33 Prim. Trav. Sta. 52A"	204. 217

Allenfarm, 2.5 miles west of, south side of railroad, at fence line; iron post stamped "199 34 Prim. Trav. Sta. 53A". Allenfarm, 3 miles west of, at railroad bridge 2035½, east end, south side;	Feet. 201. 553
top of bolt painted "204 18"	206. 43
From Sand Pit north along highway along west side of river to point near Koppe farm bridge.	
Gulf, Colorado & Santa Fe Ry. bridge over Brazos River, down-stream side, top of west pier; aluminum tablet stamped "203 35 Prim. Trav. Sta. 54A".	206. 480
Gulf, Colorado & Santa Fe Ry. bridge, 0.5 mile west of, on road to stone quarry, 100 feet north of railroad track, spike in root of live oak; painted "205 19".	
Lauderdale's rock crusher, 0.25 mile northwest of, east margin of road, spike	208. 55
in root of post oak; painted "205 20". Houston & Texas Central R. R. bridge, 1.25 miles south of, in field at south edge of road through field, near old levee, 600 feet west of negro cabin,	208. 32
in root of 18-inch pecan tree; nail	159. 41
Harmon, in top of east pier south side; aluminum tablet stamped "169 No. 17 Prim. Trav. Sta. 26"	171. 794
Harmon, opposite station, spike in telegraph pole; marked "158" (Semper's bench mark)	161. 39
Houston & Texas Central R. R., 0.7 mile north of, about 400 feet from timber to east and west, in root of 36-inch elm which stands alone in	
cotton field; nail marked "154.1". Stone's gin, 1,500 feet southeast of, on Stone plantation, 6 feet north of road from house, on hill to east, 5 feet from gin house, 15 feet southeast of 30-inch pecan tree which stands alone in cotton field; iron post stamped	156. 79
"162 Prim. Trav. Sta. 38A". Stone's gin, 0.6 mile northeast of, about 400 feet east of main timber line	164. 152
along river, in thicket, notch in root of western of two large dead trees; marked "160.9"	163. 39
Nash place, 50 feet east of road, 10 feet east of crib, spike in root of pecan tree; painted "208 28"	211. 01
Coulter place, east margin of road, spike in root of hackberry tree; painted "209 29"	211. 90
Smith's gin, 350 feet west of, 5 feet north of gate; iron post stamped "209	
38 Prim. Trav. Sta. 57A"	212. 198
willow tree; painted "211 29"	214. 24
painted "214 31". Smith's gin, 1.7 miles north of, southwest corner of three corners, side of	216. 86
road, spike in root of cottonwood tree; painted "214 32". Smith's gin, 2.3 miles north of (Koppe farm), west side of road, 6 feet from culvert; iron post stamped "215 39 Prim. Trav. Sta. 58A"	217. 63
From point 1.3 miles south of Cochran north along highways on west side of Brazos River to Houston & Texas Central R. R. bridge over river at Harmon switch, thence north along highways on east side of Brazos River to point 1.7 miles south of Courtney.	217. 962
Cochran, in front of schoolhouse, on east side of road, nail in root of 12-inch	
oak; marked "177.4"	177. 05
cabin, 600 feet south of branch, at end of lane, on edge of highland, nail in root of 18-inch oak: marked "184.6"	184, 17

Cochran, 3 miles north of, on road to Chapel Hill, at northwest corner of	
Lew Brook's place, on west side of road, at angle from north to east, just	
after entering bottom, 50 feet south of large bayou; iron post stamped	Feet.
"151"	150. 931
Cochran, 4.6 miles north of, on Chapel Hill road, at southwest corner of three corners, in front of Gus Turner's (negro) cabin; iron post stamped	
"157"	157. 000
Houston & Texas Central R. R. bridge over Brazos River, 2.1 miles south	137.000
of, on Mars Markup plantation, east of Chapel Hill road, in front of cabin	
occupied by Andrew Jackson (colored); iron post stamped "163"	162. 281
Houston & Texas Central R. R. bridge, 1.25 miles south of, in field at south	101.201
edge of road through field, near old levee, 600 feet west of negro cabin,	
in root of 18-inch pecan tree; nail	159. 41
Houston & Texas Central R. R. bridge over Brazos River, 0.8 mile west of	
Harmon, in top of east pier south side; aluminum tablet stamped "169	
No. 17 Prim. Trav. Sta. 26"	171. 794
Harmon, opposite station, spike in telegraph pole; marked "158" (Sem-	
per's bench mark)	161. 39
Houston & Texas Central R. R., 0.7 mile north of railway, about 400 feet	
from timber to east and west, nail in root of 36-inch elm which stands	
alone in cotton field; marked "154.1"	156. 79
Stone's gin, 1,500 feet southeast of, on Stone plantation, 6 feet north of road	
from house, on hill to east, 5 feet from gin house, 15 feet southeast of 30-	
inch pecan tree which stands alone in cotton field; iron post stamped	
"162 Prim. Trav. Sta. 38A".	164. 152
Stone's gin, 0.6 mile northeast of, about 400 feet east of main timber line	
along river, in thicket, in root of western of two large dead trees; notch, marked "160.9".	7.00 00
Stone's gin, 1.1 miles morth of, on north side of large bayou, at edge of	163. 39
timber along bayou, about 300 feet north of main timber line along river;	
notch between forks of two forked elms, marked "163.3"	165. 66
John Torrey's house, 200 feet northeast of, 150 feet south of stable, 100 feet	100.00
southeast of 8-inch dead pecan tree, about 1.5 miles southwest of Wood's	
ginhouse; iron post stamped "175 Prim. Trav. Sta. 39A"	177. 637
John Torrey's house, 0.8 mile north of, 100 feet northeast of mouth of ditch	2111.001
dug on cut-off, 5 feet east of river bank at north edge of timber; nail in	
root of 12-inch cottonwood tree, marked "167.1"	169. 35
John Torrey's house, 1.1 miles northeast of, 75 feet south of field road	
through Loch Buchanan's bottom, 50 feet west of edge of cotton and corn	
fields, 15 feet west of 16-inch oak, which stands 500 feet east of thicket	
and is distinguishable as the only oak in field with leaves to top; iron post	
stamped "178 Prim. Trav. Sta. 40A"	180. 613
Negro settlement on Loch Buchanan's plantation, in west side of quarters,	
just west of tank; nail in root of 26-inch oak, marked "208.7"	211. 07
Wood's gin, 1 mile north of, at southwest corner of road to Clark's bottom	
and road through negro settlement; nail in root of 24-inch oak, marked	000 00
"200.7"	203. 93
east along road to east at foot of lane, 0.2 mile north of John Marshall's	The state of
	171 600
Charles Thornton's cotton field, southwest corner of, about 0.8 mile south-	171. 639
west of house, 200 feet from west timber line, 1,000 feet from south timber	
	7.00 01
into interest to the state of t	169. 21

Charles Thornton's house, in foot of brick pier under porch at southeast corner; cross cut on brick marked "171.3". Charles Thornton's house, 0.8 mile northeast of, 400 feet south of cabin, 10 feet south of two large pecan trees which stand alone in field about 75 feet	Feet. 173. 34
east of road; iron post stamped "173 Prim. Trav. Sta. 42A"	175. 210
road to railroad; nail in root of 12-inch hackberry tree, marked "173.9" Courtney, 2.5 miles south of, 100 feet north of milepost 60, 300 feet north of Grimes-Waller county line post, at northwest corner of road crossing with Houston & Texas Central R. R.; iron post stamped "192 Prim. Trav.	175. 88
Sta. 43A". Courtney, 1.7 miles south of, bridge "61A" on Houston & Texas Central R. R., west wing wall of south abutment, in stone 30 inches from south	194. 052
end, 8 inches from west edge; chiseled cross in circle, marked "180.5" Courtney, on Houston & Texas Central R. R., at foot of principal street, 75 feet east of south end of station, at corner of fence; iron post stamped	182. 19
"185 Prim. Trav. Sta. 44A" (as reset)	185. 101
From Courtney north along Houston & Texas Central R. R. and public roads up the east side of Brazos River to Navasota.	
Courtney, 2.5 miles north of, 50 feet west of Houston & Texas Central R. R. track, at road crossing, 0.2 mile north of negro cabin; iron post stamped "181 Prim. Trav. Sta. 45A"	181. 703
Courtney, 4.6 miles north of, on west end of southernmost transverse girder in bridge of Houston & Texas Central R. R. over Walkers Creek; chiseled cross, marked "188.2".	189. 01
Walkers Creek, 0.9 mile northwest of Houston & Texas Central R. R. bridge over, on Wilson's plantation, 1,200 feet north of road leading from railway to plantation house, about 0.5 mile west of railway, 15 feet west of 24-inch oak which stands alone in small tongue of highland; iron	
post stamped "197 Prim. Trav. Sta. 46A". Barron's plantation, 75 feet south of house, distinguishable by a white	198. 092
stone chimney to south, in root of 36-inch oak; copper nail, marked "189.4" Barron's house, 900 feet north of, on east side of road to gin, opposite negro	189. 90
cabin, in root of 12-inch elm tree; copper nail, marked "188.4"	188. 79
post stamped "189 Prim. Trav. Sta. 47A". Navasota, 0.3 mile west of, at west end of wagon bridge over Navasota River; iron post stamped "185 Prim. Trav. Sta. 37".	189. 056 188. 154
From Old Washington northwest along roads up west side of Brazos River to Gulf Colorado & Santa Fe Ry. bridge at Sand Pit.	
Old Washington, on road bridge over Brazos River; tablet stamped "193 Prim. Trav. Sta. 36"	196. 304
Old Washington, 0.8 mile northwest of, on east side of road to Clay station, at E. C. Currey's house, 400 feet south of T road west, copper nail in root	
of 20-inch oak tree; marked "236.4". Old Washington, 1.6 miles northwest of, on east side of road to Clay, 300 feet south of gate across road through Moore's place, nail in root of 30-	233. 39
H. M. Moor's house, 0.7 mile south of, at junction of Y lane east to house,	189. 11
nail in 12-inch oak tree; marked f'262.3"	259. 29

H. M. Moor's place, 0.5 mile north of cross lane along lane that leads from	
Moor's house north to Washington-Independence road, east of road on	
small summit, at vacant shanty, about 1.3 miles southwest of Moor's	Feet.
house; iron post stamped "286 Prim. Trav. Sta. 96A"	283. 250
Charlie Bruloor's house, 300 feet south of, 15 feet from road, at angles from	200. 200
east to north, in sandstone slab from ledge north of road, 2-inch square	000 11
hole chiseled in outline, center of hole; stone marked "302.44"	299. 44
St. Matthew's Church (negro), 0.5 mile southeast of, 40 feet south of angle	
in road from north to west, nail in root of 20-inch oak tree; marked	
"341.2"	337. 26
St. Matthew's Church, 300 feet west of, west of road; iron post stamped	
"351 Prim. Trav. Sta. 97A"	346. 919
St. Matthew's Church, 0.8 mile northwest of, in bottom 175 feet north	
of first bayou north of church, 300 feet west of thicket along river, in	
center of field, nail in root of 36-inch pear tree; marked "207.3"	203. 31
St. Matthew's Church, 1.8 miles west of, 300 feet south of river, 100 feet	200. 01
west of second bayou north of church, in cottonfield, where bayou turns	007 55
northwest, nail in 12-inch stump cut 1 foot high; marked "209.7"	205.77
Rockling's place, 0.5 mile northeast of house in cornfield where river makes	
sharp angle from west to south, 300 feet east of one side of angle and 1,000	
feet south of other side, 5 feet north of 26-inch dead pin-oak tree, 300 feet	
southwest of large dead limbless tree; iron post stamped "218 Prim. Trav.	
Sta. 98A"	213.695
Rockling's place, 1 mile northeast of, at edge of river in woods, nail in root	
of 12-inch elm tree; marked "205.3"	201.33
North bank of large creek, 400 feet from its mouth, at south end of clearing	
used for hog pasture; iron post stamped "205 Prim. Trav. Sta. 99A"	
(as reset)	199.508
Yegua River, 0.25 mile south of mouth of, on east side of river, nail in root	
of 30-inch oak tree at edge of river at boat crossing; marked "205.7"	201.69
Sand Pit, on downstream end of west pier of Gulf Colorado & Santa Fe Ry.	201.00
bridge; aluminum tablet stamped "210"	206. 470
priage, araniman capter scamped 210	200. 470
From Sand Pit north along International & Great Northern R. R. up east side of	
Brazos River to Enright.	
Clare form 0.0 mile couth of house 1 000 feet couth of sehin in field 400	
Clays farm, 0.9 mile south of house, 1,800 feet south of cabin, in field, 400	
feet east of levee, at large pecan tree which stands alone in field; iron	
post stamped "No. 11 Prim. Trav. Sta. 95A" (reset value)	206. 700
Clays farm, 0.8 mile east of house, 0.6 mile south of section house, 50 feet	
west of railroad, north of dirt road at crossing; iron post stamped "No.	
10 Prim. Trav. Sta. 94A"	234. 040
From Sand Pit southwest along Gulf, Colorado & Santa Fe Ry. to point near Somerville.	
Sand Pit, 0.5 mile east of, in top of west pier, downstream side of Gulf, Colo-	
rado & Santa Fe Ry. bridge over Brazos River; aluminum tablet stamped	
"203 Prim. Trav. Sta. No. 54A"	206. 480
Sand Pit, 0.5 mile west of Gulf, Colorado & Santa Fe Ry. bridge, on road to	100
stone quarry, 100 feet north of railroad track; in root of live-oak tree;	
spike	208.55
Sand Pit, 1.2 miles west of, east end of trestle on Gulf, Colorado & Santa Fe	
Ry.; copper nail, painted "204"	203.74
Clay, 1 mile west of, west end of trestle over road, south of track; copper	200.11
nail	203.44
	200. 11

Clay, 2.5 miles west of, south side of trestle 2024, in west concrete abutment; copper bolt.	Feet. 209. 33
Clay, 3.2 miles west of, 50 feet south of railroad crossing, 50 feet east of road, in root of tree; copper nail.	207. 49
Clay, 3.2 miles west of, 50 feet south of railroad crossing, east side of road,	207. 13
5 feet from fence corner; iron post stamped "210"	209.806
Clay, 4.2 miles west of, west end, south of Gulf, Colorado & Santa Fe Ry. trestle 2018 over road; copper nail	203, 87
Clay, 6 miles west of, 1 mile east of Scofield, west end, south side of trestle 2014; copper nail, painted "221"	220.99
Scofield, 0.7 mile east of, at road crossing; top of south rail	226.4
Scofield, 150 feet south of negro schoolhouse, north side of railroad, on road, in root of tree; copper nail.	229.09
Scofield, southwest corner of T fork south crossing track, north of railroad,	220.00
150 feet south of negro schoolhouse, at gate in fence; iron post stamped	000 500
"229" Scofield, 1 mile west of, 4 miles east of Somerville, north side of road north	229. 506
of railroad, on west edge of field; in root of small tree; copper nail	233.04
Somerville, 3.5 miles east of, in middle of north side of trestle 2005; iron	000 71
bolt	208.71
2003, northwest corner of wagon bridge, in root of tree; copper nail	209.14
Somerville, 3 miles east of, north side of road along north side of railroad, north of trestle 2003, 25 feet east of wagon bridge, east side of gate in	
fence: iron post stamped "209"	208. 682
Somerville, 2 miles east of, 750 feet west of "2 mile" post, on road north of	000 00
railroad, in root of oak tree; copper nail	239.33
might flante som deather asset in this there in A services in it.	
From Gayhill northeast along highway to Independence, thence north to Clay and east to Sand Pit.	
From Gayhill northeast along highway to Independence, thence north to Clay and east to Sand Pit. Gayhill, 200 feet east of post office, north side of road, at railroad crossing,	240,000
From Gayhill northeast along highway to Independence, thence north to Clay and east to Sand Pit. Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	349. 333
From Gayhill northeast along highway to Independence, thence north to Clay and east to Sand Pit. Gayhill, 200 feet east of post office, north side of road, at railroad crossing,	349. 333
From Gayhill northeast along highway to Independence, thence north to Clay and east to Sand Pit. Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail.	349. 333 388. 02
From Gayhill northeast along highway to Independence, thence north to Clay and east to Sand Pit. Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail. Gayhill, 2 miles east of, 0.25 mile west of John Boeker's house, south side	388.02
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail Gayhill, 2 miles east of, 0.25 mile west of John Boeker's house, south side of Gayhill-Independence road, in root of live-oak tree; copper nail Gayhill, 3 miles east of, 0.8 mile east of John Boeker's house, at turn in	
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail Gayhill, 2 miles east of, 0.25 mile west of John Boeker's house, south side of Gayhill-Independence road, in root of live-oak tree; copper nail Gayhill, 3 miles east of, 0.8 mile east of John Boeker's house, at turn in road almost 40° to southeast, north side on Gayhill-Independence road,	388.02 359.55
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail Gayhill, 2 miles east of, 0.25 mile west of John Boeker's house, south side of Gayhill-Independence road, in root of live-oak tree; copper nail Gayhill, 3 miles east of, 0.8 mile east of John Boeker's house, at turn in road almost 40° to southeast, north side on Gayhill-Independence road, 3 feet from fence corner; iron post stamped "396"	388.02
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388.02 359.55
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail Gayhill, 2 miles east of, 0.25 mile west of John Boeker's house, south side of Gayhill-Independence road, in root of live-oak tree; copper nail Gayhill, 3 miles east of, 0.8 mile east of John Boeker's house, at turn in road almost 40° to southeast, north side on Gayhill-Independence road, 3 feet from fence corner; iron post stamped "396"	388. 02 359. 55 396. 014 410. 15
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388. 02 359. 55 396. 014
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388. 02 359. 55 396. 014 410. 15
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349" Gayhill, 1 mile east of, at intersection of Somerville-Brenham and Gayhill-Independence roads, northwest corner, 200 feet southwest of church, in fence post; copper nail Gayhill, 2 miles east of, 0.25 mile west of John Boeker's house, south side of Gayhill-Independence road, in root of live-oak tree; copper nail Gayhill, 3 miles east of, 0.8 mile east of John Boeker's house, at turn in road almost 40° to southeast, north side on Gayhill-Independence road, 3 feet from fence corner; iron post stamped "396"	388. 02 359. 55 396. 014 410. 15 349. 39
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388. 02 359. 55 396. 014 410. 15 349. 39
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388. 02 359. 55 396. 014 410. 15 349. 39 356. 790
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388. 02 359. 55 396. 014 410. 15 349. 39 356. 790 365. 77
Gayhill, 200 feet east of post office, north side of road, at railroad crossing, 25 feet east of railroad, 1 foot from fence; iron post stamped "349"	388. 02 359. 55 396. 014 410. 15 349. 39 356. 790

Independence, 1 mile southwest of, 500 feet east of T fork east of Gayhill-	
Independence and Independence-Brenham roads, road leading to house,	Feet.
east end of gate, in root of tree; copper nail	396. 84
Independence, 1 mile southwest of, on west side of road, 5 feet east of south	
end of gate, at fork of Gayhill-Independence and Independence-Bren-	
ham roads; iron post stamped "388"	388.043
Independence, 50 feet south of old college building, at road forks; stone	
in road painted "379"	378.78
Independence, 0.9 mile north of, on west side of Clay-Independence road,	
100 feet northwest of house, in root of oak tree; copper nail	291.56
Independence, 1.8 miles north of, northeast corner of fork of road leading	
east to house, 3 feet from fence corner, on Clay-Independence road; iron	
post stamped "275"	275. 106
Clay, 2.3 miles south of, in middle of Clay-Independence road, in front of	
house, in root of tree; copper nail	274. 21
Clay, 1.3 miles south of, on Clay-Independence road, on top of north pier	
of downstream side of bridge over Yegua Slough; iron bolt painted "196".	195.83
Clay, east side of Clay-Independence road, 250 feet south of station, at fence	
corner; iron post stamped "203".	203. 141
From point 3.3 miles west of Navasota east along highway to Navasota (double line).	
Navasota, 3.3 miles west of, at west end of wagon bridge over Navasota	100 101
River; iron post stamped "Prim. Trav. Sta. No. 37, 185"	188. 164
Navasota River bridge, 0.8 mile east of, north side of road, in fence line,	ilmon
in root of 12-inch oak tree; copper nail.	208. 78
Navasota, 2 miles west of, 30 feet northeast of T road north, in root of	
30-inch oak tree; copper nail	216. 68
Navasota, 1 mile west of, on south side of stone culvert over small drain;	005 15
chiseled square.	205. 45
Navasota, in north side at northwest corner of concrete foundation of Navasota City Hall; aluminum tablet stamped "218"	075 050
Navasota City Han; aluminum tablet stamped "218"	217. 976
From Navasota east along highways to Eureka schoolhouse.	
Navasota, 1.3 miles southeast of, 150 feet northeast of crossroads, 30 feet	
north of Navasota-Plantersville road, 5 feet north of wire fence, in root	
of 6-inch twin thorn tree; copper nail	224. 50
Navasota, 2 miles southeast of, 50 feet northwest of T road south, in root of	224. 00
18-inch oak tree; copper nail	244. 57
Navasota, 2.8 miles east of, 50 feet northeast of wooden bridge at road forks	211.07
over Sand Creek, 3 feet south of fence line; iron post stamped "234"	234. 002
Gordon Chapel, 50 feet southeast of, 10 feet north of center of road, in root	201. 002
on east side of 18-inch oak tree; copper nail	288. 00
Gordon Chapel, 1.2 miles northeast of, 10 feet north of second-class road	200.00
leading to negro house, 75 feet south of tank, in root east side of 18-inch	
oak in fence line; copper nail	358. 45
Eureka, 0.5 mile south of schoolhouse, 15 feet northwest of T road north,	000. 10
in corner of fenced field; iron post stamped "379"	378. 941
From Eureka schoolhouse north along highway and International & Great Northern	
Ry. to Anderson (portion of line).	
Eureka schoolhouse, 1.7 miles north of, 80 feet southeast of T road, in root	
on east side of 24-inch oak tree; copper nail	331. 69
Anderson, 3.4 miles southwest of, 400 feet southwest of ford across Thomas	
Creek, 35 feet west of center of road, 10 feet east of 28-inch pin-oak tree,	
in sandstone ledge; bronze tablet stamped "256"	255. 792

From Navasota along International & Great Northern Ry. and highways via Irwin to Anderson.	
Navasota, 1 mile north of, in top of north rest for extra rail at milepost No. 1; copper nail	Feet. 230. 50
Navasota, 2 miles northeast of, in top of southwest rest for extra rail at milepost No. 2; copper nail.	213. 96
Navasota, 4.3 miles north of, 50 feet southeast of crossing of railroad and Springcreek public road, 3 feet east of fence line; iron post stamped "194".	194. 325
Green Valley Church, 250 feet east of, 25 feet west of three corners at second-class T road west, in root on north side of 10-inch oak tree; copper	194. 020
nail	201. 40
root on west side of 15-inch oak tree; copper nail	282. 38 280. 876
Irwin, 1.4 miles east of, at second-class T road south; in root at south side of 15-inch oak tree, copper nail.	342.53
Anderson, 1 mile west of, 12 feet south of northeast corner of cemetery, at second-class road forks; in root of 10-inch oak tree, copper nail	380. 01
GIDDINGS QUADRANGLE.	
[Latitude 30°-30° 30′; longitude 96° 30′-97°.]	
From point 1 mile east of Somerville along Gulf, Colorado & Santa Fe Ry. west to Somerville, thence southeast to Gayhill.	
Somerville, 1 mile east of, north side of railroad at crossing, 10 feet north of road, in root of oak tree; copper nail	240. 95
and street, in root of tree; copper nail. Somerville, 300 feet east of station, north side of railroad, in front of board-	249. 47
ing house at east corner of street; iron post stamped "249"	249. 266
corner, in root of oak tree; copper nail painted "245"	244. 54
Somerville, 3 miles south of, 0.5 mile north of quarry, 1.1 miles south of Yegua bridge, 20 feet west of track; large rock painted "271"	270. 69
Somerville, 3 miles south of, 0.5 mile north of Quarry, 1.1 miles south of Yegua bridge, 0.2 mile south of wagon bridge over small drain, west side	STATE OF
of road along railroad, 2 feet from fence; iron post stamped "267" Gayhill, 1.5 miles north of, 0.5 mile south of Quarry, 100 feet west of railroad, 300 feet west of house; in stump of tree in cotton field, copper nail	266. 751 296. 62
Gayhill, 1 mile north of, west side of railroad, south side of gate, in fence; bolt in post painted "306"	305. 59
BOBBIN QUADRANGLE.	
[Latitude 30°-30° 30′; longitude 95° 30′-96°.]	
From Eureka north along highways and International & Great Northern Ry. to Anderson (portion of line).	
Eureka schoolhouse, 0.25 mile northeast of, 25 feet west of four corners;	
copper nail in root on west side of 15-inch oak tree. Anderson, 0.8 mile south of, in northwest corner of railroad bridge 26; top	387. 19
of 1-inch bolt.	268. 84

of county courthouse; chiseled square	363. 68
aluminum tablet stamped "368"	368. 496
BRYAN QUADRANGLE.	
[Latitude 30° 30′-31°; longitude 96°-96° 30′.]	
From Koppe farm bridge northwest along west side of Brazos River to Pittbridge.	
Koppe farm, bridge over Brazos River, west abutment, top, on downstream	Feet.
side; chiseled square marked "221 34"	224. 64
Koppe farm, 0.2 mile east of, 160 feet south of road, in root of Spanish oak; spike painted "213 35"	010 00
Koppe farm, 300 feet north of, 20 feet north of culvert over drainage ditch,	216. 00
400 feet east of cotton gin; iron post stamped "214 40 Prim. Trav. Sta. 59A"	216. 881
Koppe farm, 0.5 mile north of, 40 feet west of fork of road, at south margin	
of roads, in root of stump; spike painted "214 36"	217. 15
Koppe farm, 1 mile north of, north end of downstream side of bridge, in	the state of
guard rail; spike painted "213 37". Chance's store, 60 feet south of, west side of road, 8 feet from gatepost; iron	216. 18
post stamped "218 41 Prim. Trav. Sta. 60A"	220, 773
Chance's store, 0.2 mile north of, west side of road, in tree root; spike	220.110
marked "39"	219. 33
Chance's store, 1 mile north of, 350 feet west of Whites Chapel, west margin	
of road; spike in root of elm, painted "221 40"	224. 41
Whites Chapel, 0.5 mile north of, west side of road, spike in root of Spanish oak; painted "222 41"	905 40
Whites Chapel, 1 mile north of, east side of road, spike in root of Spanish oak;	225. 42
painted "222 42"	225, 40
Robinson's place, 300 feet west of house, southwest corner of road, 80 feet	
west of barn; iron post stamped "221 42 Prim. Trav. Sta. 61A"	224. 330
Robinson's place, 1 mile north of, 10 feet east of gate, margin of road, spike	
in root of ash tree; painted "220 44"	223. 37
num tablet stamped "228 43 Prim. Trav. Sta. 62A"	230. 905
Jones Bridge over Brazos River, east end, upstream side, top of pier (U. S.	200. 000
Army Engineers' bench mark; no mark)	233. 18
Wooden bridge over branch, 15 feet south of, east side of road, spike in root	
of pecan tree; painted "219 46"	222. 01
Butler's cotton gin, 0.2 mile south of, 50 feet southeast of road; spike in root of pecan tree, painted "223 48"	225. 85
Butler's place, southwest corner of yard; iron post stamped "225 44 Prim.	220. 00
Trav. Sta. 63A"	227. 769
Butler's place, 0.5 mile north of, west margin of road; spike in root of elm	
tree, painted "220 49"	222. 81
Butler's place, 1 mile north of, west margin of road; spike in elm tree,	000 00
painted "219 50"	222. 07
tree, painted "226 51"	228. 82
Butler's place, 2 miles north of, 100 feet west of culvert, opposite corner of	220.02
pasture, north margin of road; iron post stamped "224 45 Prim. Trav.	
Sta. 64A"	227. 394
Butler's place, 2.5 miles north of, 90 feet north of offset in road, west margin	001 04
of road: spike in root of pecan tree, painted "228 52"	231 01

Pittbridge, 1.6 miles south of, west margin of road; spike in root of ash tree, painted "231 53"	Feet. 233. 88
Bayou Bridge, 150 feet north of, east margin of road; spike in root of elm tree, painted "230 54"	233. 02
From Enright northwest along highway near railroad to Pittbridge.	
Thright 0 4 mile month of court of track would be and a few last on the second	
Enright, 0.4 mile north of, east of track, south of road at crossing; iron post stamped "No. 9 Prim. Trav. Sta. 93A".	287. 242
Rayder, 0.8 mile south of, 400 feet north of sign "Enright 1 mile," in west longitudinal girder over bridge 128; top of north bolt, marked "No. 21". Wilkins, 1.1 miles west of, on east side of road to Koppe's bridge, at top of	293. 91
small summit, 3 feet west of wire fence; iron post stamped "No. 8 Prim. Trav. Sta. 92A"	900 954
Koppe's Bridge, 1 mile north of, on north side of road through cotton field,	286. 254
0.4 mile west of cabin, at three large elm trees; iron post stamped "No.	010 150
71 Prim. Trav. Sta. 91A"	216. 150
Whites Creek, 1.25 miles south of, 900 feet southeast of brick chimney of	
burned dwelling on point of high land about 200 feet from river, about 600	
feet from river; nail in root of 12-inch pecan tree which stands between two small sloughs, marked "No. 13"	000 40
Whites Creek, 0.4 mile south of, on east edge of small bayou that runs be-	228. 42
tween cotton field and scattered timber, 500 feet from river bank; iron	
post stamped "No. 6 Prim. Trav. Sta. 90A"	910 070
Whites Creek, 1,200 feet north of, on east edge of bayou, 100 feet from river	218. 870
bank; nail in root of two-pronged pecan tree; temporary bench mark;	
marked "No. 12"	218. 81
Jones Bridge, 3 miles east of, 150 feet northwest of river, on north edge of	210. 01
small slough, nail in 12-inch pecan tree about 1 foot above ground; tem-	
porary bench mark; marked "No. 11"	222. 49
Jones Bridge, 2.1 miles east of, on west bank of Bushy Creek, 1,000 feet	
north of river, 1,000 feet southeast of negro cabin on bare hill; iron post	
stamped "No. 5 Prim. Trav. Sta. 89 A"	221. 458
Jones Bridge, 1.6 miles east of, 450 feet east of fence directly across river	
from Robinson's place; nail in root of 36-inch elm which stands alone;	No. 1
temporary bench mark; marked "No. 10"	221. 37
Jones Bridge, 1 mile east of, in old cornfield, 600 feet north of small bayou,	
50 feet west of timber along hill; nail in root of 28-inch pecan tree; tem-	
porary bench mark; marked "No. 9"	223. 73
Jones Bridge, in south side of west pier, in top; aluminum tablet stamped	
"43 228 Prim. Trav. Sta. 62 A"	230. 905
Jones Bridge, 1.4 miles west of, about 800 feet east of river, south edge of	
old field, north edge of small bayou, nail in root of small three-pronged	
blackjack; temporary bench mark; marked "No. 8"	234. 24
Jules Koppe's house, 3.3 miles south of, at north edge of strip of timber	
between two fields, about 200 feet west of southeast corner of north field,	
600 feet east of river, 0.5 mile north of Thompsons Creek, nail in 12-inch	27 031
elm about 3 feet above ground; temporary bench mark; marked "No. 7".	228. 93
Jules Koppe's house, 2.6 miles south of, south side of lane at gate to wood	
road which runs along edge of small field; iron post stamped "Prim. Trav.	000 445
Sta. 88 A"	226. 445
bayou crossing, nail in 12-inch willow; temporary bench mark; marked	
"No. 5"	227. 52
210. 0	441.04

Jules Koppe's place, 700 feet southwest of John Zullkowsky's house, in front of negro cabin, at northeast corner of T road; iron post stamped "Prim. Trav. Sta. 87 A"	Feet. 244, 841
Jules Koppe's place, 0.5 mile north of, west of road; nail in root of 12-inch hackberry tree.	243. 78
Pittbridge, 2.5 miles southeast of, at T road; nail in root of 36-inch oak tree. Pittbridge, 1.8 miles east of, on west side of north-south road to Stone City, at T road to Bryan, in front of church building; iron post stamped "Prim.	261. 09
Trav. Sta. 86 A". Pittbridge, in steel plate at top of west steel pier on north side of bridge;	264. 560
chiseled square in outline	242. 81
west corner; nail in 24-inch hackberry tree	242. 88
HEARNE QUADRANGLE.	
[Latitude 30° 30′-31°; longitude 96° 30′-97°.]	
From point 2 miles east of Pittbridge north along public roads up east side of Brazos River to Stone City.	bountd
Bridge over Little Brazos River, 0.6 mile east of, along road to Bryan, north of road at cabin; nail in root of 24-inch oak. Bridge over Little Brazos River, west end of, about 1.5 miles southeast of	245. 63
Stone City, south of road; iron post stamped "Prim. Trav. Sta. 85A" Stone City, opposite post office; nail in root of elm tree; marked "239"	232. 640 242. 68
From Marleys Ferry (Stone City) north along roads up west side of Brazos River to point 2 miles south of Sixmile Bridge.	
Marleys Ferry, 800 feet west of, near store; iron post stamped "262" Marleys Ferry, 1.8 miles north of, 100 feet from river, nail in 12-inch elm in	265. 577
old slough that runs along river; marked "235 2". Marleys Ferry, 2.3 miles north of, at north edge of clearing, 400 feet from	233. 79
river, near fence line; iron post stamped "251 Prim. Trav. Sta. 84A" Cedar Creek, 0.4 mile south of, Hiram Wilson's (colored) place, 600 feet south of large bayou about 200 feet from river, nail in 17-inch walnut;	250. 613
marked "246.6". Cedar Creek, 0.4 mile east of, at south edge of thicket, about 400 feet east of	245. 17
dilapidated cabin in cotton field, nail in 36-inch pecan tree; marked "243.55"	242. 07
at foot of road to bottom 15 feet west of ditch through field, near two pecan trees which stand close together; iron post stamped "247 Prim. Trav. Sta. 83A"	245, 039
Jackson's plantation, west end of, at east edge of thicket about 300 feet from river, nail in root of 18-inch wild chinaberry tree; marked "249.9"	248. 38
Jackson's plantation, 1,200 feet north of cabin occupied by Dave Washington (colored), at south edge of timber, nail in 9-inch oak; marked	904 70
Jim Moor's plantation, about 0.5 mile southeast of house, 1,200 feet west of	284. 72
cabin in cotton field, nail in 12-inch pecan; marked "289.4"	287. 93 265. 34
Three corners, south side of road at, 500 feet west of negro cabin, near large oak; iron post stamped "271.8".	270. 25
Craig's place, directly east about 70 feet from house occupied by Williams,	277. 67

Rita, 1.5 miles northeast of, at east edge of timber, in bottom, 0.4 mile south of old cabin which stands on small knoll; iron post stamped "258". Y road, 250 feet north of, near river, on east side of old road, 10-penny nail	Feet. 256. 051
in 20-inch oak; marked "279.6"	278. 14
From Pittbridge north along highway along west side of river to Moseleys Ferry.	
Pittbridge, 0.5 mile west of, southwest corner of three corners, 3 feet from fence corner; iron post stamped "231 46 Prim. Trav. Sta. 65A"	234. 824
tree; painted "233.56". Parker's store, 1,000 feet north of, at gate leading into field, north margin of	235. 80
road; iron post stamped "243 47 Prim. Trav. Sta. 66A"	245. 776
Parker's store, 1 mile north of, 100 feet west of road, at turn to east, spike in root of bois d'arc tree; painted "243 58"	245. 83
Moseleys Ferry, 0.3 mile south of, north margin of road, spike in root of	010 11
hackberry tree; painted "253 59"	256. 57
post stamped "262 48 Prim. Trav. Sta. 67A"	265. 577
From Moseleys Ferry north along east side of river along Hearne & Brazos Valley R. R. and International & Great Northern R. R.	
Moseleys Ferry, 600 feet east of, 100 feet east of Stone City post office, spike	
in root of elm tree; painted "239 60"	242. 67
Moseleys Ferry, 0.5 mile north of, 100 feet west of railroad, spike in root of pecan tree; painted "239 61"	242. 27
Stone City, 1 mile north of, 50 feet west of railroad, spike in root of pecan	Trave
tree; painted "245 62". Mills, 930 feet north of, 10 feet west of track, on north side of railroad crossing	248. 09
iron post stamped "241 49 Prim. Trav. Sta. 68A"	244. 450
Mills, 0.7 mile north of, 15 feet east of railroad, spike in root of cottonwood	040.05
tree; painted "241 63"	243. 95
painted "245 64"	248. 41
Steel's store, 0.2 mile south of, 150 feet south of railroad crossing, spike in root of hackberry tree; painted "244 65"	247. 44
Steel's store, railroad crossing at freight platform, 20 feet east of track, at	211.11
fence corner; iron post stamped "245 50 Prim. Trav. Sta. 69A"	248. 850
Steel's store, 1 mile north of, 20 feet west of track, spike in root of pecan tree; painted "248 67"	251. 83
Steel's store, 1.5 miles north of, 80 feet west of railroad track, spike in root	201. 00
of cottonwood tree; painted "252 68"	255. 68
Ashton's gin, 200 feet north of, at road crossing, 6 feet west of track; iron post stamped "251 51 Prim. Trav. Sta. 70A"	254. 610
Ashton's gin, 0.5 mile north of, 120 feet west of track, spike in root of cotton-	
wood tree; painted "249 69".	252. 21
Mumford, 0.7 mile south of, 50 feet west of track, spike in root of elm tree; painted "246 70"	249. 71
Mumford, 0.2 mile north of, opposite water tank, between tracks of Hearne	
& Brazos Valley and International & Great Northern railroads; iron post	957 697
stamped "254 52 Prim. Trav. Sta. 71A". Olinda switch, opposite crossing of Hearne & Brazos Valley and Inter-	257. 687
national & Great Northern railroads; iron post stamped "260 53 Prim.	a moly
Trav. Sta. 72A"	263. 361
25286°—Bull. 637—16——4	

Tatsie switch, on International & Great Northern R. R., 330 feet south of	
junction of railroads, 4 feet south of station sign, between tracks; iron	Feet.
post stamped "261 54 Prim. Trav. Sta. 73A".	264. 545
Valley Junction, 1.5 miles south of, 6 feet west of milepost 99, on International & Great Northern R. R.; iron post stamped "261 55 Prim. Trav.	
Sta. 74A"	264. 894
Valley Junction, 0.8 mile south of, 80 feet north of track, opposite crossing,	-01.001
spike in root of elm tree; painted "265 82"	268. 10
Valley Junction, 45 feet east of station, 30 feet south of east and west track;	
iron post stamped "274 56 Prim. Trav. Sta. 75A"	277. 372
From Valley Junction north along International & Great Northern R. R. (east side of river) to milepost 114.	
Valley Junction, 2,200 feet northwest of, 40 feet south of track, spike in base of milepost 101; painted "270 84"	070 40
Valley Junction, 1.5 miles north of, 50 feet south of track, spike in base of	273. 46
milepost 102; painted "266 86"	269. 62
Valley Junction, 2.2 miles north of, 150 feet south of milepost 103, 20 feet	Messiran
east of track, at corner of wire fence, opposite road crossing; iron post	
stamped "Prim. Trav. Sta. No. 76 A 275 57".	278. 210
Valley Junction, 4.4 miles north of, 10 feet west of track, opposite milepost 105; iron post stamped "277 58 Prim. Trav. Sta. No. 100 A"	000 040
Milepost 106, 50 feet south of track, spike in foot of; painted "276 92"	280. 640 279. 60
Marriam station, opposite seed house, north side of track, 5 feet south of	210.00
station sign; iron post stamped "Prim. Trav. Sta. No. 101 A 282 59"	285. 241
Milepost 109, 5 feet north of, 30 feet west of road; iron post stamped "Prim.	
Trav. Sta. No. 102 A 283 60". Milepost 110, in first telegraph pole south of; spike painted "286 98"	286. 168
Milepost 111, directly west of post, at fence post; iron post stamped "Prim.	289. 76
Trav. Sta. No. 103 A 290 61"	293. 678
Milepost 112; spike painted "294 101"	297. 38
Milepost 113, 30 feet west of track, 2 feet south of post; iron post stamped	
"295 62 Prim. Trav. Sta. 104 A"	298. 129
Milepost 114, in first telegraph pole south of; spike painted "297 104"	300. 62
From Sixmile Bridge north along west side of river to point near Valley Junction.	
Sixmile Bridge, 1.4 miles southeast of, west of road, 300 feet south of clearing	
where road turns east, in 12-inch oak tree; 10-penny nail	304. 07
Sixmile Bridge, 0.8 mile southeast of, 600 feet south of negro's cabin, in pasture, 50 feet west of road through woods, in 30-inch oak; 10-penny nail	001 00
Sixmile Bridge, 50 feet from north end of, 10 feet east of road from Stone	301. 23
City to Gause; iron post stamped "Prim. Trav. Sta. No. 80 A 264"	261. 946
Sixmile Bridge, 0.5 mile northwest of, on west side of road, in root of 12-inch	Carling .
oak tree; 10-penny nail	283. 39
Sixmile Bridge, 1.1 miles northwest of, 0.6 mile north of public road, on	
east side of creek, 200 feet south of junction with creek to south, in notch in small tree; 10-penny nail	284, 25
Sixmile Creek, 1.5 miles south of, at southwest corner of clearing, 1,100 feet	201, 20
southeast of dwelling, 50 feet north of county road to river, 200 feet east	
of small wooden bridge, near gap, in 18-inch white oak; nail marked	
"321.9"	319. 77
Twomile Creek, 1,000 feet south of, nail in 36-inch pecan tree which stands alone in bottom; marked "263.7".	otnito.
arone in bottom, marked 205.7	261. 38

Brown's farm, 800 feet southeast of house occupied by Williams, at edge of cotton field, in small pasture, at summit of tongue of highland running toward river; iron post stamped "Prim. Trav. Sta. 79 A 311"	Feet. 308. 168
tree which stands alone in field; marked "265.8"	263. 34
of clearing, 300 feet north of edge of thicket; marked "270.7"	268. 15
"Prim. Trav. Sta. No. 78-A 299.48". International & Great Northern R. R. bridge, 0.9 mile southeast of, on Frank Thomas's place, near fence at north edge of cotton field, about	296. 870
800 feet southwest of house; nail in root of 36-inch oak marked "302.8". International & Great Northern R. R. bridge, 0.5 mile southeast of, on small ridge, nail in root of 14-inch pecan tree.	300. 14 305. 00
From Valley Junction west along International & Great Northern R. R. 1.7 miles, thence north to Port Sullivan.	
Valley Junction, at southeast corner of crossing of International & Great Northern R. R., iron post stamped "Prim. Trav. Sta. 75 A 274"	277. 372
R. R.; aluminum tablet stamped "Prim. Trav. Sta. No. 77 A 288" Little River, 0.2 mile south of, 0.3 mile from mouth on bank of timbered slough 300 feet wide, which bears S. 60 degrees W. of open field on south of post and north of slough; iron post stamped "Prim. Trav. Sta. No. 25	285. 018
Texas 1910 273" Port Sullivan, about 0.6 mile west of Brazos River bridge, on land of Mr. Harbon, at south fence, lane of private road opposite small shanty,	270. 278
in clump of trees; iron post stamped "Prim. Trav. Sta. No. 1" From Port Sullivan north along west side of river to Wildcat Bridge and across river to milepost 109.	301. 030
Port Sullivan, 1,500 feet north of post office, 300 feet south of house, copper	
nail in large oak tree on river bank	283. 61
river bank in open field	275. 95
stamped "Prim. Trav. Sta. No. 26 Texas 1910 281"	280. 407
nail in pecan tree	281. 38
nail in hackberry tree. Wildcat Bridge, 3 miles south of, 550 feet south of bank of Brazos River, on sloping ground at edge of timber line; iron post stamped "Prim.	304. 65
Trav. Sta. No. 27, Texas 1910, 311"	310. 997
field	284.51
edge of timber, 5 feet south of wire fence, on land owned by Mr. Martin; iron post stamped "Prim. Trav. Sta. No. 28 Texas 1910, 322"	E329.4510 7
100 post stamped 11111. 114v. 50a. 110. 20 10.00 1010, 022	III GEOLOGIA
	(70d.)

Wildcat Bridge, 0.5 mile south of, in open field, 300 feet west of river, 300	
feet from wooded rising ground, copper nail in root of pecan tree; painted "U.S.B.M. 293".	Feet.
Wildcat Bridge, 8 feet from southeast corner of, in top of concrete wing	292. 99
wall; aluminum tablet stamped "Prim. Trav. Sta. No. 29, 288"	287. 388
feet west of railroad; iron post stamped "Prim. Trav. Sta. No. 102 A"	286. 168
From Wildcat Bridge north along west side of river to Black Bridge and across river to milepost 113.	
Wildcat Bridge, 0.5 mile north of, 800 feet west of river; copper nail in	
root of small pecan tree in grade in cultivated field; painted "U.S.B.M. 291"	000 54
Wildcat Bridge, 1 mile north of, in cultivated field, about 600 feet west of	290. 54
river, copper nail in root of pecan tree; painted "U.S.B.M. 286"	286. 37
river bank; copper nail in root of brushy cedar tree; painted "U.S.B.M.	
P.T. Sta. 85"	296. 26
Wildcat Bridge, 2 miles north of, opposite Calvert coal mine on other side	
of river, at edge of timber and open field, 2,000 feet west of river; iron	
post stamped "Prim. Trav. Sta. No. 30, 308"	308. 058
root of hackberry tree on bank of river; painted "No. 19 P.T. 92"	290. 11
Wildcat Bridge, 3.2 miles north of, 300 feet west of river, at fence line	Onias a
between open fields; copper nail in root of small pecan tree	297. 36
Black Bridge, 1.2 miles south of, copper nail in oak tree on river bank at edge of timber	
Black Bridge, 0.5 mile west of Calvert, in top, north side of west pier;	305. 49
aluminum tablet stamped "Prim. Trav. Sta. No. 31, 300"	299. 431
From Valley Junction up Little River to point 3.6 miles southwest of Cameron.	
Valley Junction, 2.2 miles north of, 30 feet east of International & Great	
Northern R. R. track, 900 feet south of public road crossing, 200 feet	
south of milepost 103; iron post stamped "275".	278. 210
International & Great Northern R. R., 1 mile west of, north margin of public road, opposite negro house, copper nail in root of bois d'arc tree;	
painted "276"	275. 375
Port Sullivan, 50 feet east of east end of Brazos River bridge, south side	210.010
of road, copper nail in root of pecan tree; painted "277 No. 2"	276. 23
Port Sullivan, about 0.6 mile west of Brazos River bridge, on land belong-	
ing to Mr. Harlan, at south fence line of private road opposite small shanty, in clump of trees; iron post stamped "Prim. Trav. Sta. No. 1,	
302"	301. 030
Port Sullivan, 1.1 miles west of, 150 feet east of farm road, on bench above	001. 000
flood plain, copper nail in root of pecan tree in open field; painted "289 No. 3"	288. 96
Port Sullivan, 1.8 miles west of, 600 feet east of negro house, copper nail	200.00
in root of hackberry tree in brushy fence line; painted "285 No. 4"	284. 84
Port Sullivan, 2.1 miles west of, 50 feet south of fence line, 200 feet west of	
negro house on Mr. Harlan's land, close to edge of flood plain, copper nail in root of oak tree; painted "288 No. 5"	997 65
Port Sullivan, 2.6 miles west of, 150 feet northwest of fence line and vacant	287. 65
shanty, copper nail in root of post oak tree in pasture; painted "287	
N = 011	286. 05

Port Sullivan, 2.8 miles west of, on land of Rufus Smith, in wooded pasture,	
bench above flood plain, 75 feet south of gate, 350 feet south of house, 15	
feet northeast of painted post oak tree; iron post stamped "Prim. Trav.	Feet.
Sta. No. 2,291"	290. 309
Port Sullivan, 3.2 miles west of, on land of Rufus Smith, in wooded pasture,	
about 200 feet west of negro house, 100 feet east of wire fence, copper nail	
in root of blackjack oak; painted "287 No. 7"	286. 444
Port Sullivan, 3.7 miles west of, farm road leading west, in flood plain, 100	
feet west of gate, in fence line on north side of road, copper nail in root	E SHOEL
of pecan tree; painted "277 No. 8".	276. 49
Port Sullivan, 4.1 miles west of, dead trees around, copper nail in root of	
pecan tree in field; painted "278 No. 9".	277. 07
Port Sullivan, 4.5 miles west of, 0.5 mile east of public road leading across	A STATE OF
Little River, copper nail in root of lone large pecan tree in open field;	
painted "279 No. 10"	278. 69
Cliff Tyson's house, 0.5 mile south of, public road crossing Little River,	210.00
west side of road, 5 feet inside of wire fence and 5 feet from a corner fence	
post, negro house across road; iron post stamped "Prim. Trav. Sta. No.	
3, 281"	280. 003
Tyson's house, 0.9 mile southwest of, public road crossing Little River,	200. 003
0.4 mile west of, 75 feet east of deep slough, copper nail in root of pecan	000 77
tree (one of group); painted "283 No. 11".	282. 55
Tyson's house, 1.4 miles southwest of, 0.5 mile west of deep slough, copper	202 00
nail in root of lone pecan tree in field; painted "283 No. 12"	282. 89
Tyson's house, 2.3 miles southwest of, vacant shanty near bank of Little	
River, about 100 feet west by 100 feet south of well, at fence line, copper	204 00
nail in root of pecan tree; painted "286 No. 13".	285. 63
Tyson's house, 2.8 miles southwest of, about 200 feet east of Little River,	
in open field, copper nail in root of large mulberry tree; painted "296	
No. 14".	295. 73
Cameron, 16.9 miles east of, in timbered pasture, at fence line, 10 feet west	
of a gate, 55 feet east of slough; iron post stamped "Prim. Trav. Sta. No.	
4 298"	297. 135
Cameron, 16.3 miles east of, in partly cleared bottom land, brush and woods	
on south, cleared on north, just south of farm roadway, copper nail in	E MOUTE !
root of elm tree; painted "288 No. 15"	287. 57
Cameron, 16.1 miles east of, large cotton field on south and west, brush and	
timber on northeast, at right-angle corner of timber, edge of farm road,	
copper nail in root of pecan tree; painted "287 No. 16"	286. 93
Cameron, 15.3 miles east of, in brush and wooded area partly cleared, 100	
feet west of wire fence, copper nail in root of elm tree; painted "288 17".	287. 87
Cameron, 14.8 miles east of, at south edge of drainage ditch, copper nail in	
root of lone elm tree; painted "287 No. 18"	286. 47
Cameron, 14.4 miles east of, on sandy knoll about 20 feet higher than bottom	
lands and extending out into bottoms, 10 feet north of walnut tree, 90	
feet east of negro house; iron post stamped "Prim. Trav. Sta. No. 5, 307".	306. 468
Cameron, 13.6 miles east of, in edge of woods, 90 feet west of fence line and	000. 100
25 feet south of fence line, open fields east and north, copper nail in root	
of large cottonwood tree; painted "292 No. 19".	290, 97
Cameron, 13.3 miles east of, 36 feet west of wire fence, in small	200. 01
grove between open fields, copper nail in root of 15-inch elm tree; painted	
	292. 61
"293 No. 20"	292. 01

Cameron, 12.6 miles east of, in open field, 2,000 feet south of house with	
windmill on bluff, 400 feet west of fence line, copper nail in root of large	Feet.
lone persimmon tree 30 inches in diameter; painted "296 No. 21"	295. 28
Cameron, 12.2 miles east of, at fence line between two pastures, 8 feet east	
of 20-inch sycamore tree, about 1,000 feet south of low fringe of hills,	
about 2,000 feet southwest of house with windmill, 350 feet east of water	
course; iron post stamped "Prim. Trav. Sta. No. 6, 299"	298. 599
Cameron, 11.4 miles east of, copper nail in root of large lone pecan tree in	
field; painted "301 No. 22"	300. 85
Cameron, 10.4 miles east of, at edge of hill and 90 feet north of Little River,	
copper nail in root of 24-inch oak tree; painted "307 No. 23"	306. 66
Cameron, 10.1 miles east of, on bench land 30 feet above bottom lands,	
scattering timber and mesquite bushes, 1,000 feet east of bottom land,	
copper nail in root of leaning mesquite bush near primary traverse station	
No. 59; painted "333 No. 24".	332. 25
Cameron, 9.6 miles east of, just above edge of bottom lands, in timbered	
pasture, copper nail in root of 20-inch oak tree; painted "309 No. 25"	308. 93
Cameron, 9.1 miles east of, about 12 feet above bottom land, at fence line,	
15 feet east of lone elm tree, 400 feet south of house occupied by a Mr.	
Henson, at wire gate; iron post stamped "Prim. Trav. Sta. No. 7, 311"	310. 085
Cameron, 8.5 miles east of, about 500 feet west of a house, copper nail in	Bear.
root of lone elm tree at fence line between two pastures; painted "318	M 1997
No. 26"	317. 34
Cameron, 7.8 miles east of, at edge of woods and bottom lands, 100 feet north	
of a well and 300 feet from a house, copper nail in root of pecan tree;	
painted "319 No. 27".	318. 44
Cameron, 7.3 miles east of, in strip of timber, 60 feet west of stream from	
north, copper nail in root of 24-inch pecan tree; painted "313 No. 28"	312. 87
Cameron, 6.8 miles east of, on south side of creek, in strip of timber 1,000	
feet wide, copper nail in root of 15-inch elm tree; painted "305 29"	304. 14
Cameron, 5.9 miles east of, on south margin of east-west road, 10 feet east	
of an elm tree 15 inches in diameter, blazed and marked, 50 feet east of	
boundary fence between pasture and open field; iron post stamped	tone i
"Prim. Trav. Sta. No. 8, 306"	305. 555
Cameron, 5.6 miles east of, 8 feet east of north-south wire fence, edge of	
woods, open land toward river, copper nail in root of double elm tree;	
painted "306 No. 30".	305. 60
Cameron, 5 miles east of, edge of woods running north-south, at fence line,	000 07
copper nail in root of elm tree; painted "309 No. 31"	308. 01
Creek, under elm tree, 4 feet west of same, 25 feet west of bank of creek, 225 feet north of northeast corner of bridge; iron post stamped "Prim.	
Trav. Sta. No. 9, 308"	207 000
Cameron, 3.9 miles east of, west side of edge of timber and cultivated land,	307. 230
4 feet east of wire fence, 1,200 feet west of house on hill, copper nail in root	
of elm tree on Elm Creek; painted "310 No. 32"	200 50
Cameron, 3.2 miles east of, west side of Elm Creek, 50 feet north of fence	309. 58
line and 500 feet south of small creek, copper nail in root of elm tree;	
painted "307 No. 33"	306, 53
Cameron, 2.5 miles east of, on narrow point of land running out into bottom	300. 33
lands, 100 feet west of Little River, 55 feet southeast of W. K. Hawkins's	
house, copper nail in root of oak tree in barnyard; painted "328 No. 34".	327. 43
- white copper har in too or oak mee in painty ard, painted 320 110. 34	341.43

Cameron, 1.9 miles east of, on bench land about 40 feet above river bottom and 150 feet north of, at wire fence line, copper nail in root of hackberry tree; painted "350 No. 35"	Feet.
Cameron, 0.7 mile east of, 1.2 miles northeast of Gulf, Colorado & Santa Fe Ry. track, at wire fence line between fields, 50 feet southwest of large lone	349. 02
cottonwood tree, 2,000 feet east of sloping ground at edge of bottom land, tree blazed and painted; iron post stamped "Prim. Trav. Sta. No. 10 310" Cameron, 0.3 mile east of, about 3,000 feet north of Gulf, Colorado & Santa Fe Ry. track, at fence line, on north margin of east-west road (farm), private telephone line along road, copper nail in root of large cottonwood	309. 408
tree; painted "311 No. 36". Cameron, 0.4 mile southwest of, about 800 feet east of Gulf, Colorado & Santa Fe Ry. track, about 6 feet above bottom lands, near wire fence line and	310. 45
row of scattering trees, copper nail in root of hackberry tree; painted "319	
No. 37"	318. 88
of cemetery, copper nail in root of oak tree; painted "336 No. 38"	335. 96
stamped "Prim. Trav. Sta. No. 11, 313". Cameron pumping station, 175 feet north of plant and 100 feet west of road from Cameron to plant, copper nail in root of large cottonwood tree;	312.714
painted "315 No. 39". Cameron, 1.2 miles south by 1.2 miles west of, at fence line between two	314. 73
open cultivated fields, about 500 feet north of timbered land, in root of lone elm tree; copper nail painted "318 No. 40"	316. 98
copper nail in root of lone hackberry tree; painted "319 No. 41"	318. 45
Ry., on edge of gully, copper nail in root of elm tree; painted "314 No. 41" Cameron, 2.5 miles southwest of San Antonio & Aransas Pass Ry. Bridge 232.9 over Little River, 35 feet east of north end of trestle, 245 feet north end of iron bridge, 250 feet north of river, at milepost "Houston 233;"	313. 217
iron post stamped "Prim. Trav. Sta. No. 12, 324"	323. 132
No. 42"	340. 17
No. 43"	314. 58
TAYLOR QUADRANGLE.	
[Latitude 30° 30′-31°; longitude 97°-97° 30′.]	
From point 3.6 miles southwest of Cameron northwest along highway up Little River to Little River station.	
Cameron, 4.2 miles southwest of, in timbered pasture covered with mesquite bushes, in root of leaning mesquite tree, copper nail; painted "323 No.	000.00
Cameron, 4.8 miles southwest of, at cross of two fences and joining point of two timbered pastures and two open cultivated fields, copper nail in root	322. 83
of tree at fence line; painted "326 No. 45"	325. 37

Cameron, 5.4 miles southwest of, between timbered pasture and large open cultivated field, 8 feet north of wire fence, copper nail in root of elm tree; painted "323 No. 46"	Feet. 322, 46
Tompkins convict farm, at end of long strip of timber about 0.8 mile east of convict quarters, 3 feet west of wire fence between pasture and open field, large cleared field to west and south; iron post stamped "Prim. Trav.	one and one
Sta. No. 13, 328"	327. 535
Tompkins convict farm, about 1,000 feet southwest of convict quarters, 75	
feet south of wire fence, in large open cultivated field, copper nail in root	THE PARTY OF
of large lone oak tree; painted "330 No. 47"	329. 164
Tompkins convict farm, 0.4 mile west of quarters, in water course in small pasture, about 300 feet west of house on hill and 20 feet west of wire fence,	
copper nail in root of ash tree; painted "325 No. 48"	324. 10
Tompkins convict farm, 1.1 miles west of quarters, at fence line between	do me
two large cleared cultivated fields, copper nail in root of small elm tree;	
painted "334 No. 49"	333. 13
Tompkins convict farm, 1.8 miles west of quarters, west margin of Cameron-	
Thorndale road, beside wire fence, 85 feet north of small wooden road	
bridge, 80 feet north of lone double elm tree on east side of road; iron post	204
stamped "Prim. Trav. Sta. No. 14 336"	335. 029
Tompkins convict farm, 2 miles west of quarters, in an open cultivated field about 500 feet north of timbered land, copper nail in root of lone double	
elm tree about 800 feet west of public road; painted "338 No. 50"	337. 12
Tompkins convict farm, 2.5 miles west of quarters, on east margin of private	337.12
field road, in open cultivated field, copper nail in root of large lone forked	
elm tree; painted "338 No. 51"	337. 52
Tompkins convict farm, 3.1 miles west of quarters, in timbered pasture 30	
feet south of wire separating pasture from open field, 125 feet east of negro	
house, copper nail in root of hackberry tree; painted "353 No. 52"	352. 49
Tompkins convict farm, 4.5 miles west of quarters, in mesquite pasture on	
south side of cattle lane, 10 feet from wire fence, copper nail in root of	000 40
small oak tree; painted "399 No. 53"	398.19
ground in timbered pasture, copper nail in root of large oak tree; painted	
"394 No. 54"	393. 29
Tompkins convict farm, 5.6 miles west of quarters, between two open fields	000.20
on a sloping hillside about 70 feet from large spreading live oak tree, cop-	
per nail in root of elm tree; painted "374 No. 55"	373.62
Tompkins convict farm, 5.9 miles west of quarters, in timbered pasture,	
copper nail in root of oak tree, 20-foot rise just west; painted "352 No.	THE STATE OF THE S
56"	351.10
north bank of dry watercourse (Haw Creek), about 300 feet from Little	
River; copper nail in root of large oak stump, painted "346 No. 57"	345. 96
Haw Creek, 400 feet north of, 600 feet northwest of river, at fence line be-	010.00
tween pasture and open cultivated fields, 80 feet south of junction of	
fence lines, 10 feet south of large hackberry tree, blazed and marked;	
iron post stamped "Prim. Trav. Sta. No. 16, 350"	349.198
Haw Creek, 0.5 mile northwest of, about 0.3 mile east of Rockdale-Cameron	
public road, in open cultivated field, 5 feet south of private field road,	040.00
copper nail in root of large lone elm tree; painted "349 No. 58"	348. 90
road, about 0.5 to 0.8 mile from Little River, at fence line, copper nail	
in root of large lone pecan tree; painted "355 No. 59"	354.70
Pour Moi Paranon ou Tion of sessions	201.10

Haw Creek, 1.8 miles northwest of, between Cameron-Rockdale and Cum-	
mings Bridge roads, in timbered pasture about 100 feet south of dry water-	Feet.
course, copper nail in root of large oak tree; painted "362 No. 61"	361.57
Haw Creek, 2.4 miles northwest of, between Rockdale-Cameron and Cum-	
mings Bridge public roads, on north bank of watercourse, 8 feet south of	
wire fence, copper nail in root of elm tree; painted "362 No. 62"	361.62
Haw Creek, 2.8 miles northwest of, about 0.2 mile east of Cummings Bridge	
road, 200 feet south of a series of low hills, on east bank of slough, in open	
cultivated field, 8 feet east of wire fence; iron post stamped "Prim. Trav.	
Sta. No. 17, 362"	361.085
Haw Creek, 3.3 miles northwest of, about 800 feet north of Cummings Bridge	
road, in center of large open cultivated field, copper nail in root of lone	
elm tree; painted "365 No. 63"	364.25
Haw Creek, 3.7 miles northwest of, about 3,000 feet from Cummings Bridge	
road, in timbered pasture on west bank of slough and 75 feet east of wire	
fence, in open cultivated field, copper nail in root of a leaning elm tree;	
painted "360 No. 64"	359.616
Haw Creek, 4.1 miles northwest of, at fence line between pasture and open	
field, copper nail in root of hackberry tree; painted "366 No. 65"	365.883
Haw Creek, 4.8 miles northwest of, in narrow neck of woods extending out	
into an open cultivated field, copper nail in root of elm tree; painted	
"369 No. 66"	368.612
Haw Creek, 5.2 miles northwest of, on land of J. M. Coreley, about 0.5 mile	
northwest of Coreley's house, at end of narrow neck of woods, large cul-	
tivated field to north, 250 feet east of slough; iron post stamped "Prim.	
Trav. Sta. No. 18, 372"	371.988
Buckholtz, about 6 miles south of station, in large open cultivated field,	
about 1,000 feet west of fringe of low hills, 0.2 mile southwest of house on	
hill, 40 feet northeast of tree blazed and marked, copper nail in stump of	
a small double willow tree; painted "378 No. 67"	377.600
Bryant Bridge, 0.9 mile southeast of, in timbered pasture, about 500 feet	
south of low fringe of hills on north bank of slough, 10 feet south of a wire	Det Stall
fence, copper nail in root of willow tree; painted "379 No. 68"	378. 202
Bryant Bridge, 600 feet north of, 85 feet west of road to station, at east fence	
line, at edge of wooded land, 0.1 mile northeast of river; iron post stamped	100
"Prim. Trav. Sta. No. 19, 431".	430.767
Bryant Bridge, about 2,500 feet west of crossroad to, on property of Mr.	
Guschback, about 300 feet east of house, in timbered pasture, 15 feet east	
of wire fence between pastures, copper nail in root of elm tree; painted	101 71
"425 No. 69"	424.74
open cultivated field, about 50 feet east of joining of pasture with another	
field, copper nail in root of large elm tree; painted "389 No. 70"	388.09
Bryant Bridge, 1.8 miles northwest of, in open cultivated field in cluster	300.09
of four large oak trees, copper nail in root of large leaning oak tree; painted	
"390 No. 71"	389. 26
Bryant Bridge, 2.6 miles northwest of, at fence line between two timbered	303.20
pastures, 20 feet north of private pasture road, 25 feet east of cleared fields	
of Frank A. Cox, near tree blazed and marked; iron post stamped "392	
Prim. Trav. Sta. No. 20"	391.811
Bryant Bridge, 3.2 miles northwest of, on property of Mr. Clarey, next to	001.011
land of Mrs. Nichols, 12 feet south of narrow lane, 90 feet southeast of well,	
500 feet east of house on hill; lane runs between open cultivated field	
and pasture and is used mostly as a cattle lane to river; copper nail in	
root of large elm tree; painted "397 No. 72"	396.09

Bryant Bridge, 3.9 miles northwest of, on left bank of Little River, on west	
margin of Rogers-Davala public road, 5 to 6 miles from Rogers, 0.1 mile	
north of road bridge across river, very deep, dry watercourse about 200	
feet to north, woods to west, open field to east, copper nail in root of lean-	Feet.
ing ash tree; painted "402 No. 73"	401.131
Bryant Bridge, 4.5 miles northwest of, 150 feet north of Little River, at foot	
of hill, 200 feet southeast of open cultivated fields, in timbered bottom	
land, copper nail in root of leaning ash tree; painted "401 No. 74"	400.90
Bryant Bridge, 4.8 miles northwest of, between two open cultivated fields,	
on east bank of dry watercourse, copper nail in root of large elm tree;	
painted "402 No. 75"	401.21
Bryant Bridge, 6 miles northwest of, at wire fence line between timbered	
pasture and open cultivated field, in southwest corner of field, about 600	
feet east of river, 6 feet northeast of tree marked and blazed; iron post	
stamped "Prim. Trav. Sta. No. 21, 405"	404.565
Bryant Bridge, 6.4 miles northwest of, in heavily timbered pasture, about	
175 feet west of corner of open field, copper nail in root of large leaning	
elm tree; painted "405 No. 76"	404. 12
Bryant Bridge, 7.5 miles northwest of, in small timbered pasture, 20 feet	
east of bank of Little River, 200 feet west of rising ground, midway be-	
tween two wire fences about 200 feet apart, open fields to north, copper	
nail in root of large oak tree; painted "410 No. 77"	409. 400
Bryant Bridge, 8.2 miles northwest of, in timbered pasture 100 feet north	
of Little River, copper nail in root of large elm tree; painted "413 No. 78"	412.63
Bryant Bridge, 8.7 miles northwest of, at private farm road through bottoms	WIENIE .
near river running north-south, about 30 feet east of river bank, at a	CONT.
board gate, copper nail in root of hackberry tree; painted "415 No. 79"	413. 98
Bryant Bridge, 9.4 miles northwest of, where timbered land runs out in	Inoda
small neck into open fields, open cultivated fields to north and south, 30	
feet north of wire fence, copper nail in root of double hackberry tree;	Ligns a
painted "413 No. 80"	412. 27
Reid bottom, in large open cultivated field, about 800 feet west of house	
occupied by W. H. Harris, 1,000 feet south of timber, from 0.5 mile to	
1 mile east of river, 8 feet northeast of large lone cottonwood tree, 10 feet	
south of private field road; iron post stamped "Prim. Trav. Sta. No. 22,	
413"	412. 595
Reid bottom, 800 feet west of house occupied by Will Harris, 1,000 feet south	- Assoyret
of timber, 0.5 mile east of Little River, 1,000 feet west of rising ground,	
in open cultivated field, 10 feet south of private farm road through fields,	
copper nail in root of large double cottonwood tree; painted "412 No.	
81"	411. 432
Burgess, 2 miles south of, in hedge of trees between two open fields, on east	
margin of field road, 25 feet west of wire fence, old sunken road to east,	
copper nail in root of hackberry tree; painted "419 No. 82"	418.06
Burgess, 1.5 miles south of, in open field in bottom of dry watercourse, 50	
feet north of private farm road through field, copper nail in root of hack-	410.00
berry tree; painted "419 No. 83".	418.86
Burgess, 0.8 mile south of, in large open cultivated field, copper nail in root	101 01
of pecan tree; painted "426 No. 84".	425. 21
Burgess (Reids Lake), 425 feet east of wire river bridge, 450 feet northeast	
of post office, 200 feet north of Reids Lake, 36 feet east of dry watercourse,	
8 feet east of blazed and marked tree; iron post stamped "Prim. Trav.	400 000
Sta. No. 23, 430"	429. 095
Note.—The line here crosses Little River to the southwest side.	

Burgess, wagon bridge over Little River; elevation of center (water surface 40 feet lower)	Feet. 434. 89
Burgess, 3,200 feet west of, on brushy tree line between two large open cultivated fields on east margin of private field road running north-south; copper nail in root of hackberry tree, painted "432 No. 85"	420 60
Burgess, 1.2 miles west of, in wooded pasture, 50 feet east of wire fence; copper nail in root of hackberry tree, painted "434 No. 86"	430. 69
Burgess, 2 miles west of, on property of Hugh Cole, 400 feet west of house, 15 feet north of wire fence, sloping hillside, in narrow strip of timber;	
copper nail in root of oak tree, painted "467 No. 87"	465. 53
stamped "449 No. 24 Prim. Trav. Sta.". Little River, 0.4 mile south of station, on Missouri, Kansas & Texas Ry. tracks, at telephone post, 1 post south of milepost No. 888; spike in post	447. 156
about 1 foot above surface of ground, painted "489 No. 89"	487. 93
Temple, in front of station; top of rail. Little River, 855 feet north of station, on Missouri, Kansas & Texas Ry., east side of track, 4 feet west of wire fence, within right of way, 42 feet north of telegraph pole, 108 feet south of wooded pasture; iron post	502. 0
stamped "504 No. 25"	503. 512
MARLIN QUADRANGLE.	AREL Salball
[Latitude 31°-31° 30'; longitude 96° 30'-97°.]	
From milepost 114 north along International & Great Northern R. R. and highway on east side of Brazos River to point 10.4 miles southeast of Waco.	
Milepost 115, 40 feet west of track, 10 feet west of pole; iron post stamped "291 63 Prim. Trav. Sta. 105 A"	294. 712
Milepost 116, 330 feet south of, north bent on west side of railroad trestle 204; top of spike painted "294 107".	297. 320
Railroad bridge 206, north end, west side; top of abutment, stone painted "295 108"	298. 818
Milepost 117, 3 feet east of, 25 feet west of track; iron post stamped "Prim. Trav. Sta. 106 A 299, 64"	302. 616
Milepost 118; spike painted "303 110"	306. 44
Milepost 119, 10 feet west by 4 feet south of, 40 feet west of track; iron post stamped "Prim. Trav. Sta. 107 A 294, 65"	297. 189
Milepost 120; spike painted "305 113"	308. 22
Bufkin, 1 mile north of, 4 feet north of milepost 121, 40 feet west of track; iron post stamped "Prim. Trav. Sta. 108 A 301, 66"	304. 829
Milepost 122; spike painted "302 116"	305. 09
Bufkin, 3 miles north of, 13 feet southwest of Falls-Robertson county-line post, 4 feet north of milepost 123; iron post stamped "Prim. Trav. Sta. 109 A 303 67"	306. 911
Milepost 124; spike painted "304 119"	307. 65
Milepost 125, 4 feet north of, 30 feet west of track; iron post stamped "Prim. Trav. Sta. 110 A 309, 68"	312, 082
Milepost 126, in base of; spike painted "310 122"	313. 54
Milepost 127, 3 feet east of, 25 feet north of track; iron post stamped "Prim.	210 000
Trav. Sta. 111 A 315, 69"	318. 636 323. 59
Trestle 224, north end, east side, 450 feet north of station, in top of bent; spike painted "319 126"	322. 319

Highbank, 1 mile north of, 4 feet north of milepost 129, 30 feet north of track; iron post stamped "Prim. Trav. Sta. 112 A 319, 70"	Feet. 322. 778
Highbank, 3 miles north of, 4 feet north of milepost 131, 30 feet west of	000 515
track; iron post stamped "Prim. Trav. Sta. 113 A 320, 71"	323. 515
Highbank, 5 miles north of, 4 feet north of milepost 133, 30 feet west of track; iron post stamped "331 72 Prim. Trav. Sta. 114 A"	334. 887
Highbank, 6 miles north of, in milepost 134; spike painted "327 134"	330. 25
Highbank, 7 miles north of, 4 feet south of milepost 135; 30 feet west of	000. 20
track; iron post stamped "327 73 Prim. Trav. Sta. No. 115A"	330. 631
Highbank, 9 miles north of, 4 feet north of milepost 137, 30 feet north of	
track; iron post stamped "364 74 Prim. Trav. Sta. 116A"	367. 682
Highbank, 10 miles north of, in milepost 138; spike painted "373 140"	376. 61
Marlin, Falls County courthouse, east entrance; aluminum tablet stamped	
"Prim. Trav. Sta. 117A 394, 75"	397. 998
Marlin, 0.5 mile west of, 200 feet east of road bridge, 25 feet south of road,	
spike in root of elm tree; painted "342 142"	345. 797
Marlin, 1 mile west of, spike in root of mesquite tree on south side of road;	
painted "337 143"	340. 33
Marlin, 1.5 miles west of, spike in root of hackberry tree, north side of road;	
painted "339 144"	347. 92
Marlin, 2 miles west of, 200 feet north of Elm Grove Church, 15 feet north of	
pecan tree, south side of road; iron post stamped "339 76 Prim. Trav. Sta.	di Integra
118A"	342. 430
Marlin, 2.5 miles west of, northwest corner of road to north, spike in root of	040 45
hackberry tree; painted "339 145".	342. 47
Marlin, 4 miles west of, at southeast corner of John Tuyman's farm, at gate, iron post stamped "Prim. Trav. Sta. 119A 341, 77"	344, 392
Marlin, 3.5 miles north by 2 miles west of, at John Slaughter's house, south	344. 394
side of road, 12 feet north of house, 4 feet north of telegraph pole; iron	S. VIIII X
post stamped "Prim. Trav. Sta. 120A 346, 78"	350. 150
Marlin, 3 miles west of, on Rockdam road, spike in root of post-oak tree;	000, 100
painted"366 154"	369. 32
Marlin, 3.5 miles west of, on Rockdam road, opposite African Methodist	
Episcopal Church, at road to north; iron post stamped "Prim. Trav. Sta.	
121A 358, 79"	361. 249
Marlin, 4 miles west of, spike in root of elm tree on north side of road;	
painted "365 155"	368. 65
Marlin, 4.5 miles west of, on Rockdam road, spike in root of hackberry tree;	
painted "345 156"	348. 68
Rockdam Bridge, 720 feet east of, west edge of gully, spike in root of hack-	
berry tree; painted "347 157"	350. 81
Rockdam Bridge over Brazos River, 1,670 feet north of, east side of river,	050 005
east margin of road; iron post stamped "353, 80 Prim. Trav. Sta. 122A"	356. 665
Rockdam Bridge, 2.7 miles north of, 50 feet west of deserted house, 4 feet	200 00
north of telegraph pole; iron post stamped "357, 81 Prim. Trav. Sta. 123A" Rising Sun Methodist Episcopal Church (negro), in front of, at margin of	360. 28
road; iron post stamped "Prim. Trav. Sta. 124A 388, 82"	391, 858
Opposite ginhouse, west margin of road, in root of elm tree; spike painted	001.000
"376, 164"	380. 05
Waco, 12.8 miles southeast of, on west side of road, 0.2 mile north of road to	300.00
Riesel, at fence line; iron post stamped "414, 83 Prim. Trav. Sta. 125A"	417. 674
Waco, 10.4 miles southeast of, on west margin of road, at fence line, under	nest left in
oak tree; iron post stamped "427, 84 Prim. Trav. Sta. 126A"	430. 83
	THE RESERVE OF THE PARTY OF THE

From Black Bridge north along west side of river to Ellison's place, thence across river to milepost 124.	denshipiti les met
Calvert, about 3 miles northwest of milepost 113, International & Great Northern R. R., 30 feet west of track 2 feet south of milepost; iron post stamped "Prim. Trav. Sta. 104A 295"	Feet. 298. 119
aluminum tablet stamped "Prim. Trav. Sta. No. 31, 300". Black Bridge, 3,000 feet north of, between 300 and 500 feet west of river bank in timbered pasture, in root of oak tree; copper nail stamped "U.S.B.M.	299. 421
309". Black Bridge, 1 mile north of, 75 feet west of bank of river, at edge of open	309. 18
field and timber; nail in root of small elm	296. 86 298. 812
Pond Creek, 500 feet north of, in open field, nail in pecan tree; marked "301.7"	
Black Bridge, 5.2 miles north of, west edge of river bottom, foot of small hill, near fence; iron post stamped "Prim. Trav. Sta. No. 33, 305"	301. 55
Black Bridge, 6.9 miles north of, at fence line separating two fields of Molly Bailey, about 500 feet from river, 400 feet south of bayou, in old cornfield;	304. 393
iron post stamped "Prim. Trav. Sta. 34, 320". Black Bridge, 6.9 miles north of, Molly Bailey's place, just south of large bayou about 1,000 feet from river, copper nail in root of 12-inch pecan tree;	320, 257
marked "315"	314.77
cabin, copper nail in 18-inch chinaberry tree; marked "320"	319.72
above ground; marked "309.9". Highbank Bridge, 4 miles south of, on Richard Ellison's place, about 5 miles east of house, 600 feet north of road leading to river from house, on point of high land, at gate in fence; iron post stamped "Prim. Trav. Sta.	309. 64
No. 35, 632 "	326. 123
bridge to station.	
Highbank Bridge, 2 miles south of, 75 feet east of fence corner, south of lane that leads from high lands to river; iron post stamped "Prim. Trav. Sta. No. 36, 324"	323. 353
Highbank Bridge, 1 mile south of, at north edge of timber, in fence line, copper nail in 12-inch tree; marked "319.4"	318. 30
Highbank Bridge, 925 feet southwest of, on northwest side of road, 2 feet from wire fence; iron post stamped "Prim. Trav. Sta. No. 37, 316"	315. 447
Highbank, 1.4 miles west of, 0.5 mile east of bridge, in small grove of trees, on south side of Highbank-Rosebud road, copper nail in root of elm;	Mandan M
marked with keel "316.2". Highbank, 0.5 mile west of, 150 feet east of barn, in pasture on north side of Highbank-Rosebud road, 20 feet from wire fence, copper nail in root of large pecan tree; marked "320.9".	316. 00 320. 65
From point near Highbank Bridge along west side of river north to Marlin Bridge, thence east to point near Marlin.	ment pil
Highbank, 2.2 miles west of, on north margin of Highbank-Rosebud road, 915 feet west of end of bridge over river; iron post stamped "Prim. Trav.	015 405
Sta. No. 37, 315''	315. 427

Highbank Bridge, 0.6 mile northwest of, 100 feet west of river bluff, between two cultivated fields, in lane; wire nail in root of elm tree	Feet. 318.23
field; wire nail in root of large ash tree. Highbank Bridge, 1.7 miles northwest of, 100 feet from river, 600 feet east of	318.39
rising ground, at edge of timber with cleared fields to south and west; wire nail in root of small leaning ash tree. Highbank Bridge, 2 miles north of, in field between river and high land; nail	318. 567
in root of pecan tree. Highbank Bridge, 2.7 miles north of, at south edge of lane, in thicket; iron	325. 533
post stamped "Prim. Trav. Sta. No. 38, 328". Cedar Springs Bridge, 1.1 miles south of, at south end of lumber road; nail in root of 12-inch hackberry tree which stands on edge of 5-foot bank,	327.300
marked "321.9" Cedar Springs Bridge, 0.5 mile south of, northeast side of wood road, 1,200	321.65
feet southeast of Y road; nail in root of 12-inch elm, marked "319.9" Cedar Springs Bridge, 1,200 feet west of, on north side of Marlin road at fence	319.64
line; iron post stamped "Prim. Trav. Sta. No. 39, 326". Cedar Springs Bridge, 1.2 miles northwest of, on south edge of clearing about	325. 219
300 feet north of Pond Creek; nail in root of 10-inch oak, marked "323.8". Cedar Springs Bridge, 1.6 miles north of, north edge of clearing near fence line, nail in root of 20-inch elm tree; marked "327.8".	323.57
Cedar Springs Bridge, 2.4 miles north of, 500 feet south of Jones's ranch, in thicket, about 600 feet from river; iron post stamped "Prim. Trav. Sta.	327.57
Jones's ranch, 0.6 mile north of, just south of small cluster of trees; nail in	328. 315
20-inch oak at edge of river, marked "330.6". Ford over Brazos River at Marlin clubhouse, 0.3 mile south of, nail in root of 15-inch elm which stands between two clusters of trees, about 1,200 feet	330.34
from river; marked "332.2" Ford at Marlin clubhouse, 0.2 mile northwest of, east side of road, 300 feet southwest of angle, 387 feet southwest of river; iron post stamped "Prim.	331.97
Trav. Sta. No. 41, 335". Ford at Marlin clubhouse, 0.6 mile north of, at edge of thicket, on fence line, nail in root of 15-inch oak; marked "337.9".	335.052
Ford at Marlin clubhouse, 1.2 miles north of, nail in root of 18-inch pecan tree which stands alone at edge of highland; marked "342.8"	337. 65 342. 54
Ford at Marlin clubhouse, 1.6 miles north of, nail in root of 24-inch pecan tree which stands alone in field about 300 feet west of timber; marked	of sade
"340.4" Ford at Marlin clubhouse, 2.2 miles north of, at north edge of clearing, 300 feet from deserted cabin; nail in root of elm tree marked "340.9"	340. 14 340. 60
Marlin Bridge, 1.6 miles south of, north side of wood road; nail in root of leaning ash tree, marked "339.1".	338.77
Marlin Bridge, 1.2 miles south of, north edge of timber, in fence corner; iron post stamped "Prim. Trav. Sta. No. 42. 340"	340. 367
Marlin Bridge, 0.6 mile south of, north bank of creek, nail in root of 30-inch pecan tree; marked "344.4"	344.06
in tree, marked "344.1"	343.79
root of hackberry tree; marked "342.8"	342.47

From Marlin Bridge north along west side of river to Rockdam Bridge.	
Marlin Bridge, 0.4 mile north of, 300 feet north of negro cabin, 125 feet south-	
west of river, near fence line, between open field and timbered pasture;	Feet.
iron post stamped "Prim. Trav. Sta. No. 43, 358"	357.403
Marlin Bridge, 1.1 miles north of, on high land in clearing, 600 feet south of deserted cabin, nail in root of dead pecan tree; marked "381"	380. 42
Cow Bayou, on south bank of, 900 feet east of wooden bridge over bayou;	300.44
iron post stamped "Prim. Trav. Sta. No. 44, 347"	346.469
Cow Bayou, 0.4 mile north of, copper nail in root of 18-inch elm in field;	
marked "34.8"	346. 04
Sawyer plantation, 0.4 mile southwest of house, at south edge of ditch, 400	
feet east of road; copper nail in root of 6-inch two-forked elm, marked	045 50
"346"	345.76
on fence line; copper nail in root of 30-inch oak.	349.88
Samples (J. M.) farm, southwest of Rockdam Bridge, at south edge of old	010.00
lane, about 0.3 mile northeast of negro cabin, on highland; iron post	
stamped "Prim. Trav. Sta. No. 45, 348.6"	347.627
Rockdam Bridge, 2 miles west of, 300 feet north of public road, copper nail	
in root of 18-inch elm; marked "347.136".	356.17
Rockdam, 2.7 miles west of, at north edge of lane, 300 feet east of cabin, to south of lane, copper nail in root of 30-inch elm; marked "360"	359. 93
Rockdam Bridge, 1.8 miles west of, on west side of road, where it angles east;	559. 95
iron post stamped "Prim. Trav. Sta. No. 46, 361"	360.965
A series of a firm region in all ordinates and a little to the control of	
TEMPLE QUADRANGLE.	STATE OF
[Latitude 31°-31° 30'; longitude 97°-97° 30'.]	
From point near Rockdam Bridge north along west side of river to point 5 miles south of Waco.	
of Waco.	
of Waco. Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800	355.65
of Waco. Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356" Gurley's plantation, in field about 500 feet southeast of negro cabin, with	355. 65
of Waco. Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree	355. 65 357. 13
of Waco. Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree	
of Waco. Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim.	357.13
of Waco. Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Tray. Sta. No. 47, 358".	
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm;	357. 13 357. 610
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359".	357.13
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge	357. 13 357. 610
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6." spike in telegraph pole; marked "367".	357. 13 357. 610
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike;	357. 13 357. 610 358. 78 366. 93
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380".	357. 13 357. 610 358. 78
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post	357. 13 357. 610 358. 78 366. 93 379. 97
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394".	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs 0.5 mile south of, 150 feet south of road crossing, 3 feet from right	357. 13 357. 610 358. 78 366. 93 379. 97
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs, 0.5 mile south of, 150 feet south of road crossing, 3 feet from right of way, at milepost 280; iron post stamped "Prim. Trav. Sta. 50, 402"	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs, 0.5 mile south of, 150 feet south of road crossing, 3 feet from right of way, at milepost 280; iron post stamped "Prim. Trav. Sta. 50, 402". Downs, 0.4 mile east of, nail in root of 12-inch tree at edge of bottom;	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252 381. 05 400. 354
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs, 0.5 mile south of, 150 feet south of road crossing, 3 feet from right of way, at milepost 280; iron post stamped "Prim. Trav. Sta. 50, 402". Downs, 0.4 mile east of, nail in root of 12-inch tree at edge of bottom; marked "380".	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252 381. 05
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs, 0.5 mile south of, 150 feet south of road crossing, 3 feet from right of way, at milepost 280; iron post stamped "Prim. Trav. Sta. 50, 402". Downs, 0.4 mile east of, nail in root of 12-inch tree at edge of bottom; marked "380". Downs, 1 mile northeast of, in 15-inch pecan tree in scattered timber, 300	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252 381. 05 400. 354 378. 44
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs, 0.5 mile south of, 150 feet south of road crossing, 3 feet from right of way, at milepost 280; iron post stamped "Prim. Trav. Sta. 50, 402". Downs, 0.4 mile east of, nail in root of 12-inch tree at edge of bottom; marked "380". Downs, 1 mile northeast of, in 15-inch pecan tree in scattered timber, 300 feet south of road. 900 feet southeast of negro cabin, nail; marked "376".	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252 381. 05 400. 354
Rockdam Bridge, 3.2 miles west of, 0.5 mile north of lane in field about 800 feet east of timber line, copper nail in root of lone pecan; marked "356". Gurley's plantation, in field about 500 feet southeast of negro cabin, with red brick chimney; copper nail in root of 30-inch pecan tree. Gurley, 3,000 feet northeast of station, on Gurley's plantation, about 0.2 mile southeast of house, at lone cedar tree; iron post stamped "Prim. Trav. Sta. No. 47, 358". Gurley's plantation, 0.5 mile north of, copper nail in root of 15-inch elm; marked "359". Gurley, on San Antonio & Aransas Pass Ry., 1 mile north of, at junction of levee around Gurley plantation and railway, at south end of bridge "275.6," spike in telegraph pole; marked "367". Milepost 277, in base of, on San Antonio & Aransas Pass Ry., spike; marked "380". Milepost 278, 29 feet north of, 5 feet from east right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 49, 394". Milepost 279, spike in post; marked "382". Downs, 0.5 mile south of, 150 feet south of road crossing, 3 feet from right of way, at milepost 280; iron post stamped "Prim. Trav. Sta. 50, 402". Downs, 0.4 mile east of, nail in root of 12-inch tree at edge of bottom; marked "380". Downs, 1 mile northeast of, in 15-inch pecan tree in scattered timber, 300	357. 13 357. 610 358. 78 366. 93 379. 97 394. 252 381. 05 400. 354 378. 44

Downs, 2.2 miles northeast of, at fence line to north of road, copper nail in 15-inch hackberry; marked "379". Downs, 2.9 miles northeast of, on north bank of Flat Creek, copper nail in small elm tree; marked "381".	Feet. 378. 0 0 380. 40
From Gurley north up west side of river to Downs.	
Gurley's plantation, 0.5 mile north of; nail in root of 15-inch elm tree Gurley, about 1.2 miles north of, in large open field on west margin of a low	358. 83
depression, nail in root of lone pecan tree; marked "368 P. T. 97" Gurley, about 2.2 miles north of, at southeast corner of junction of Y road;	367. 26
iron post stamped "Prim. Trav. Sta. No. 56, 367". Gurley, about 3 miles north of, on property of Clif Torrence, in root of elm tree; copper nail marked "P. T. 99 elev. 366".	366. 472
Gurley, about 3.5 miles north of, in open cultivated field, on property of Dr. Steiner, copper nail in root of lone pecan tree; marked "P. T. 101	365. 11
elev. 374"	373. 35
iron post stamped "Prim. Trav. Sta. No. 57, 379" Downs, 1.3 miles southeast of, in open field, about 40 feet south of a ditch with brushy fringe in root side; copper nail in root of large lone pecan	378. 978
Downs, 0.8 mile southeast of, in open field, copper nail in root of large lone	375. 19
pecan tree; marked "P. T. 103 Elev. 376". Downs store, about 0.5 mile east of, at edge of bottom land, copper nail in root of cottonwood tree; marked "P. T. 86 Elev. 380".	375. 19
From point 3.6 miles southwest of Cameron northwest along highway up Little River to Little River station.	378. 49
Temple, at crossing of Missouri, Kansas & Texas Ry. and Gulf, Colorado & Santa Fe Ry., 60 feet west of Missouri, Kansas & Texas Ry. tracks and 40 feet north of Gulf, Colorado & Santa Fe Ry. track, halfway between telephone pole and its guy-wire pole in limestone post; bottom of square hole (Coast and Geodetic Survey bench mark L ₄).	673. 404
WACO QUADRANGLE.	Applied to
[Latitude 31° 30'-32°; longitude 97°-97° 30'.]	
From point 10.4 miles southeast of Waco along east side of Brazos River to Waco.	
Waco, 8.3 miles southeast of, 1 mile south of Houston & Texas Central R. R., on road to Riesel, 200 feet north of gate; iron post stamped "Prim. Trav.	(Surfey,
Sta. 127A 421, 85". Waco, about 7.5 miles south of, south bank of Shaw Creek, at fork in road, in	425. 103
root of Spanish oak; spike painted "387 179"	391. 26
iron post stamped "374, 86 Prim. Trav Sta. 128A" Waco, 4.7 miles southeast of, at fence line, 75 feet west of section house on Houston & Texas Central R. R., east margin of road; iron post stamped	378, 222
"385, 87 Prim. Trav. Sta. 129A". Waco, 2.5 miles southeast of, 175 feet east of J. McGanghy's house, at gate,	388. 520
west margin of road; iron post stamped "393, 88 Prim. Trav. Sta. 130A". Waco, Missouri, Kansas & Texas Ry. bridge over Brazos River, east end. north side, in top of abutment; aluminum tablet stamped "Prim. Trav.	396. 461
Sta. No. 131A 397, 89"	396. 389

Waco, southeast corner of South First and Jackson streets, top of hydrant (Coast and Geodetic Survey bench mark)	Feet. 402, 902
Waco, brick building on the southeast corner of South Third and Jackson	
streets, occupied by McCleary's feed store, 1.5 feet from southernmost	
window toward Missouri, Kansas & Texas Ry. (Coast and Geodetic Sur-	Fil abed
vey bench mark F ₄)	413. 087
Waco, northwest corner of South Fifth and Jackson streets, in brick building occupied by bettling works 10 inches below third window for	
ing occupied by bottling works, 10 inches below third window from front of building on side toward Missouri, Kansas & Texas Ry. (Coast	
and Geodetic Survey bench mark G ₄)	414. 382
and decode our vey bench mark 04/	414. 502
From point 5 miles south of Waco along west side of river to Waco.	
Waco, 5 miles southeast of, 600 feet southwest of red house, north side of	
lane, 18 inches from wire fence, in open field; iron post stamped "Prim.	
Trav. Sta. No. 52, 386"	384. 854
Waco, 4.4 miles southeast of, 0.5 mile northeast of red house, 50 feet west of	
fence corner at north side of old lane, 600 feet south of lane through bot-	annua t
tom, nail in root of 15-inch elm tree; marked "382"	381. 18
Waco, 4 miles southeast of, 400 feet northeast of edge of bottom land, 600	
feet east of large barn, at north edge of field, about 0.2 mile east of main	
Waco road, near wire fence; iron post stamped "Prim. Trav. Sta. No. 53, 387"	385, 857
Waco, 3.5 miles southeast of, 75 feet north of creek; nail in root of small	000.001
elm in field	390, 85
Waco, 2.8 miles southeast of, 47 feet northeast of center of San Antonio &	
Aransas Pass Ry., at north corner of main Waco road crossing, in corner	
of right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 54, 403".	403. 214
Waco, in north end east retaining wall for Missouri, Kansas & Texas Ry.	
bridge; aluminum tablet	396. 389

Austin, Bandera, Bastrop, Blanco, Boerne, Burnet, Flatonia, Fredericksburg, Georgetown, Giddings, Halstead, Llano, New Braunfels, Sabinal, San Antonio Special, San Marcos, and Uvalde quadrangles and region adjacent to San Antonio special quadrangle.

ATASCOSA, BANDERA, BASTROP, BEXAR, BLANCO, BURNET, CALDWELL, COMAL, FAYETTE, FRIO, GONZALES, GUADALUPE, HAYS, KENDALL, KERR, LAVACA, LEE, LLANO, MASON, MEDINA, SAN SABA, TRAVIS, UVALDE, WILLIAMSON, WILSON, AND ZAVALLA COUNTIES.

The elevations herein given are based on the corrected elevation of the city hall bench mark at San Antonio, now accepted as 653.212 feet above mean sea level, as determined from Coast and Geodetic Survey precise leveling.

The leveling in the several quadrangles was done by J. A. Hinman, Thomas Winsor, and M. S. Bright, between 1896 and 1901. Additional leveling in the San Marcos quadrangle was done by F. A. Nussle in 1906. The leveling by Hinman was done in the Austin, Bandera, Bastrop, Boerne, Flatonia, Halstead, New Braunfels, Sabinal, San Antonio Special, San Marcos, and Uvalde quadrangles in 1896 and 1897; that by Winsor in the Austin, Bastrop, Blanco, Fredericksburg, Georgetown, Giddings, and Llano quadrangles in 1897 and 1898; and that by Bright in the Boerne, Fredericksburg, and San Antonio special quadrangles in 1900 and 1901.

AUSTIN QUADRANGLE.

[Latitude 30°-30° 30'; longitude 97° 30'-98°.]

From Kyle to	McNeill along	International	& Great	Northern R. R.
--------------	---------------	---------------	---------	----------------

From Ryle to mcNelli along international & Great Northern R. R.	
Buda, 1,000 feet north of station, 7 feet south of telegraph pole, 35 feet east of track, 60 feet south of crossing of old San Antonio and Austin road; iron	Feet.
post stamped "711"	705. 619
Bear Creek, International & Great Northern R. R. bridge, 1 mile southwest of Manchaca, in east end of north rock pier; copper bolt stamped	
"U.S.G.S. 651 B. M."	645. 175
Manchaca, in front of station; center of track.	696. 9
Williamson Creek railroad bridge, 6 miles north of Manchaca and 5 miles south of Austin, top of east end of south rock pier; copper bolt stamped	000.0
"U.S.G.S. 641 B. M." Austin, highway bridge over Colorado River, in west end of south rock	633. 180
pier; copper bolt stamped "U. S. G. S. 476 B. M." Austin, second telegraph pole west of the Houston & Texas Central R. R.	469. 956
freight depot, 5 feet west of; iron post stamped "471"	465, 541
Austin, in southwest corner of post office, facing Colorado Street; bronze	100.011
tablet stamped "508"	502. 109
Austin, 5 miles north of, south side of Bull Creek road, 750 feet north of signboard at Hooper switch, 27 feet east of track; iron post stamped	
"702 SA"	694. 029
Duval, 2.75 miles south of, south side of Fiskville public road, 250 feet south	
of Amboy station, 22 feet west of track; iron post stamped "758 SA"	749. 977
Amboy, in front of station; top of rail. Duval, 100 feet north of switch head block, 42 feet west of track, 6 feet south	750. 700
of telegraph pole, top of flat limestone rock 15 inches in diameter; bronze	
tablet stamped "797 SA"	700 770
McNeil, 75 feet north of intersection of International & Great Northern	789. 173
R. R. and Houston & Texas Central R. R., 22 feet northeast of the latter's	
track, top of and near acute point of triangular limestone rock; bronze	STATE OF THE PARTY
tablet stamped "836 SA"	828, 401
	020. 401
From McNeil northwest along Houston & Texas Central R. R., western division.	
McNeil, 3.25 miles northwest of, west side of public road, 22 feet south of	
track, 500 feet east of section house; iron post stamped "857 SA"	849. 150
From Elysium via Garfield and Creedmore to Manchaca.	
Texas Hill triangulation station, 2.3 miles southwest of Elysium post office;	
rock marked "U. S. G. S."	602. 590
Pilot Knob, 1 mile east of, 3.77 miles from Cedar Creek and Austin road, at intersection of Creedmore road with Luling and Austin road, in corner of	
fence; iron post stamped "534"	529. 100
Creedmore, junction of Creedmore-Austin and Creedmore-Manchaca roads	020. 100
5.6 miles southwest of the lower Luling and Austin road, in southwest	benell'
corner of field fence; iron post stamped "637"	631. 508
Manchaca, 2 miles southeast of, at intersection of Creedmore-Manchaca and	
Old San Antonio-Austin roads, north side; iron post stamped "649"	643. 493
From Austin to Cedar Valley via Oak Hill.	
Oak Hill, 0.75 mile west of, intersection of Bee Caves and Cedar Valley	
roads, in corner of fence; iron post stamped "839".	921 907
Cedar Valley, forks of Dripping Springs and Johnson City roads; iron post	831. 207
stamped "1085"	077 610
10 - 10 - 10 - 10	017.010

451

From Cedar Valley to Manchaca.

Cedar Valley, 8. 64 miles southeast of, at crossing of Cedar Valley-Manchaca	Feet.
and Mountain City-Oakhill roads; iron post stamped "781"	

BANDERA QUADRANGLE.

[Latitude 29° 30'-30°; longitude 99°-99° 30'.]

From Sabinal along public roads to Bandera.

Sabinal, 14.5 miles northeast of, 45 feet west of road, 300 feet north of fords		
of Main and Little Seco rivers; iron post stamped "1168"	1, 159.	989
Sabinal, 21 miles northeast of, at forks of road to Anton Ney; iron post		
stamped "1338"		885
Sabinal, 28 miles northeast of, 500 feet east of Hondo River, 23 miles north	0.0000	
of Hondo, crossing of old Bandera road and north and south road from		
Hondo to Bandera, at southwest corner of intersection; iron post stamped		
"1227"	1, 218.	410

Hondo and Bandera county road.

Sabinal, 35.25 miles northeast of, junction of Hondo and Utopia roads to
Bandera near Commissioners Creek, 150 feet west of milestone 12 from
Bandera, and 400 feet north of E. A. Brewer's house, northeast of road
junction; iron post stamped "1490" 1.481.

Bandera and Utopia county road.

Bandera, 100 feet east of sixth milepost west of, 500 feet east of gate, 25	
feet north of road; iron post stamped "1449"	40. 711
Bandera, county courthouse, in southwest corner of rock wall; bronze tablet	
stamped "1265"	57. 000

From Bandera along public roads to Center Point.

Bandera, 5.5 miles north of, forks of Bandera-Kerrville and Bandera-Center	
Point roads; iron post stamped "1407"	1, 398, 647
Center Point, 6 miles south of, 12 miles north of Bandera, summit of Elm	
Pass, 25 feet west of milepost 6, at fence corner; iron post stamped "1744".	1, 736, 049

BASTROP QUADRANGLE.

[Latitude 30°-30° 30'; longitude 97°-97° 30'.]

From Bastrop to Elgin along Missouri, Kansas & Texas Ry.	
Bastrop, 100 feet southeast of freight station, 50 feet south of Bastrop and La Grange County road; iron post stamped "372".	366, 561
Bastrop, in front of station; top of rail.	
Bastrop, courthouse, northwest side of main entrance, in brick wall; bronze	366. 3
tablet stamped "377"	371. 587
Bastrop, 1.66 miles north of, top of coping, northeast end of East Rock pier,	
Piney Creek; copper bolt stamped "365 SA"	357. 396
Bastrop, 4.5 miles north of, 3 feet outside of southeast corner of right of way fence at crossing of Bastrop and Elgin public road; iron post stamped	
"460 SA"	452, 548
Sayersville, 1.75 miles south of, 5 feet east of northwest corner of right of way	
fence at public road crossing, half distance between fourth and fifth tele-	
graph poles south of milepost 945; iron post stamped "449 SA"	441.000
Sayersville, in front of station; center of main track	407.2
Sayersville, 2 miles north of, 650 feet north of head block of Cary Lacier coal mine spur, 35 feet west of center of track at road crossing; iron post	
stamped "468 SA"	460, 050

Elgin, 2.5 miles south of, 15 feet northeast of the southwest corner of right	
of way fence, 20 feet west of center of track, at Bastrop and Elgin road	Feet.
crossing; iron post stamped "530 SA"	522, 089
Elgin, in front of 'reight station; top of rail	571. 4
Elgin, at Union Passenger Station, 7 feet east of southeast corner of small	
park, 115 feet east of crossing of Missouri, Kansas & Texas Ry. and the	
Houston & Texas Central R. R., 20 feet north of Houston & Texas Central	
R. R. main track; iron post stamped "576 SA"	568. 004
and a service of the	
From Elgin to Giddings along Houston & Texas Central R. R.	
Elgin, 2.25 miles southeast of, 15 feet east of northwest corner of right of way	
fence at crossing of Elgin and McDade public road, 5 feet northwest	
of 18-inch post-oak tree at intersection of lane; iron post stamped	
"566 SA"	557. 964
Elgin, 5.75 miles southeast of, 100 feet south of railroad at intersection of	
a settlement road with the Elgin and McDade public road, 650 feet east	
of section house 13; iron post stamped "517 SA"	509. 094
McDade, in front of station; center of track	558. 1
McDade, 50 feet north of northeast corner of passenger station; iron post	
stamped "568 SA"	560.007
McDade, 2 miles southeast of, top of rock masonry wall around southwest	
end of 24-inch drainpipe culvert, 250 feet southeast of the crossing of the	
McDade and Paige public road; copper bolt stamped "588 SA"	580. 517
McDade, 6 miles southeast of, halfway between mileposts 71 and 72, north-	
east face of brick retaining wall built around double 24-inch drainpipe	
culvert; bronze tablet stamped "495 SA"	487. 148
Paige, 1.75 miles west of, 150 feet southwest of the McDade and Paige public	
road crossing and 250 feet northwest of milepost 69, vertical side of brick	
coping on wing wall south end of 24-inch drainpipe culvert 157; bronze	
tablet stamped "578 SA"	570. 221
Paige, 180 feet northeast of passenger station, 7 feet east of northeast corner	
of small park; iron post stamped "549 SA"	541. 363
Paige, in front of station; center of main track.	544.0
Paige, 3 miles southeast of, midway between seventh and eighth telegraph	
poles northwest of milepost 64, 10 feet from southeast corner of right of	
way fence at the crossing of the Paige and Giddings public road, 38 feet	
south of center of track; iron post stamped "528 SA"	520. 157
Paige, 7 miles southeast of, 0.5 mile southeast of milepost 61, top of rock	
coping over south end of 18-inch drain pipe culvert; copper bolt stamped	
"520 SA"	512. 024
From Winchester to Bastrop via Alum Creek.	
Winchester, 50 feet north of station, 45 feet east of middle of main track;	
iron post stamped "335 SA"	207 554
Winchester, in front of station; center of main track	327. 554 329. 7
Winchester, 3 miles west of, east side of Pin Oak Creek, fork of road to	020.1
Hodgins Ford of Colorado River; iron post stamped "300 SA"	292. 708
Winchester, 5.5 miles west of, forks of Lagrange-Bastrop public road and	202. 100
public road leading to Smithville via Hodgins Ford of Colorado River;	
iron post stamped "364 SA"	356. 638
Winchester, 8.75 miles west of, 1 mile east of P. D. Creek, 75 feet east of	000, 000
forks of the Lagrange and Bastrop public road and public road leading to	
Smithville via Eblin Ford of Colorado River; iron post stamped "349 SA"	341. 898
	000

Alum Creek, 4.25 miles southeast of, 2 miles north of Smithville, 9 feet east of 24-inch pecan used as fence corner post, 15 feet northwest of intersection of Smithville-Bastrop and Lagrange-Bastrop public roads; iron post stamped "331 SA".	Feet. 323. 791
Alum Creek, 2.25 miles southeast of, at mouth of Jones Lane leading to Colorado River, 10 feet south of middle of main road; iron post stamped "343 SA".	335. 717
Alum Creek, 250 feet west of brick store, 7.33 miles southeast of Bastrop, 60 feet north of road, in corner of fence; iron post stamped "354"	348. 633
15 feet south of Bastrop-Lagrange road; iron post stamped "404"	398. 584
From Bastrop to Giddings along public road.	
Bastrop, 4.5 miles east of, 35 feet northeast of forks of road, 100 feet west of	
small prairie; iron post stamped "528 SA". Bastrop, 9 miles east of, on Alum Creek-Paige road, 2,225 feet southwest of	519. 881
Bastrop-Giddings road; iron post stamped "503". Bastrop, 12 miles east of, east bank of Gravely Creek, 20 feet south of main road and 30 feet east of middle of creek; iron post stamped "466 SA"	497. 635 457. 993
Bastrop, 15.5 miles east of, 800 feet northeast of the Pin Oak Creek crossing, 12 feet north of road, 15 feet northwest of field fence corner; iron post	407.993
stamped "414 SA". Giddings, 7.5 miles southwest of, 50 feet northeast of intersection of Serbin road, 50 feet northeast of the Bastrop and Lee county line, at northeast	406. 002
fence corner; iron post stamped "476 SA"	467. 901
of Rabbs Creek; iron post stamped "475 SA"	466. 833
From Paige to Bastrop along public road.	
Paige, 1.75 miles west of, 1.5 feet east of west fence line and 150 feet north of summit of ridge; iron post stamped "611 SA"	602. 665
east fence line; iron post stamped "535 SA"	526. 687
roads; iron post stamped "455 SA"	446. 787
Bastrop, 6.5 miles northeast of, at forks of settlement road, 4.5 miles north of Bastrop-Giddings road; iron post stamped "486"	480. 470
From Lexington to Paige along public roads.	
Lexington, 0.5 mile east of station, 45 feet south of crossing of Giddings- Lexington public road; iron post stamped "465 SA"	456. 654
Lexington, 1.5 miles southwest of, 35 feet southwest of the intersection of road connecting the Lexington-Fedor and Lexington-McDade public	Talmier burn bo
roads; iron post stamped "402 SA". Lexington, 4.25 miles southwest of, 70 feet south of intersection of Lexington-Fedor road and Giddings upper public road, 1,900 feet south of cross-	393. 645
ing of Middle Yegua Creek; iron post stamped "368 SA"	359. 694
Fedor, 1,000 feet north of store, 50 feet south of forks of Lexington-Fedor and	
Fedor-Austin public roads; iron post stamped "424 SA"	415.742
Taylor public roads, 1,550 feet north of West Yegua Creek; iron post stamped "453 SA".	444. 566
Paige, 3.5 miles north of, 40 feet northeast of intersection of roads, at gate; iron post stamped "520 SA".	111.000
	511, 664
Paige, 3 miles north of, 65 feet northeast of intersection of upper Lexington road and Paige-Darden Springs public road; iron post stamped "531 SA"	511. 664 522. 826

From Bastrop to Caldwell along public roads.

Bastrop, 3 miles west of, at forks of Weberville road and abandoned road to Garfield, 3 feet from fence; iron post stamped "410"	Feet. 404. 680
post stamped "422". Caldwell, 100 feet northwest of, 50 feet north of Bastrop and Austin public	416. 780
road, via Garfield; iron post stamped "576"	570. 560
From Bastrop to Cedar Creek along public road.	
Cedar Creek, 3.25 miles east of, forks of Bastrop and Cedar Creek road with road leading to Winson's gin, 20 feet east of 26-inch post-oak tree; iron post stamped "446 SA".	437. 996
Cedar Creek, 400 feet south of post office, 19 feet south of southeast fence corner at forks of Bastrop-Cedar Creek road with Austin-Port Lavaca road; iron post stamped "445 SA"	437. 240
From Cedar Creek southeast to Red Rock and northeast to Bastrop via public roads.	
Cedar Creek, 5 miles south of, on north side of Austin and Port Lavaca road at point where road makes a sharp bend, 4 feet west of 20-inch post-oak tree; iron post stamped "472 SA"	464. 118
Red Rock, 4.75 miles north of, at forks of Austin and Port Lavaca road with old road to Red Rock, 0.75 mile northwest of Walnut Creek Catholic Church, 6 feet southeast of 24-inch dead post-oak tree utilized as fence corner post; iron post stamped "478 SA"	470 467
Bastrop, 8.25 miles southwest of, at forks of Bastrop and Red Rock road with a settlement road, 40 feet east of fence line, 200 feet north of house with	470. 467
log chimney; iron post stamped "477 SA". Bastrop, 3.25 miles southwest of, at intersection of Bastrop and Red Rock road with settlement roads, 3 feet south of northeast fence, 45 feet southeast of gate; iron post stamped "384 SA".	469. 119 376. 176
From Bastrop via Nashs Ferry and Colorado Chapel to Sayersville.	370.170
· · · · · · · · · · · · · · · · · · ·	
Nashs Ferry, 300 feet north of, on east side of road, 150 feet east of right bank of Colorado River, 5 feet north of 16-inch elm tree; iron post stamped "372 SA".	363. 805
Sayersville, 6 miles west of, 40 feet southeast of forks of Elgin-Coats road with Bastrop road, 800 feet northeast of Coats Bridge, over Wilbarger Creek;	
iron post stamped "391 SA"	383. 156
From Sayersville to McDade along public roads.	
Sayersville, 3.25 miles northeast of, at forks of McDade and Sayersville road with Elgin road, 250 feet west of small bridge over ravine and on north side	NAME OF THE PARTY OF
of road; iron post stamped "514 SA". McDade, 2 miles west of, east side of McDade and Sayersville road, at bend opposite wire fence corner; iron post stamped "504 SA".	506. 119 496. 073
	100.070
From Paige to Lexington via Darden Springs, Blue, and Center Point Chapel. Darden Springs, 2 miles south of, just north of Bastrop-Lee county line, at	
forks of Darden Springs and Paige road with settlement road leading southwest; iron post stamped "498 SA".	489. 779
Darden Springs, 8 feet east of Dr. Darden's east gatepost, on south side of road, opposite point where road turns north; iron post stamped "444 SA".	435. 730
Darden Springs, 2 miles north of, at forks with settlement road; iron post stamped "499 SA"	490. 744

Blue, 2 miles south of, forks of Taylor-Giddings road with private road leading southeast, 25 feet north of mile board marked "Giddings 18	Feet.
mi."; iron post stamped "511 SA"	502. 693
Center Point Chapel, 0.5 mile west of, southwest corner of forks of Austin-	470 004
Lexington road leading south; iron post stamped "487 SA"	478. 834
wire fence corner, at forks of settlement road leading south; iron post	
stamped "397 SA"	388. 895
Lexington, 2 miles west of, forks of Austin-Lexington road with Taylor-	
Georgetown road, 50 feet west of post-oak tree utilized as milepost "Lex-	455 020
ington 2 mi."; iron post stamped "464 SA"	455. 930
From Lexington to Elgin via Florence and Beaukiss.	
Lexington, 5.75 miles northwest of, forks of Taylor-Georgetown road with	
Rockdale public road, 40 feet northeast of 4-inch post-oak tree utilized as guidepost; iron post stamped "471 SA"	462. 986
Florence schoolhouse, 0.5 mile east of, forks of Taylor-Georgetown road	102. 000
and Beaukiss "cut-off" road, 500 feet southwest of intersection with	
Elgin-Lexington road; iron post stamped "469 SA"	461. 020
Florence schoolhouse, 2.5 miles west of, at forks of Elgin and Lexington road with crossroad to Taylor-Georgetown road, 125 feet east of right angle	
in road from west to south; iron post stamped "472 SA"	464. 519
Beaukiss, 2.25 miles east of, at west forks of Elgin and Lexington road with	1.0
Taylor and Giddings road, 5 feet southwest of milepost "14 mi. to Elgin,"	Water William
alongside fence line; iron post stamped "551 SA"* Beaukiss, 2.5 miles east of southeast corner of Oliver's general store and	542. 586
post office, on north side of Elgin and Lexington road; iron post stamped	
"502 SA"	493. 821
Beaukiss, 3.25 miles southwest of, 200 feet southeast of Siloam schoolhouse,	
8 feet east of southeast corner of forks of road; iron post stamped "497 SA".	488. 779
Elgin, 5.75 miles northeast of, 10 feet southwest of northwest fence corner, at forks of Elgin and Lexington road with road to Taylor; iron post	
stamped "589 SA"	580. 936
Elgin, 2.75 miles northeast of, 500 feet east of Redtown schoolhouse, 3 feet	
south of southeast fence corner at forks of Elgin and Lexington road with	FOF 000
a public road leading east; iron post stamped "573 SA"	565. 026
From Elgin to Coupland along Houston & Texas Central R. R.	
Coupland, in front of station, 50 feet east of main track of Missouri, Kansas	
& Texas Ry., 5 feet east of southwest corner of fence inclosing section-	F15 000
house yard; iron post stamped "526"	517. 030
From Coupland to Rices Crossing along public road.	
Rices Crossing, southeast corner of Rices Crossing-Byersville road with	
Taylor-Manor public road, 150 feet southwest of schoolhouse; iron post	547. 027
stamped "556 SA"	541.021
From Rices Crossing south via Manda to Littig, thence via Houston & Texas Central R. R. east to Elgin.	
Rices Crossing, 4 miles south of, 4 feet north of northeast fence corner post	
at forks of Taylor-Manor public road with a public road leading east-	519. 138
ward; iron post stamped "528 SA"	010. 100
with road to Elgin, 25 feet south of fence corner, 100 feet southwest of	
Lutheran Church; iron post stamped "558 SA"	548. 975

	Treat
Littig, in front of station; top of rail. Littig, 800 feet east of station, 40 feet south of Houston & Texas Central	Feet. 456. 4
R. R. track, 4 feet north of right of way fence; iron post stamped "470 SA"	462. 154
From Smithville to Bastrop along Missouri, Kansas & Texas Ry.	
Smithville, 10 feet east of second telegraph pole south of mile board 969; iron post stamped "329"	323. 720
Upton, 45 feet east of headblock south end of switch, near right of way fence; iron post stamped "349".	343. 528
Hills Prairie, 28 feet east of south headblock, near right of way fence; iron post stamped "359". Bastrop, 2 miles south of, railway bridge over Colorado River; copper bolt,	353. 494
set in masonry at east end of north bridge seat, stamped "358"	352. 588
BLANCO QUADRANGLE.	
[Latitude 30°-30° 30′; longitude 98°-98° 30′.]	
From Bee Caves along public roads via Round Mountain to Willow City.	
Bee Caves, 3.25 miles west of, 13 feet west of fence corner post south side of road at bend in road from northeast to west; iron post stamped "1193	to hos
SA". Bee Caves, 6.25 miles west of, east side of road, 10 feet north of twin elms,	1, 184. 918
at corner of stone wall; iron post stamped "1120 SA"	1, 111. 966
From Bee Caves northwest along Austin and Round Mountain public road to Round Mountain.	
Bee Caves, 9 miles northwest of, at forks with a settlement road south;	
iron post stamped "1321 SA". Cypress Mill, 10.25 miles southeast of, in top of 24 by 48 inch limestone	1, 312. 782
outcrop on northeast side of road; bronze tablet stamped "921 SA" Cypress Mill, 8 miles southeast of, west bank of Pedernales River, north	913. 261
side of road, 21 feet south of picket fence corner, in top of limestone outcrop; bronze tablet stamped "815 SA"	807. 076
Cypress Mill, 5.25 miles southeast of, 3 feet north of cedar post at angle of fence on north side of road, 300 feet west of farmhouse; iron post stamped	007.070
"928 SA" Cypress Mill, 2.5 miles southeast of, at forks with settlement road southwest;	919. 953
iron post stamped "964 SA"	956.008
Cypress Mill, in top of limestone rock 4 feet in diameter, west side of road, 250 feet northeast of post office, 100 feet south of Cypress Creek; bronze	
tablet stamped "976 SA". Cypress Mill, 3 miles northwest of, 2 feet east of telephone pole on summit	967. 569
of hill, north side of road; iron post stamped "1172 SA"	
Round Mountain, 0.25 mile east of post office, 4 feet west of fence corner, 200 feet northwest of Baptist Church, at forks of road; iron post stamped "1292 SA".	
From Round Mountain northwest along public roads via Llano to Smith's ranch.	, 200. 997
Round Mountain, 2.25 miles northwest of, 4 feet west of gate to pasture on south side of road; iron post stamped "1413 SA"	, 404. 991
east of telephone pole at slight bend of road; iron post stamped "1374 SA" 1	, 365. 777

Round Mountain, 8.25 miles northwest of, at Smith's ranch, 5 feet southeast of gate southwest side of road, at intersection with Fredericksburg and Marble Falls road; iron post stamped "1171 SA"	Feet. 1, 162. 911
From Smith's ranch southwest along Fredericksburg and Marble Falls public road.	
Smith's ranch, 3 miles west of, 7 feet north of gate on division fence line north side of road; iron post stamped "1149 SA"	1, 140. 967
BOERNE QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 98° 30′-99°.]	
From Ganahl via San Antonio & Aransas Pass Ry. to San Antonio.	
Comfort and Kerrville highway crossing, between mile boards 292 and 291, southwest corner of intersection; iron post stamped "1437"	1, 428. 432
Aransas Pass Ry. station; iron post stamped "1437"	
southeast end of east pier; copper bolt stamped "U.S.G.S. 1374 B.M.".	
Waring, in front of station; center of track	
tion; iron post stamped "1377"	1, 368. 193
Welfare, in front of station sign; center of track	1, 399. 2
Spanish Pass, 1.25 miles north of, first arch culvert north of milepost 276, also first south of negro's residence 75 feet west of railway, in cap over keystone of arch at west end of culvert; copper bolt stamped "U.S.G.S.	A Joseph St.
1535 B.M.". Boerne, near passenger station, 10 feet north of first telegraph pole; top of	
rail	
Van Raub, opposite store; center of track	1, 371, 2
Van Raub, just north of station (store), 120 feet south of fourth telegraph pole south of milepost 263, 8 feet east of track, in solid rock; copper bolt	in distance
stamped "U.S.G.S. 1375 B.M."	1, 366. 713
Aue Station, 75 feet west of track, in northeast corner of Max Aue's residence; bronze tablet stamped "1141"	1, 132. 373
Leon Creek, 15 feet south of sill of trestle 572, on south bank, 11 feet east of east rail, in solid rock; copper bolt stamped "U.S.G.S. 1036 B.M."	1, 027. 656
From Gill's Lane southwest over Fredericksburg and Sisterdale road to Sisterdale.	
Comfort, 7.5 miles north of, 200 feet east of Block Creek, east side of road, by stone-fence corner; iron post stamped "1453 SA"	1, 444. 960
Fredericksburg-Sisterdale roads, 4 feet west of Sisterdale and 40 feet east of San Antonio roads, 1 foot east of north gatepost; iron post stamped "1563 SA"	1, 555, 243
Sisterdale, 0.2 mile west of, south side of road by wire fence, 1 foot north of big gate; iron post stamped "1447 SA"	
From John Kneupp's ranch, west over Comfort and Blanco roads to Sisterdale.	
John Kneupp's ranch, 1.75 miles west of, south side of road by wire fence, in mound of stone; iron post stamped "1451 SA"	1, 443, 035
Davis's ranch, 10 feet west of gate, entrance to pasture, north side of road;	o Class and
iron post stamped "1411 SA"	1, 403. 106

Sisterdale, 4.25 miles east of, 2 feet west of big gate; iron post stamped "1389 SA"	1, 381. 0
Sisterdale, 0.5 mile southeast of, foot of hill north side of road, by rail fence, 400 feet east of stream; iron post stamped "1279 SA"	Claristant's
A TOTAL OF THE PARTY OF THE PAR	1, 271. 013
From point 3.5 miles north of Comfort along highway to Comfort.	
Comfort, 3.5 miles north of, 10 feet north of farm gate, 600 feet west of a stone farmhouse, on west side of road; iron post stamped "1530 SA"	1, 523. 056
stamped "1521 SA"	1, 514. 110
Comfort, opposite San Antonio & Aransas Pass Ry. station; iron post stamped "1436 SA"	1, 428. 630
BURNET QUADRANGLE.	
[Latitude 30° 30′-31°; longitude 98°-98° 30′.]	
From Bertram to Graphite along Houston & Texas Central R. R., western division.	
Bertram, 1.75 miles southeast of, on southeast side of settlement road, 43	
feet southwest of track; iron post stamped "1198 SA"	
Bertram, 120 feet southeast of station, 24 feet southwest of track, on north-	
west side of Bertram and Brooks Mill public road; iron post stamped	
"1266 SA"	
Bertram, in front of station; top of rail.	1, 259. 6
Burnet, 3.25 miles east of, 500 feet west of headblock of switch, at summit,	
57 feet southwest of milepost 57, 19 feet south of main track, top of lime-	1 100 011
stone outcrop; iron post stamped "1494 SA". Burnet, 2 miles east of, 47 feet west of track, 17 feet south of gate at private-	1, 486. 341
road crossing; iron post stamped "1387 SA"	
Burnet, 0.25 mile south of station, on southeast side of Pecan Street, 30 feet	1, 070.00
southwest of track; iron post stamped "1282 SA"	1, 274, 185
Burnet, in front of station; top of rail	
Burnet, east front of county courthouse, in north end of first window sill	died if make
south of entrance; bronze tablet stamped "1300 SA"	1, 291. 785
Burnet, 2 miles southwest of, on northwest side of Burnet and Marble Falls	
public road, 36 feet northeast of track; iron post stampe 1 "1250 SA"	1. 242. 040
Fairland, 3 miles northeast of, on south side of a private-road crossing 0.25	
mile north of Sudduth section house, 27 feet west of track; iron post	may Jagos I
stamped "1142 SA". Sudduth, in front of section house; top of rail.	1, 134. 072
Fairland, east side of station; top of rail	
Fairland, 70 feet southwest of Marble Falls branch track, on southeast side	964. 5
of Burnet and Fredericksburg public road; iron post stamped "953 SA"	945, 269
Fairland, 3 miles southwest of, on east side of Burnet and Fredericksburg	010. 200
road crossing, near right of way fence corner, 44 feet south of track; iron	
post stamped "992 SA"	984. 040
Kingsland, 3 miles southeast of, on north side of public road, 52 feet south	
of track and 110 feet west of trestle 76 C; iron post stamped "881 SA"	873. 329
Kingsland, in front of station; top of rail	848. 3
Kingsland, near southwest corner of small park opposite station, 21 feet	NO. SHOOT
north of main track; iron post stamped "856 SA"	848. 298
Kingsland, 3 miles northwest of, at forks of old Fort Mason, Kingsland, and	
Llano roads, 70 feet west of track, 23 feet north of twin elm tree utilized as milepost "Kingsland 3.5 miles;" iron post stamped "954 SA"	045 450
as interpose tringstate of miles, non post stamped out of	945. 452

Kingsland, 5.5 miles northwest of, on west side of settlement road, 0.25 mile southeast of bridge 85 B over Sandy Creek, 27 feet southwest of track; iron post stamped "914 SA".	
From Smith's ranch to Marble Falls along Fredericksburg and Marble Falls road.	
Smith's ranch, 3 miles northeast of, 200 feet southwest of Bridge's farm-	
house, 6 feet south of gate on south side of road; iron post stamped "979 SA"	970. 865
Smith's ranch, 6 miles northeast of, 25 feet southwest of road, 35 feet northwest of Slick Rock Creek; iron post stamped "834 SA"	825, 921
Marble Falls, 4.25 miles southwest of, on north side of road by wire fence, 5 feet south of 15-inch post-oak tree utilized as a gatepost; iron post	
stamped "827 SA". Marble Falls, 0.5 mile southwest of, in top of limestone outcrop 7 feet	818. 883
southeast of road, 250 feet southwest of bridge over Colorado River, 50 feet northeast of forks of road; aluminum tablet stamped "790 SA" Marble Falls, at southeast corner of park, 60 feet northeast of northeast	781. 962
corner of Houston & Texas Central Railroad station; iron post stamped "764 SA".	755, 929
From Marble Falls to Fairland along Houston & Texas Central R. R., western division.	
Marble Falls, in front of station; top of rail.	755. 6
Granite Mountain, in front of station; top of rail. Fairland, 2 miles south of, 600 feet north of milepost 73, 50 feet east of track,	857. 8
at right of way fence corner on north side of settlement road; iron post stamped "897 SA"	889. 007
From milepost 15, on Houston & Texas Central R. R., 3 miles northwest of Kingsland, east along public road via Mason Crossing to Burnet.	
Mason Crossing, west bank of Colorado River, 50 feet southwest of road at	
bend; iron post stamped "834 SA"	825. 847
post stamped "883 SA"	874. 888
Mason Crossing, 5.5 miles northeast of, southeast side of road by a live oak tree, 50 feet northeast of milestone "8 M;" iron post stamped "1261 SA"	
Burnet, 5 miles west of, on south side of road by wire fence, 6 feet west of milestone "B 5;" iron post stamped "1390 SA"	
Burnet, 2.25 miles west of, at junction of old Fort Mason-Burnet road and	
Bluffton road; iron post stamped "1403 SA"	1, 394. 437
From Burnet along public roads via Pomona post office to Naruna.	
Burnet, 3 miles north of, 300 feet north of junction of Burnet-Lampasas and Burnet, Brooks Mill, and Lampasas roads, by wire fence on northeast side of reads iron post stomped "1440 SA"	1 440 040
of road; iron post stamped "1449 SA". Burnet, 6.33 miles north of, on west side of road, 9 feet south of gate at Boyd's ranch; iron post stamped "1480 SA".	1, 440, 940
Burnet, 9 miles north of, on west side of road at intersection with settlement road running northwest and southeast; iron post stamped "1510 SA"	
Naruna, 6.5 miles southeast of, west side of road on summit of hill at junction of Burnet-Lampasas and Austin-San Saba roads 700 feet northeast of	1, 001. 004
Pomona post office; iron post stamped "1466 SA"	1, 457, 905
Naruna, 4.5 miles southeast of, at junction with settlement road running north, 750 feet southeast of old railroad grade, 50 feet northwest of south-	2, 2011 000
west fence corner; iron post stamped "1468 SA"	1, 460. 138

Naruna, 2.5 miles southeast of, 700 feet southeast of Littlepage's residence, 20 feet north of south fence line opposite angle in road, in top of limestone outcrop; bronze tablet stamped "1500 SA". Naruna, 170 feet southeast of Baptist Church, at intersection of Austin-San Saba and Llano-Lampasas roads; iron post stamped "1476 SA".	Feet. 1,491.881
From Naruna along public and settlement roads to Bluffton.	
Naruna, 3 miles southwest of, on north side of 18-inch post-oak tree in mid- dle of lane, west side of road at bend, in top of limestone outcrop; alumi- num tablet stamped "1455 SA"	
Southward along settlement road.	
Naruna, 6 miles southwest of, 80 feet west of small drain, 25 feet northwest of blazed 12-inch post-oak tree, 15 feet south of road, in top of limestone outcrop; bronze tablet stamped "1457 SA"	
Southwest along Bluffton and Lampasas road.	
Bluffton, 4.66 miles northeast of, at high point in open pasture, 15 feet southeast of road, in top of limestone outcrop; aluminum tablet stamped "1399 SA". Bluffton, 1.66 miles northeast of, 100 feet northeast of gate, 30 feet north of 6-inch blazed live-oak tree, on rocky hill side 35 feet west of road, in red	
sandstone outcrop; aluminum tablet stamped "1006 SA". Bluffton, 7 feet east of northeast fence corner, at junction of Burnet-Llano and Bluffton-Lampasas roads; iron post stamped "1012 SA"	
From Bluffton southeast along Burnet and Llano road to Burnet.	
Bluffton, 1.25 miles southeast of, northeast side of road at junction with road running to McDonald's mill, 200 feet southeast of southeast bank of	
Colorado River; iron post stamped "948 SA". Bluffton, 4.25 miles southeast of, 10 feet east of 18-inch post-oak tree utilized as fence post at angle on north side of road; iron post stamped	940. 134
"1227 SA". Burnet, 6 miles northwest of, at junction with settlement road running west, on southwest side of road, in top of pink granite outcrop; aluminum tablet stamped "1285 SA".	
	1, 277. 111
From Burnet northeast along Burnet, Brooks Mill, and Lampasas road to Sage.	
Burnet, 5.75 miles northeast of, west side of road at junction with settlement road running northwest, 200 feet south of summit of hill; iron post stamped "1454 SA".	S describe
Sage, 1.75 miles southwest of, 7 feet south of fence corner at right angle bend of road, 250 feet east of Bethel schoolhouse; iron post stamped	
"1346 SA". Sage, 250 feet south of post office, 75 feet south of north fork of San Gabriel River, opposite Murphy & Jenkin's gin, in top of limestone bowlder;	ASAD IN
aluminum tablet stamped "1261 SA". From Sage along public roads via Sunny Lane to Bachelor Peak.	1, 252. 910
Sunny Lane, 250 feet southwest of post office, in top of embedded lime- stone bowlder, by wire fence corner, on north side of road, 150 feet northeast of Methodist Church, at junction of Burnet, Brooks Mill, and and Lampasas road and Austin road; aluminum tablet stamped	of Bridge of Bridge Verteral
"1168 SA". Sunny Lane, 2.5 miles north of, south side of gate on west side of road, at junction with settlement road running to Bachelor Peak; iron post stamped "1335 SA".	
	-, 021. 010

Northeast along settlement road via Eldridge & Field's ranch to Georgetown ar Lampasas road.	ıd
Bachelor Peak, 0.5 mile southeast of, 200 feet southeast of junction wit settlement road running southwest to Eldridge & Field's ranch, in top limestone rock on southwest fence line of Georgetown and Lampas road; aluminum tablet stamped "1260 SA".	of as Feet.
From Bachelor Peak along public roads to Joppa.	
Bachelor Peak, 3.5 miles southeast of, 220 feet northwest of bridge over small drain, on northeast side of road, in top of limestone bowlder, be stone wall; aluminum tablet stamped "1125 SA". Bachelor Peak, 6 miles southeast of, 0.5 mile southwest of North Rock Creek, in top of embedded limestone rock, north of gate on west side road, at junction with settlement road running southwest; aluminum tablet stamped "1018 SA".	y 1, 117. 138 cy of
Southwest along settlement road through Cook's pasture, thence southwest along Burnet and Belton road.	ıg
Neely's ranch, 1.5 miles northeast of, on southeast bank of South Rock Creek, in top of limestone ledge on northeast side of road; aluminut tablet stamped "972 SA". Neely's ranch, 2 miles southwest of, 10 feet east of gate at junction with settlement road running south to Joppa, in top of embedded limestor rock; aluminum tablet stamped "1251 SA". Joppa, 110 feet northeast of schoolhouse, in top of limestone rock at junction	963. 210 ch ne 1, 243. 151
of Burnet and Florence road with settlement road; aluminum table stamped "1106 SA"	et
From Joppa southwest along Burnet and Florence road to Burnet.	
 Joppa, 2.5 miles southwest of, northwest side of road by wire fence at junction with Burnet and Belton road; iron post stamped "1230 SA" Joppa, 5.5 miles southwest of, north side of road opposite fence dividing two cultivated fields at summit of hill; iron post stamped "1299 SA" Burnet, 4.75 miles northeast of, north side of road, 4 feet west of 12-incent elm tree utilized as fence corner post, on northwest bank of Russe Fork, San Gabriel River; iron post stamped "1273 SA" Burnet, 2.5 miles northeast of, 300 feet northwest of farmhouse, at fence 	1, 221. 816 1, 290. 930 1, 1, 290. 930 1, 1, 264. 781 1, 264. 781
corner on southeast side of road; iron post stamped "1441 SA"	. 1, 433. 717
From Bluffton along public roads to Tow.	
Bluffton, 2 miles west of, at junction of Burnet and Llano and Bluffto and San Saba roads; iron post stamped "1027 SA". Tow, 2 miles southeast of, on northeast side of road at intersection of settle ment road; iron post stamped "1034 SA".	. 1, 019. 113 e- . 1, 026. 126
Tow, northeast corner of post office, at junction with settlement roa running west, 400 feet northwest of schoolhouse; iron post stampe "1025 SA"	d d
From Tow along Bluffton and San Saba road to Boyt's ranch.	OSSES IN
Tow, 3.5 miles northwest of, south bank of Falls Creek, in bench of lime stone bluff 3 feet above ground on west side of road; aluminum table stamped "1166 SA"	et . 1, 158, 434

Along Burnet and Llano road from point 2 miles west of Bluffton.

Along Burnet and Llano road from point 2 miles west of Bluffton.	
Bluffton, 5 miles west of, by rail fence at northwest corner of cultivated field, south side of road; iron post stamped "1084 SA"	Feet. 1, 075. 971
From Burnet along road to Morman Mill.	
Burnet, 3.5 miles south of, 300 feet northwest of white farmhouse with green blinds, on east side of road; iron post stamped "1230 SA" Burnet, 6 miles south of, on southeast bank of Hairston Creek, 20 feet southwest of road; iron post stamped "1044 SA" Morman Mill, on east side of road at junction with road running southwest to Morman Mill, about 200 yards distant; iron post stamped "839 SA"	
From Morman Mill along public roads to Marble Falls.	
Hale Spring Church, 100 feet southeast of, by picket fence corner on southwest side of road near northeast corner of arbor; iron post stamped "750	740 AT
SA"	742. 415
Westward along Marble Falls and Smithwick road.	
Marble Falls, 3.5 miles east of, by corner of rail fence around cultivated field, 120 feet southeast of Pleasant Valley Schoolhouse, on northwest side of road, iron post stamped "795 SA"	787. 237
East along Marble and Smithwick road to Smithwick.	
Marble Falls, 5 miles east of, by rail fence on southwest side of road, at junction of Marble Falls-Smithwick and Burnet-Morman Mill roads, about 0.25 mile northeast of Pangle crossing of Colorado River; iron post	
stamped "732 SA" Smithwick, 2 miles northwest of, at intersection of Marble Falls-Smithwick, Marble Falls-Georgetown, and Burnet-Smithwick roads; iron post stamped	724. 247
"727 SA". Smithwick, at northeast corner of post office and store at west side of road; iron post stamped "727 SA".	892. 163 719. 222
From Smithwick along public roads via Hall's ranch to Spanish Creek.	
Smithwick, 3.75 miles northeast of, 60 feet southeast of intersection of Smithwick, Bagdad, Burnet, and Corwin roads; iron post stamped "842 SA"	834. 268
Southeast along Burnet and Corwin road.	
Halls' ranch, 1.5 miles northwest of, in top of ledge northeast side of road on east side of creek, at point where road makes horseshoe bend; aluminum tablet stamped "797 SA"	789. 496
From Spanish Creek along public road and settlement road to Cow Creek.	
Travis Peak, 3.75 miles northwest of, 10 feet south of road on top of hill; iron post stamped "1098 SA". Travis Peak, 1 mile northwest of, at junction of Burnet and Austin road with settlement road running northeast to Cow Creek, 50 feet southeast of forks; iron post stamped "858 SA".	1, 090. 365 850. 489
North along settlement road up Cow Creek.	000. 409
Contract of the Contract of th	
Travis Peak, 4 miles north of, in top of limestone bowlder on southwest side of road, on west bank of Cow Creek; bronze tablet stamped "855 SA" Travis Peak, 7 miles north of, 100 feet southeast of point where road crosses	847. 500
Cow Creek, 20 feet south of road; iron post stamped "947 SA"	939. 240

From Cow Creek northeast along Smithwick and Bagdad road to Wilk's ranch	Nappenny
Wilk's ranch, 2 miles southwest of, northwest side of road at junction with settlement road running southwest, 350 feet northeast of milestone 16; iron post stamped "1142 SA".	Feet. 1, 134. 169
From Wilk's ranch along South Gabriel and McNew road to Bertram.	
Bertram, 7.5 miles south of, in forks of roads at junction with settlement road running southeast; iron post stamped "1358 SA"	
Creek; iron post stamped "1137 SA"	1, 129. 230
FLATONIA QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 97°-97° 30′.]	
From Red Rock via Smithville to West Point along Missouri, Kansas & Texas Ry.	
Red Rock, 1,200 feet south of Missouri, Kansas & Texas Ry. passenger station, 125 feet south of track, at intersection of the Waelder and Red	
Rock and Rosanky public roads; iron post stamped "491 SA"	482. 768
house, 45 feet southwest of settlement road crossing and about half way between mileboards 983 and 984; iron post stamped "451 SA"	442. 748
Rosanky and Jeddo public roads; iron post stamped "512 SA"	504. 359
"460 SA" Smithville, 2.5 miles southwest of, mileboard 972, 0.25 mile east of, 25	452. 527
feet northwest of road crossing; iron post stamped "433 SA"	425. 386
way fence; iron post stamped "316"	310. 618
Kansas & Texas Ry	286. 626
From West Point south along Waco branch of San Antonio & Aransas Pass Ry. to Henkhaus.	
Muldoon, 3.5 miles northeast of, in solid rock, 30 feet north of trestle 128,	
35 feet west of west rail; bronze tablet stamped "316"	310. 376
Lean spur, opposite signboard; top of tie	314. 0
stamped "351". Muldoon, 4.5 miles southwest of. 10 feet north of mileboard 153; iron post	345. 370
stamped "362". McCammon, opposite signboard; center of track.	356. 588
Flatonia, crossing of Galveston, Harrisburg & San Antonio Ry. and San Antonio & Aransas Pass Ry., tracks on south side of Galveston, Harris-	390. 0
burg & San Antonio tracks; iron post stamped "473"	457. 500
Flatonia, 4.5 miles south of, second telegraph pole south of mile board 143; crossing of Gonzales and Flatonia public road via Old Moulton, in	est zero
northwest corner of right of way fence, 700 feet east of Lavaca River; iron post stamped "448 SA"	439. 990
Moulton, 600 feet north of passenger station; crossing of the Flatonia and Moulton public road, in northwest corner of right of way fence; iron post	400. 900
stamped "391 SA"	383, 058

Henkhaus, 800 feet north of store, east side of New Moulton and Shiner road, 12 feet south of corner of fence, at mouth of lane that goes to Witting, 100 feet east of San Antonio & Aransas Pass Ry., about 0.5 mile south of mile board 135; iron post stamped "403 SA"	Feet. 395, 072
From Engle west along Galveston, Harrisburg & San Antonio Ry. to Harwood.	
Engle, 200 feet northwest of station, 20 feet northwest of road crossing and 15 feet north of center of main track of Galveston, Harrisburg & San Antonio Ry.; iron post stamped "374 SA"	366. 124
Flatonia, 2.75 miles west of, 0.5 mile west of mile board 123, southeast corner of right of way fence at crossing of Flatonia and Gonzales public road, at cattle guard 296, Galveston, Harrisburg & San Antonio Ry.; iron post	
stamped "392 SA"	384. 088
(fence may have been moved back); iron post stamped "337"	321. 829
iron post stamped "386". Dry Branch, 4.25 miles west of Waelder, iron girder span 251; in rock ped-	370. 493
estal of west concrete pier; bronze tablet stamped "374". Sandy Fork, in northwest corner of rock under post, north end of west brick pier; copper bolt stamped "U.S.G.S. 370 B.M.".	358. 259 354. 976
From Gonzales to Harwood along Gonzales branch, Galveston, Harrisburg & San	001.010
Antonio Ry.	
Gonzales, 3.25 miles north of, 1.5 miles south of section house 206, 25 feet east of track, 6 feet west of southwest corner of iron fence inclosing cemetery, halfway between mile boards 8 and 9; iron post stamped "393 SA".	384. 813
Kokernot, 12 feet south of north switch stand, 15 feet east of main track, midway between eighth and ninth telegraph poles north of milepost 6; iron post stamped "406 SA"	397.760
Harwood, 2 miles south of, near mile board 2, 50 feet east of head block at wood spur, corner of fence at road crossing, 150 feet northeast of settle-	10 M
ment; iron post stamped "441 SA"	432.776
From Red Rock via Delhi to Harwood along public roads.	
Red Rock, 4.5 miles south of, forks of Waelder and Austin public road and a settlement road leading to Hoy Spring, just southeast of house; iron	arelina it
post stamped "565 SA". Delhi, 40 feet northeast of the crossing of Lagrange-Lockhart and Waelder-Austin public roads; iron post stamped "535 SA".	556. 890 527. 013
Delhi, 4.75 miles southwest of, forks of Delhi-Harwood and Delhi-Thompsonville settlement roads; iron post stamped "500 SA"	491. 995
Delhi, 8.5 miles southwest of, 100 feet west of forks of public road to Lockhart and a settlement road to Luling; iron post stamped "515 SA"	507. 105
Harwood, 4.12 miles north of, 25 feet northwest of the crossing of the Waelder and Lockhart public road via Thompsonville; iron post stamped "460 SA".	452. 082
From Sandy Fork, on Galveston, Harrisburg & San Antonio Ry., north along public roads to Rosanky.	
Sandy Fork, 3.5 miles northeast of, crossing of Gonzales-Lockhart-Harwood and Waelder public roads; iron post stamped "432 SA"	424. 008
Sandy Fork, 7.5 miles northeast of, forks of road 300 feet south of Henry Gunn's residence; iron post stamped "455 SA"	447, 070

Jeddo, 2 miles south of, intersection of Waelder and Bastrop and settlement roads, 7 miles northwest of Waelder; iron post stamped "484 SA".Jeddo, 400 feet southeast of, intersection of settlement road and Lagrange	Feet. 476.045
and Lockhart road; iron post stamped "455 SA". Jeddo, 1.5 miles west of, 25 feet north of the crossing of the Waelder-Bastrop and Lagrange-Lockhart public roads, 1.25 miles west of Jeddo, 4.5 miles east of Delhi; iron post stamped "536 SA".	447. 034 528. 157
Rosanky, 5.75 miles south of, 45 feet southwest of forks of road, 1 mile north of Peach Creek; iron post stamped "516 SA".	508. 266
Rosanky, 1.5 miles southwest of, 20 feet northeast of intersection of Waelder-Bastrop and Austin-Port Lavaca public roads; iron post stamped "468 SA"	460, 215
From Jeddo northeast along public roads to Bohemian Catholic Church and Missouri, Kansas & Texas Ry.	
 Jeddo, 2.5 miles northeast of, 175 feet south of I. B. Holland's residence, 6 feet west of road; iron post stamped "460 SA". Jeddo, 8.5 miles northeast of, intersection of settlement road and Austin and Port Lavaca public road, opposite mile board 4 miles northwest of 	452, 254
Cistern; iron post stamped "474 CSA". Bohemian Catholic Church, one-sixth mile west of, 40 feet south of intersection of lanes and 5 feet south of leaning post-oak tree; iron post stamped "472 SA".	466. 180 463. 861
From Jeddo to Cistern along public roads.	
Jeddo, 3 miles east of, intersection of Lagrange and Lockhart with settlement road leading southwest, 35 feet south of wire fence; iron post stamped "454 SA" Cistern, fence corner opposite post office; iron post stamped "481 SA"	446. 206
	473. 007
From Cistern to Smithville along public roads. Cistern, 4.25 miles north of, summit of divide between Live Oak and Buck-	
ner creeks, west side of lane, 2 feet east of wire fence; iron post stamped "481 SA"	473, 086
Cistern, 9.25 miles north of, forks of Cistern and Smithville public road and settlement road; iron post stamped "416 SA"	408. 185
Smithville, 3 miles south of, 400 feet southeast of intersection of Flatonia- Smithville and Cistern-Smithville public roads, 10 feet west of Flatonia road and 60 feet east of Cistern road; iron post stamped "393 SA"	385. 125
From Cistern to Primm, on Missouri, Kansas & Texas Ry.	
Cistern, 4 miles northeast of, intersection of roads, 10 feet north of gate entrance to east side of Cockerell's pasture and 30 feet south of mouth of	
lane; iron post stamped "422 SA" Stellar, 2.5 miles south of, 200 feet north of Buckner Creek, intersection	413. 820
of Smithville-Flatonia and Lagrange-Lockhart public roads; iron post stamped "349 SA". Stellar, 3.5 miles northeast of, corner of fence at intersection of roads 25 feet	341. 087
southeast of Lagrange-Lockhart and Smithville-Muldoon public roads, 16 miles southwest of Lagrange; iron post stamped "404 SA"	395. 938
Primm, 1.5 miles southeast of, forks of Smithville-West Point road with public road to Muldoon and Flatonia, 0.75 mile south of milepost 975;	r Den
iron post stamped "322 SA"	313.906

From Flatonia to Smithville along public roads.

Flatonia, 5 miles north of, intersection of Smithville, Muldoon, and Flatonia public roads, 5.5 miles southwest of Muldoon, 1,000 feet north of Pin Oak Creek; iron post stamped "377 SA"	Feet. 369. 288
road; iron post stamped "357 SA". Stellar, 3.25 miles north of, angle of wire fence 35 feet east of road, 12 feet	349. 188
west of post-oak tree used as fence post; iron post stamped "428 SA"	420. 018
From Waelder to Cistern along public roads.	
Waelder, 3.75 miles northwest of, forks of Bastrop and Lockhart public roads, 700 feet north of 2-story house, 10 feet north of gate; iron post stamped "475 SA".	466. 576
Waelder, 4.5 miles northeast of, 20 feet south of double live-oak trees, intersection of Waelder and Jeddo public roads, southeast corner of wire	100.070
fence; iron post stamped "444 SA"	436. 408
Cistern, 5 miles southwest of, 150 feet south of Elm Grove Church, 50 feet east of schoolhouse, 25 feet northeast of the intersection of a third-class	0.04-005
road; iron post stamped "372 SA"	364. 235
From Flatonia to Elm Grove Church along public roads.	
Flatonia, 3.25 miles northwest of, 80 feet west of wooden bridge over Five	
Mile Creek, 15 feet south of road; iron post stamped "351 SA"	342.961
mouth of lane; iron post stamped "360 SA"	352. 002
From Flatonia to Cistern via Colony.	
Flatonia, 4.5 miles northwest of, west side of forks of road, 3 feet west of	
wire fence and 40 feet north of intersection of roads, 200 feet west of Mar-	
tin McAnally's residence; iron post stamped "425 SA"	416. 932
and a public road connecting with Flatonia-Waelder public road, about	
400 feet north of John Malony's frame house; iron post stamped "435 SA".	427.084
From Moulton to Gonzales along public roads.	
Moulton, 3.5 miles southwest of, intersection of Flatonia and Gonzales road	
via Old Moulton, about 0.25 mile north of White's cottage gin; iron	
post stamped "475 SA". Nickel, 600 feet south of post office, at forks of Moulton-Gonzales and Nickel-	467. 022
Dilworth public roads; iron post stamped "446 SA"	437. 909
fence at brow of hill east of Peach Creek, 400 feet southwest of Jeff Hull's residence; iron post stamped "359 SA"	350. 938
Nickel, 5.5 miles southwest of, 100 feet northwest of Peach Creek, in forks of road; iron post stamped "269 SA".	260. 892
Gonzales, 7 miles northeast of, 0.75 mile west of Denton Creek; iron post	200.002
stamped "313 SA"	304. 941
Gonzales, 2.75 miles northeast of, 50 feet northwest of crossing of Lockhart branch of San Antonio & Aransas Pass Ry. and Moulton-Gonzales public	
road; iron post stamped "336 SA"	327. 855
Gonzales, 75 feet west of station, 50 feet southwest of crossing of North	ail but
Avenue, 50 feet south of main track; iron post stamped "306 SA"	297. 738

From Gonzales north along public roads to mile board 137, Galveston, Harrisburg & San Antonio Ry., near Thompsonville.	
Gonzales, 5 feet east of north entrance to courthouse, in rock over basement window; bronze tablet stamped "299 SA"	Feet. 291.011
of wire fence, 10 feet north of gate 400 feet south of branch; iron post stamped "359 SA"	351. 168
Gonzales, 6 miles north of, at forks of Gonzales-Thompsonville road and Gonzales-Sandy Fork road; iron post stamped "419 SA"	411. 105
branch, 2 feet east of west line of wire fence in lane; iron post stamped "421 SA".	413. 120
Mile board 137, 2.75 miles south of, intersection of Bastrop-Gonzales and Harwood-Waelder public roads, 6 miles west of Waelder and 12 miles north of Gonzales; iron post stamped "358 SA"	350. 041
Mile board 137, 1.5 miles south of, intersection of roads, 20 feet east of center of public road, 6 feet south of corner of fence, 100 feet northeast of B. A. Eversole's residence; iron post stamped "359.5 SA"	351, 515
From Gonzales to Waelder along public roads.	
Gonzales, 3 miles northeast of, intersection of roads, southeast corner of wire fence at private road 0.5 mile northeast of Carr Creek; iron post stamped	900
"338 SA"	330.066
stamped "341 SA"	332, 923
stamped "330 SA"	321. 895
1 mile northeast of Pecan Creek; iron post stamped "373 SA"	364. 946
Ry., 2.75 miles west of Flatonia. Possumtrot, 1.75 miles northeast of, 50 feet west of Sandy Fork, 2 feet south	
of fence, on north side of road, 400 feet east of foot of ridge; iron post stamped "297 SA"	289. 099
Winnfield's gin, 2 miles southwest of, 150 feet west of branch, 25 feet north of road, 2 feet south of wire fence; iron post stamped "348 SA"	340. 138
Winnfield's gin, 100 feet southeast of, intersection of Flatonia and Gonzales road via Possumtrot with Moulton-Waelder road, 75 feet west of Moulton	000 000
road; iron post stamped "330 SA"	322.038
Peach Creek; iron post stamped "299 SA"	290. 886
wire fence, 25 feet north of gate to settlement road west, intersecting the Moulton and Waelder road about 1.5 miles west; iron post stamped "330 SA"	322. 104
From Moulton to Winfield's gin.	022.101
Old Moulton, intersection of the Waelder and Moulton public road and a	
road that connects with the Waelder and Moulton road and the Gonzales and Flatonia road, west side of public square; iron post stamped "436"	
8A"	427.917

From Nickel south and east to Henkhaus via Bailey triangulation station.	
Nickel, 5 miles south of, Bailey triangulation station; iron post set for triangulation point, stamped "595 SA"	Feet. 586. 659
Bailey triangulation station, 3.5 miles east of, on east side of old public road, 15 feet south of gate entrance to pasture, settlement road, leading to Witting, about 300 feet east of Bill Dixon's residence; iron post stamped	
"516 SA"	508. 033
From Henkhaus east and north via Witting to Engle on Galveston, Harrisburg & San Antonio Ry.	
Witting post office, 0.5 mile northwest of, intersection of Hallettsville- Moulton and Witting-Flatonia public roads, near signboard marked "Hallettsville 11 miles, Breslau 5 miles, Moulton 7 miles, Flatonia 15	
miles"; iron post stamped "396 SA"	388.051
iron post stamped "363 SA". Engle, 4 miles south of, near line dividing Lavaca and Fayette counties, at	355. 081
intersection of Hallettsville-Flatonia and Schulenburg-Flatonia public roads with road to Engle; iron post stamped "411 SA"	403.088
From San Antonio & Aransas Pass Ry. bridge 81 along track to Gonzales.	
Slayden, 5.2 miles southeast of, southeast corner of private road crossing;	
iron post stamped "292". Gonzales, 75 feet west of station, 50 feet southwest of crossing of North	292. 217
Avenue, 50 feet south of main track; iron post stamped "306 SA"	297.738
FREDERICKSBURG QUADRANGLE.	
[Latitude 30°-30° 30′; longitude 98° 30′-99°.]	
From Oxford to Fredericksburg along public roads.	
Oxford, 9 miles south of, east side of road, at junction of road east, 10 feet north of 18-inch post-oak tree utilized as gatepost; iron post stamped	OFF STORE
"1287 SA"	
at summit of hill; iron post stamped "1851 SA"	, 842. 851
corner, at junction with Willow City and Llano road; iron post stamped "1749 SA"	. 741. 677
Fredericksburg, 12.25 miles northeast of, 8 feet north of northwest fence corner, at junction with Burnet and Fredericksburg public road; iron	
post stamped "1826 SA"	, 818. 774
fence, 27 feet northwest of 14-inch post-oak tree at fence angle; iron post stamped "1953 SA".	, 945, 842
Fredericksburg, 6.5 miles northeast of, on west side of road, 60 feet east of gate at Grobe's farm, 4 feet west of 15-inch post-oak tree utilized as fence corner; iron post stamped "1724 SA"	
corner: from post stamped 1/24 SA"	110.819
Fredericksburg, 4.5 miles northeast of, 18 feet north of fence corner at angle	anipul.
Fredericksburg, 4.5 miles northeast of, 18 feet north of fence corner at angle in road, 650 feet northeast of Palo Alto Creek; iron post stamped "1649 SA"	
Fredericksburg, 4.5 miles northeast of, 18 feet north of fence corner at angle in road, 650 feet northeast of Palo Alto Creek; iron post stamped "1649"	641. 799

Fredericksburg, southeast of county courthouse, in stone trimming at corner of projection, 7 feet northeast of entrance; bronze tablet stamped "1708 SA".	Feet. 1,700.864
Fredericksburg, northwest side of Fredericksburg and Comfort public road, 55 feet southwest of principal street; iron post stamped "1695 SA"	
From Fredericksburg to Comfort along Fredericksburg and Comfort road.	
Fredericksburg, 4.5 miles south of, on north side of road, 4 feet west of fence post at slight angle, on north bank of Pedernales River; iron post stamped "1609 SA".	1 601 990
Fredericksburg, 6.5 miles south of, on summit of hill 15 feet south of twin scrub pin-oak tree, 3 feet east of west fence line of road; iron post stamped "1779 SA".	
Fredericksburg, 9 miles south of, 2 feet northeast of fence corner post on west side of road, 105 feet south of 9-mile post; iron post stamped "1865	Distant.
SA". Comfort, 11.5 miles north of, 7 feet east of 22-inch dead post-oak tree utilized as a fence corner post at right-angle bend in road from east to south; iron	
post stamped "1976 SA". Comfort, 9.5 miles north of, on west side of road, 7 feet north of gate; iron post stamped "2094 SA".	
From Gobe's ranch, 6.5 miles northeast of Fredericksburg, over Johnson City and Marble Falls road via Grape Creek and Key's ranch to Althouse's ranch.	
Gobe's ranch, 3.5 miles southeast of, 15 feet northeast of intersection of roads, 40 feet south of gate; iron post stamped "1674 SA"	1 666 000
Gobe's ranch, 7 miles east of, foot of hill, corner of fence north of road, 120	
feet west of dry creek; iron post stamped "1628 SA"	1, 620. 037
iron post stamped "1718 SA"	
road; iron post stamped "1742 SA"	
Creek road; iron post stamped "1646 SA"	1, 638. 101
post stamped "1427 SA"	1, 418. 625
Blowout, 3.75 miles southwest of, 3 feet south of mailbox post at forks of roads; iron post stamped "1544 SA"	1, 535. 742
From Whitman Gap and Brushy Mountain via Albert to Fredericksburg.	
Whitman Gap, 4 miles south of, forks of road; iron post stamped "1474 SA". Albert, 0.3 mile northwest of post office, at forks of road; iron post stamped	1, 466. 065
"1482 SA". Albert, 3 miles west of, 500 feet southwest of Hitchfield house; iron post	1, 474. 024
stamped "1599 SA". Albert, 6 miles west of, at milestone 13, south side of road; iron post stamped	1, 591. 142
"1493 SA". Fredericksburg, 10 miles east of, at intersection of Austin and Fredericks-	1, 485. 116
burg road with Grape Creek and Luckenbach road, north side of road,	
200 feet west of milestone 10; iron post stamped "1516 SA"	
iron post stamped "1577 SA"	1, 568. 958

From Luckenbach over Blanco road to Albert.

A TOTAL DECEMBER OF OF DAMAGE TO MAN	
Luckenbach, 600 feet west of post office, forks of Comfort and Fredericks	
burg road; iron post stamped "1567 SA"	1, 559. 360
Luckenbach, 3.7 miles east of, corner of wire fence on north side of road iron post stamped "1687 SA".	1 670 197
Luckenbach, 7.5 miles southeast of, large rock on north edge of road, 1 miles	1,075.157
south of county line; aluminum tablet stamped "1893 SA"	
Blanco, 12 miles west of, south side of road, 175 feet east of milestone 12;	
iron post stamped "1657 SA"	1, 649. 103
Blanco, 9 miles west of, southeast corner of yard of Weber's house; iron post	Se alleria
stamped "1517 SA"	1, 509. 373
Albert, 4.2 miles southeast of, summit of divide between Pedernales and	7 001 400
Blanco rivers, west side of road; iron post stamped "1839 SA"	1, 831. 438
From Luckenbach over Luckenbach-Comfort road to point 9.5 miles north of Comfort.	
Luckenbach, 5 miles west of, intersection of Fredericksburg, San Antonio,	
and Luckenbach roads; iron post stamped "1784 SA"	1, 776. 153
Luckenbach, 10.7 miles southwest of, at lane to Gill's ranch; iron post	
stamped "1611 SA"	1, 602. 920
Luckenbach, 14.5 miles southwest of, 800 feet south of Alfred Gill's house;	
iron post stamρed "1703 SA"	1, 695. 101
From Sisterdale north to Luckenbach-Blanco road.	
Sisterdale, 5 miles north of, west edge of road, by wire fence; iron post	
stamped "1472 SA".	1, 464. 211
Sisterdale, 9 miles north of, summit of divide between Blanco River and	
Sisterdale Creek, 4 feet west of road and 50 feet north of 6-inch live-oak	
tree; iron post stamped "1969 SA"	1, 961. 203
From Peter Weber's ranch along Kendalia and Albert road to John Kneupp's ranch.	
Weber's ranch, 3 miles south of, northeast side of road, 20 feet north of big	
gate, at angle in road to east; iron post stamped "1621 SA"	
Weber's ranch, 6.25 miles southeast of, south side of slope, near summit	
of divide, east edge of road in limestone outcrop; bronze tablet stamped	
"1879 SA".	1,871.000
From Ernest Hobort's ranch, 11 miles south of Fredericksburg, west over settlement	
road to Center Point road, thence north to Junction City road, thence east to Fredericksburg.	
Hobort's ranch, 3.5 miles west of, at intersection of settlement road with	
Center Point road and Fredericksburg road, east side of road at gate; iron	
post stamped "1810 SA"	1, 801. 527
Fredericksburg, 11 miles by road and 7 miles direct southwest of, north	
slope of hill, east side of road, in limestone outcrop; aluminum tablet	The state of the s
stamped "1746 SA"	1, 738. 158
Fredericksburg, 7.5 miles by road and 4 miles direct southwest of, 600 feet southwest of milestone 4, at narrow lane running west, west side of road;	
iron post stamped "1661 SA"	1 653 030
Fredericksburg, 3.5 miles west of, 60 feet east of intersection of settlement	2, 000. 000
road with Junction City road, south side of Junction City road, in front	
of house; iron post stamped "1816 SA"	1,808.071

From point 2 miles west of Fredericksburg north along Lane and Fort Mason road to Crab Apple road and east to Enchanted Rock.	
Fredericksburg, 3.25 miles west of, southwest side of hill, south side of road, Fredericksburg, 7 miles northwest of, 100 feet southeast of Barrons Creek, 45 feet southeast of milestone 7, northeast side of road, by fence; iron post stamped "1954 SA"	1. 147
Fredericksburg, 10 miles northwest of, 300 feet north of milestone 10, 4 feet north of 14-inch post-oak tree, east side of road; iron post stamped	
"2077 SA"	
Fredericksburg, 15.5 miles north of, junction of north-south with east-west road, northeast side; iron post stamped "1845 SA"	
house and 10 feet north of road, in blue limestone outcrop; aluminum tablet stamped "1857 SA"	9. 575
Fredericksburg, 16 miles north of, west side of drain, 100 feet east of stone marked "F B 16 M," 20 feet northeast of gate, in granite outcrop; aluminum tablet stamped "1724 SA"	6. 236
H. Keese's ranch, 3 miles east of, in top of gray granite outcrop on north side of road; aluminum tablet stamped "1691 SA"	2. 590
num tablet stamped "1414 SA"	0. 811
From P. Scuch's ranch, 9 miles northwest of Fredericksburg, east over settlement	
road to Gobe's ranch, 6.5 miles northeast of Fredericksburg.	
road to Gobe's ranch, 6.5 miles northeast of Fredericksburg. Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	1. 044
road to Gobe's ranch, 6.5 miles northeast of Fredericksburg. Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	
road to Gobe's ranch, 6.5 miles northeast of Fredericksburg. Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA". 2, 11. Fredericksburg, 8.5 miles north of, 100 feet north of dim road running west, on west side of Fredericksburg and Crab Apple road; iron post stamped "2096 SA". 2, 08: Southwest along Fredericksburg and Burnet public road.	
Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	8. 199
Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	8. 199 3. 699
Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	3. 699 3. 699
Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	8. 199 3. 699 4. 555
Peter Metzger's house, 400 feet northeast of, 15 feet south of gate, by wire fence; iron post stamped "2122 SA"	8. 199 6. 699 1. 906 4. 555 5. 742

GEORGETOWN QUADRANGLE.

[Latitude 30° 30′-31°; longitude 97° 30′-98°.]

[Latitude 30° 30′-31°; longitude 97° 30′-98°.]	
From McNeil to Bertram along Houston & Texas Central R. R., western division.	
Cedar Park, 0.5 mile east of, west side of Round Rock and Buttercup public road crossing, 26 feet north of track; iron post stamped "893 SA". Cedar Park, in front of post office; top of rail	Feet. 885. 281 911. 2
way fence corner; iron post stamped "968 SA". Leander, 1.66 miles southeast of, 45 feet southwest of track; iron post	960. 224
stamped "993 SA". Leander, 650 feet south of station, south side of public road, 46 feet west of track; iron post stamped "983 SA".	985. 092
Leander, in front of station; top of rail. Liberty Hill, 3 miles southeast of, north side of settlement road, 27 feet	975. 078 972. 4
east of track; iron post stamped "968 SA". Liberty Hill, in front of station; top of rail. Liberty Hill, 80 feet northwest of northwest corner of station, 50 feet northeast of main track on northwest side of Liberty Hill and Round Rock.	
public road; iron post stamped "1040 SA". Liberty Hill, 2.25 miles northwest of, south side of settlement road, 28 feet east of track; iron post stamped "1098 SA".	
GIDDINGS QUADRANGLE.	
[Latitude 30°-30° 30′; longitude 96° 30′-97°.]	
From Giddings, west along Houston & Texas Central R. R.	
Giddings, Lee County courthouse, northeast corner of; bronze tablet	
stamped "520 SA". Giddings, 2 miles west of, halfway between mileposts 57 and 58, top of rock coping over southeast end of 18-inch drainpipe culvert 132; copper	512. 424
bolt stamped "487 SA". Giddings, 3.75 miles west of, 15 feet north of main road, 50 feet west of road crossing small branch, west of Houston & Texas Central R. R.:	478.978
iron post stamped "461 SA"	452.745
From Giddings to Winchester along San Antonio & Aransas Pass Ry.	
Giddings, 2.75 miles south of, in lane on west side of Giddings and Winchester public road, 35 feet south of south bank of Rabbs Creek and 50	
feet west of center of track; iron post stamped "404 SA". Serbin, 50 feet southeast of passenger station, 12 feet east of center of main track, 12 feet north of wagon road; iron post stamped "482 SA".	396.450
Serbin, 2.75 miles south of, northwest corner of right of way fence, 70 feet northwest of Giddings-Winchester public road crossing; iron post stamped	474.512
"448 SA". Winchester, 1.75 miles north of, northwest corner of right of way fence, 42 feet northwest of Giddings-Winchester public-road crossing, 33 feet	440. 548
west of center of track; iron post stamped "400 SA".	392. 534
From Giddings to Lexington along San Antonio & Aransas Pass Ry.	
Giddings, 1.75 miles north of, southwest corner of right of way fence, 55 feet southwest of crossing of Giddings-Lexington public road, between third and fourth telegraph poles south of milepost 187; iron post stamped	
"435 SA"	426.658

Giddings, 3.75 miles north of, 45 feet southwest of crossing of Giddings-Caldwell public road, 3 feet north of fence; iron post stamped "427 SA". Lincoln, 70 feet northeast of passenger station, 22 feet east of main track;	Feet. 418.727
iron post stamped "367 SA"	358.662
Lincoln, in front of station; center of track.	357.4
Lincoln, 1.5 miles north of, 65 feet southeast of Lincoln-Fedor public road	
crossing, 45 feet east of track, 3 feet northwest of the southeast corner of	
right of way fence; iron post stamped "381 SA"	372.643
Lincoln, 5.5 miles north of, 50 feet southeast of Giddings-Lexington public road, 850 feet north of Middle Yegua Creek; iron post stamped "348 SA".	339. 627
SABINAL QUADRANGLE.	
[Latitude 29°-29° 30'; longitude 99°-99° 30'.]	
From Hondo to Sabinal along Galveston, Harrisburg & San Antonio Ry.	
The second secon	
Hondo River bridge, north end of east rock pier, in coping; copper bolt stamped "U. S. G. S. 832 B. M.".	824. 287
Hondo, in front of station; center of track.	889.2
Hondo, Medina County courthouse, southwest corner of portico, in rock	000.2
pedestal between two iron pillars; bronze tablet stamped "901"	893. 293
Mile board 264, 10 feet east of; iron post stamped "904"	895.893
D'Hanis, in front of station; center of track	880.5
Seco River bridge, 11 telegraph poles east of mile board 269, in top of north	
end of east rock pier, copper bolt stamped "U. S. G. S. 889 B. M."	881.071
Seco, in front of signboard; top of tie	
Mile board 274, 75 feet east of; iron post stamped "1006"	998. 159
iron post stamped "957"	949, 180
Sabinal, in front of station; top of tie	955.6
Sabinal and Utopia county road.	
Sabinal, 4.5 miles northeast of, in forks of Sabinal-Utopia county road and	
Bandera-Sabinal county road, 800 feet northeast of two-story stone	
house owned by Bascom Lyles; iron post stamped "1022"	1, 014, 286
Sabinal and Bandera (abandoned) county road.	ALCOHOL:
Sabinal, 10 miles northeast of, 45 feet west of lone live oak tree 15 inches in	
diameter, 30 feet east of road; iron post stamped "1102"	1, 094. 223
From Sabinal south via Sabinal and Friotown road to Woodward's ranch, on Frio River.	
Sabinal, 3.4 miles south of, intersection of Sabinal-Batesville and Sabinal-	
Friotown roads; iron post stamped "894 SA"	886.097
Sabinal, 6 miles south of, 20 feet west of road, and 50 feet north of the	
northeast corner of old stone house; iron post stamped "844 SA"	836.174
Sabinal, 10 miles south of, intersection of Sabinal-Friotown road with	
ranch road, 1 mile north of Sabinal Creek crossing; iron post stamped	701 100
"799 SA"	791. 190
Uvalde public roads; iron post stamped "768 SA"	760. 145
Sabinal, 15.4 miles south of, intersection of Friotown public road with road	mist.
which crosses Blanco Creek and Frio River just above the mouth of Sabinal	
Creek; iron post stamped "723 SA"	715. 233

Woodward's ranch, 6 miles north of, 200 feet south of slough and 15 feet west of road, near plain cattle trail; iron post stamped "706 SA"	Feet. 698. 190
hand road very dim; iron post stamped "692 SA". Friotown, 3.1 miles north of, east side of road, at a point where road turns	684. 205
left to avoid mudhole; iron post stamped "653 SA"	645. 130
courthouse building now used as store and post office; copper bolt stamped "632 SA".	624. 566
From Friotown to Moore, on International & Great Northern R. R., via Henson ranch.	
Friotown, 3.8 miles east of, 125 feet north of gate on bank of Frio River, 15 feet south of road; iron post stamped "620 SA"	612. 208
south of road; iron post stamped "591 SA". Friotown, 10.25 miles east of, 2 miles west of Hondo River, 3 feet south of	583. 185
fence at roadside; iron post stamped "594 SA". Friotown, 13.6 miles east of, at forks of Friotown-Moore and Friotown-	586. 199
Pearsall roads, 300 feet southeast of Henson ranch house; iron post stamped "615 SA"	607. 198
Henson ranch, 3.25 miles east of, intersection of Pearsall-Hondo and Friotown-Moore roads; iron post stamped "696 SA"	688. 212
From Tehuacana via settlement road to Moore station.	
Moore, 4.3 miles west of, intersection of Friotown and Moore road, via Henson ranch and Tehuacana road; iron post stamped "710 SA"	702. 259
"660 SA"	652. 206
From Pearsall to Hondo along public road.	
Hondo River iron bridge, 0.75 mile west of, forks of Tehuacana and Moore	070 000
road and Pearsall and Hondo public road; iron post stamped "626 SA" Hondo River bridge, 2.3 miles northwest of, intersection of Pearsall-Hondo public road with road to Friotown, near schoolhouse; iron post stamped	618. 234
"630 SA". Hondo, iron bridge, 6.25 miles northwest of, 25 feet north of Newton's gate,	622.159
where old Friotown-Castroville road enters Newton's pasture, 3 feet from fence in lane, west side of road; iron post stamped "656 SA"	648.009
Hondo, 9.8 miles south of, angle of fence, east side of road, 500 feet south of East Fork of Tehuacana Creek, about 0.75 mile northeast of Buck Hill; iron post stamped "761 SA".	752. 819
Hondo, 6.75 miles south of, 20 feet south of Live Oak Slough, 40 feet south from three large live oak trees, 8 feet from east fence; iron post stamped	702.019
"782 SA"	773. 732
post stamped "840 SA"	831. 856
From Dunlay, on Galveston, Harrisburg & San Antonio Ry., south along old Friotown and Castroville road and third-class road to Briar Branch settlement.	
Dunlay, 8.25 miles south of, intersection of Quihe-Devine road with old Friotown-Castroville road; iron post stamped "816 SA"	808. 110
Dunlay, 11 miles south of, 3.9 miles east of Hondo River crossing, intersection of roads, 125 feet north of gate; iron post stamped "775 SA"	767. 215

Hondo River, west bank of, 10 feet east of road at the Readus crossing and 20 feet northeast of gate; iron post stamped "704 SA". Seco Creek Crossing, 2.1 miles northeast of, forks of road 75 feet northeast of an old fence, with gatepost but no gate; iron post stamped "697 SA"	Feet. 696. 149 688. 836
From point 0.25 mile west of the Seco Creek crossing northwest 3 miles along settlement road branching off the old Friotown and Castroville road.	
Seco Creek Crossing, 3 miles west of, at forks of settlement road and Friotown-Hondo county road; iron post stamped "678 SA"	669. 690
From Hondo City and Friotown public road southwest to Blackaller's ranch road, thence to Blackaller's residence.	
Blackaller's residence, 4 miles northeast of, at side of road where present road leaves old road on account of wash, returning a short distance below; iron post stamped "666 SA".	658. 209
From Blackaller's residence to Charles Woodward's residence, west of Frio River, via branch road.	
Charles Woodward's ranch, 4.9 miles southwest of, 4.75 miles west of Friotown, intersection of ranch road and Friotown and Uvalde public road; iron post stamped "673 SA".	665. 517
From Friotown and Uvalde public road southeast to Friotown.	
Blackaller's ranch, 6 miles north of, 35 feet south of road, 80 feet south of Woodward's windmill, 200 feet east of mesquite pole fence running north and south in Woodward's pasture; iron post stamped "790 SA"	782. 189
Blackaller's ranch, 9 miles north of, in front of V. Johnson's residence, on road leading from Friotown and Hondo road near John Allen's place to Sabinal, 2,000 feet south of Squirrel Creek; iron post stamped "815 SA" V. Johnson's, 3.5 miles north of, 9.75 miles southwest of D'Hanis, in corner	807. 223
of fence 10 feet east of gate; iron post stamped "925 SA". D'Hanis, 6.5 miles southwest of, at forks of road 50 feet south of gate, fence running east and west; iron post stamped "966 SA"	917. 186
From ranch road to John Fohn's ranch southeast to Old D'Hanis.	958. 227
Mile board 266, 4.5 miles southeast of, near gate 10 feet west of road, 1.5 feet	
north of fence; iron post stamped "981 SA". Mile board 266, 9.75 miles southeast of, 8.75 miles southwest of Hondo, intersection of roads, east of Fohn's road and south of Major Moore's ranch road to Hondo City (Fohn road crosses the Hondo road and third-class Friotown road about 0.25 mile southeast of bench mark); iron post	973. 062
stamped "848 SA"	840, 231
From Hondo and Friotown third-class road southwest to Capt. J. D. Smith's ranch.	
Seco Creek Crossing, 2.4 miles east of, at Capt. J. D. Smith's residence, 50 feet north of road, 50 feet from southeast corner of house, 65 feet northwest of 20-inch mesquite tree; iron post stamped "777 SA"	769. 703
branch, 0.5 mile northwest of High Hill Point; iron post stamped "789 SA"	781. 478

HALSTEAD QUADRANGLE.

[Latitude 29° 30'-30°; longitude 96° 30'-97°.]

At Moravia.

Moravia, 0.25 mile west of, at intersection of Witting-Moravia and Halletts-	
ville-Flatonia public roads, 8.25 miles northwest of Witting, near fence	Feet.
line; iron post stamped "405 SA"	397. 030

LLANO QUADRANGLE.

[Latitude 30° 30'-31°; longitude 98° 30'-99°.]

From Graphite to Llano along Houston & Texas Central R. R.

Graphite station, in front of; top of rail.	978. 6
Graphite, 1.25 miles northwest of, on north side of Lone Grove public road,	
19 feet east of track; iron post stamped "1015 SA"	1006. 475
Graphite, 3.75 miles northwest of, on northwest side of a private road, 500	
feet southeast of trestle 91 A, 22 feet southwest of track; iron post stamped	
"967 SA"	958. 651
Llano, 5.75 miles northeast of, 50 feet northeast of gate at entrance to	
Bessemer station grounds, 150 feet north of track; iron post stamped	
"988 SA"	979. 621
Llano, 2.25 miles southeast of, 9 feet east of private road gate, 45 feet north	
of track; iron post stamped "1027 SA"	
Llano, in front of station; top of rail	1, 020. 9
Llano, in front of small park at east end of freight station, 32 feet south of	
main track; iron post stamped "1029 SA"	1, 020. 743
Llano, county courthouse, side of entrance on east front of, in face of	
pedestal to pillar; bronze tablet stamped "1050 SA"	1, 041. 632
427 AV	

From Llano south via Oxford along public road to Fredericksburg.

From Liano south via Oxford along public road to Fredericasburg.	
Llano, 2.75 miles south of, on west side of road, 125 feet south of Oatman Creek, 45 feet south of northeast corner of a cultivated field; iron post	
stamped "1075 SA"	1, 066. 715
Llano, 6 miles south of, 41 feet west of east fence line of road, 22 feet west of	
wagon tracks in clump of scrub live oaks on summit of hill; iron post	
stamped "1244 SA"	1, 235. 864
Oxford, 1.75 miles north of, 90 feet north of 26-inch dead oak tree on west	
side of road near summit of hill; iron post stamped "1430 SA"	1, 421. 890
Oxford, 15 feet south of post office, on west side of road; iron post stamped	
"1333 SA"	1, 324. 765
Oxford, 2.25 miles south of, 14 feet south of gate on east side of road, at	
junction with settlement road running east to Click; iron post stamped	
"1221 SA"	1, 212. 873
Oxford, 4.7 miles south of, 5 feet south of 13-inch post-oak tree utilized as a	
gatepost, on west side of road, at junction with road running west to	
Enchanted Rock; iron post stamped "1261 SA"	1, 252. 869
The state of the s	

From point 4 miles west of Smith's ranch to point 2.25 miles south of Oxford via Click.

Click, 4 miles southeast of, 40 feet south of telephone pole, southwest side	
of road on summit of hill; iron post stamped "1117 SA"	1, 108. 881
Click, 2 miles southeast of, south side of road by fence corner, at junction	
with settlement road running northeast, 0.75 mile west of Sandy Creek.	

with settlement road running northeast, 0.75 mile west of Sandy Creek	t ;
iron post stamped "1003 SA"	. 994. 823

Click, 0.12 mile east of post office, 75 feet north of northwest corner of schoolhouse at forks of roads; iron post stamped "1051 SA"	1, 042. 782 1, 384. 813	
	1, 000. 000	
From point near Oxford northwest along settlement road.		
Oxford, 4 miles southeast of, 0.25 mile east of Hondo Creek, south side of road, 12 feet north of 48-inch live-oak tree, 35 feet southeast of 45-inch post-oak tree, on summit of hill; iron post stamped "1194 SA"	1, 185. 696	
From Click to point 2.2 miles south of Llano via Round Mountain and Llano upper road.		
Click, 3 miles north of, 4 feet north of east gatepost at forks of roads; iron post stamped "1184 SA"	1, 176. 094	
fence angle west of wagon tracks; bronze tablet stamped "1149 SA"	1, 141. 084	
Click, 9 miles north of, in top of limestone outcrop, south side of road, 7 feet south of stone wall corner; bronze tablet stamped "1313 SA"	1, 304, 644	
Riley Mountain, 8.75 miles southeast of Llano, 30 feet east of 6-inch scrub		
oak, 15 feet south of road, on trinagular limestone 50 by 36 by 50 inches; chiseled cross on rock marked "U. S. G. S. B. M." 1568	1, 559, 62	
Llano, 7 miles southeast of, on southwest side of road by twin mesquite tree,	m	
at junction with a settlement road running south to Middlebrook's ranch; iron post stamped "1252 SA"	1. 243. 740	
Llano, 3.75 miles southeast of, 12 feet north of gate on east side of wire fence;		
iron post stamped "1095 SA"	1, 087. 050	
From Llano north along public road to Cherokee.		
Llano, 3 miles north of, 4 feet south of wire-fence corner on east side of road, at junction with settlement road running east; iron post stamped "1112 SA"	1, 104, 031	
Babyhead, 3.25 miles south of, in pink granite outcrop 15 feet west of east		
fence line, opposite to small corral; aluminum tablet stamped "1253 SA" Babyhead, 250 feet southeast of post office, in top of sandstone outcrop,	1, 244. 810	
west side of road in front of small corral; aluminum tablet stamped "1348 SA"	1, 339. 614	
Babyhead, 3 miles north of, in top of flat granite bowlder on east fence line		
of road, 600 feet southeast of bend; aluminum tablet stamped "1440 SA". Cherokee, 2.5 miles south of, 6 feet south of fence corner, at southeast corner		
of crossroads; iron post stamped "1515 SA"	1, 507. 012	
at northwest corner of west wing of building, 6 inches above water table;	1, 522. 058	
From Cherokee east along Mason and Lampasas road.		
Cherokee, 3.5 miles east of, on west bank of Salt Branch, 10 feet south of road, 15 feet northwest of 6-inch mesquite tree; iron post stamped "1412"	197.88	
SA"	1, 404. 041	
stone outcrop; aluminum tablet stamped "1400 SA"	1, 391. 787	
Cherokee, 9.33 miles east of, at junction of Mason and Lampasas road with San Saba and Bluffton road; iron post stamped "1317 SA."	1, 308, 978	
AN OUT THE PARTY OF THE PARTY O		

South along San Saba and Bluffton road to Boyt's ranch.

Boyt's ranch, at southwest corner of fence inclosing yard at residence of T. Feet. W. Boyt, on east side of road; iron post stamped "1461 SA"	
South along settlement road via Tow's and Kuykendall's ranches to Lone Grove and Houston & Texas Central Ry.	
Boyt's ranch, 3 miles south of, on top of embedded limestone bowlder 10 feet west of road at highest point of open prairie; bronze tablet stamped "1501 SA"	
feet northwest of gate, southwest side of road; bronze tablet stamped "1422 SA"	
Tow's ranch, 3 miles south of, east side of road, on summit of hill, divide between Falls and Miller creeks; iron post stamped "1559 SA"	
at junction of Llano and Lampasas road with settlement road to Kuy- kendall's ranch; iron post stamped "1141 SA"	
ton gin and on northeast bank of Little Llano Creek; iron post stamped "999 SA" 990. 91	
From Llano via Valleyspring to Field Creek along public roads.	
Llano, 3 miles northwest of, northeast side of road near summit of slight incline in front of leaning live-oak tree, 27 feet southeast of telephone	
pole; iron post stamped "1131 SA"	
north of milepost "To L 6" at bend in road from south to west; iron post stamped "1161 SA"	
Valleyspring, 3.5 miles southeast of, 150 feet southeast of gate, on northeast side of road, 35 feet west of 30-inch post-oak tree bearing mile board "To	
L 9"; iron post stamped "1207 SA"	
bowlder on south side of summit of hill, 200 feet southwest of Methodist Episcopal Church; aluminum tablet stamped "1335 SA"	
north of twin post-oak tree; iron post stamped "1450 SA"	
side of road, 120 feet northwest of mile board "Llano 17 miles," opposite to R. Baumann's farm residence; aluminum tablet stamped "1485 SA". 1, 476. 903	
Field Creek, 1.75 miles southeast of, at northwest corner of intersection with settlement road running northeast and southwest, at summit of a small	
hill; iron post stamped "1407 SA"	
From Field Creek north along settlement road via Wilson's ranch to Pontotoc and San Saba road.	
Field Creek, 2.25 miles northeast of, at junction of Pontotoc and San Saba road with settlement road, 0.25 mile north of W. R. Wilson's ranch; iron post stamped "1617 SA"	
Northeast along Pontotoc and San Saba road.	
Field Creek, 4 miles northeast of, 20 feet east of road, east side of 18-inch blackjack tree, 50 feet south of summit of hill, in top of embedded bowlder; aluminum tablet stamped "1784 SA"	
Field Creek, 7 miles northeast of, at junction of Mason-Lampasas road; iron post stamped "1752 SA"	

From point 7 miles northeast of Field Creek east along Mason and Lampasas road to	
Cherokee.	
Cherokee, 9 miles west of, in top of embedded limestone bowlder, southeast side of road, 25 feet east of gate, 12 feet southeast of 14-inch live-oak tree; bronze tablet stamped "1703 SA"	Feet. 1, 694. 623
division fence line between lands of A. R. Kuykendalls and R. W. Gray; iron post stamped "1616 SA". Cherokee, 2.5 miles west of, on south side of road, 5 feet south of gate on division-fence line between lands of R. W. Gray and George Gray; iron	
post stamped "1551 SA"	1, 542. 734
From Cherokee to Valleyspring along public road.	
Cherokee, 3.5 miles southwest of, north side of road by wire fence, 6 feet from gate; iron post stamped "1531 SA". Valleyspring, 5.75 miles northeast of, in top of sandstone ledge 9 feet southwest of 10-inch elm tree, 35 feet northeast of Pecan Creek, east side of road;	
aluminum tablet stamped "1412 SA". Valleyspring, 2.33 miles northeast of, at junction with settlement road southeast; iron post stamped "1374 SA".	
From Valleyspring southwest along public road to Castell.	
Valleyspring, 4.33 miles southwest of, at junction with settlement road running west, 75 feet southwest of small creek; iron post stamped "1274	lesenad .
SA"	1, 265. 938
at end of lane; iron post stamped "1314 SA". Valleyspring, 9.5 miles southwest of, 40 feet north of summit of road at Kings Mountain, in top of pink granite outcrop west of road; alumi-	1, 306. 018
num tablet stamped "1424 SA". Castell, 7 miles north of, at southeast corner of intersection of Mason-Burnet	
and Castell-Pontotoc roads; iron post stamped "1326 SA"	1, 317. 968
From point 7 miles north of Castell south along Castell and Pontotoc road.	
Castell, 3.5 miles north of, 3 feet east of gate on east side of road; iron post stamped "1272 SA". Castell, 5 feet north of southwest fence corner at "Traveler's Home," 75	1, 263. 85
feet east of T. Buchholz's general store and post office; iron post stamped "1207 SA".	1, 199, 132
From Castell to Llano eastward along Llano and Mason road.	2, 200, 202
Castell, 3.33 miles east of, 5 feet west of fence corner at junction with Loyal	mage (Alla
Valley road opposite 15-mile board ("15 miles to L V."); iron post stamped "1208 SA".	1, 200. 312
Castell, 6 miles east of, 12 feet east of 12-inch elm tree northwest side of road at point where lane runs north to river; iron post stamped "1154 SA".	
Castell, 8.75 miles east of, 30 feet south of road on west bank of Hickory Creek; iron post stamped "1111 SA".	1, 103. 048
Llano, 6 miles west of, north side of road, east bank of Sixmile Creek, 40 feet northeast of granite post, marked "To Llano 6 miles"; iron post	1 077 001
stamped "1085 SA". Llano, 3 miles west of, northwest side of road at summit of hill 100 feet northeast of milestone "To Llano 3 miles"; iron post stamped "1083 SA"	

From Oxford to House Mountain along settlement roads via Bennett schoolhouse and Balcom's ranch.

Oxford, 3.5 miles west of, 10 feet south of road at summit of hill, in top of sandstone bowlder; bronze tablet stamped "1497 SA". Oxford, 6 miles west of, 100 feet northwest of Bennett's schoolhouse, at fence corner, south side of road; iron post stamped "1403 SA". Oxford, 9.5 miles west of, 60 feet northwest of gate, at junction of old Llano and Fredericksburg road with a settlement road, 0.75 mile northeast of Bull Head Creek, in top of granite outcrop; aluminum tablet stamped "1322 SA". Balcom's rancn, 1.25 miles west of, 450 feet southwest of junction with settlement road running north and south, 2 feet above ground, northwest side of road, in top of pink granite outcrop; aluminum tablet stamped "1324 SA".	1, 489. 222 1, 394. 957 1, 314. 176
Balcom's ranch, 4 miles west of, 800 feet east of a small creek about 1 mile east of House Mountain, 15 feet west of where road passes dim road, southwest side of road, in top of pink granite outcrop; aluminum tablet stamped "1345 SA"	1, 336. 614
From House Mountain to Enchanted Rock along settlement road via August Keese's ranch.	
 Hayne's ranch, 3.5 miles north of, at forks of road 0.33 mile northwest of Marshall Creek; iron post stamped "1369 SA". Hayne's ranch, 300 feet south of Henry Hayne's residence, west side of road, in top of pink granite bowlder; aluminum tablet stamped "1425 	1, 360. 758
SA"	
August Keese's ranch, 0.75 mile east of, 125 feet south of fence dividing lands of August Keese and H. Keese, in small open flat 250 feet east of settlement road running north and south, in top of pink granite outcrop; aluminum tablet stamped "1749 SA"	
From Enchanted Rock northeast along settlement road to Watch Mountain.	
Watch Mountain, 1.25 miles south of, 25 feet north of road, on south bank of small branch, in top of gray granite outcrop; aluminum tablet stamped "1374 SA".	1, 365. 805
From Watch Mountain east to Aaron Moss's ranch.	
Watch Mountain, 2.2 miles east of, 0.5 mile west of Aaron Moss's ranch, 450 feet southwest of Sand Creek, 20 feet northwest of road, 3 feet southeast of post-oak tree, in top of pink granite bowlder; aluminum tablet stamped "1270 SA". Moss's ranch, 2.25 miles southeast of, 200 feet southeast of Crab Apple Creek, 10 feet west of 11-inch hickory tree, south side of road, in top of pink granite bowlder; aluminum tablet stamped "1188 SA". Boyt's ranch, 1.33 miles southeast of, in quartz bowlder between two 20-	1, 179. 642
inch live-oak trees 30 teet south of road; bronze tablet stamped "1497 SA"	1, 489. 055

NEW BRAUNFELS QUADRANGLE.

[Latitude 29° 30'-30°; longitude 98°-98° 30'.]

From San Marcos to San Antonio along the International & Great Northern Ry.	
Yorks Creek railroad bridge, in top of west end of north rock pier near mile board 219; copper bolt stamped "U.S.G.S. 627 B.M."	Feet. 621. 629
of station; iron post stamped "695 SA". Goodwin, infront of station; center of track.	690. 143 690. 7
New Braunfels, in front of station; center of track	637. 1
copper bolt stamped "U.S.G.S. 638 B.M." Mile board 234, 75 feet north of trestle 507, 5 feet south of second telegraph	633. 293
pole south of mile board 234; iron post stamped "692"	686. 98 708. 7
ing near second telegraph pole west of; iron post stamped "769" Davenport station, in front of; center of track Cibolo River railroad bridge, in southeast end of north rock pier; copper	764. 0 797. 6
bolt stamped "U.S.G.S. 789 B.M.". Wetmore siding, 1.75 miles east of, 40 feet north of center of track, 25 feet	783. 700
east of road crossing, 1,000 feet north of church; iron post stamped "849". Wetmore, in front of mail hook; center of track	844. 0 816. 4
feet south of center of track, 2 feet from fence; iron post stamped "786". Adams siding, in front of signboard; center of track. San Antonio, 3 miles north of station, 100 feet north of "city limits" sign-	780. 176 718. 1
board, in corner of right-of-way fence, near second telegraph pole south of milepost 258; iron post stamped "747"	742. 19
From San Antonio to Seguin along Galveston, Harrisburg & San Antonio Ry.	
Converse, in front of station; center of track	712. 5
G.S. 725 B.M.". Cibolo, northwest corner of Charles Fromer's store, in vertical rock wall;	717.1
bronze tablet stamped "712"	703. 6 643. 9
iron post stamped "651"	642. 905
bronze tablet stamped "552"	544. 339
SAN ANTONIO SPECIAL QUADRANGLE AND THREE ADJOINING 15' QUAD- RANGLES ON SOUTH AND WEST.	
[Latitude 29°-29° 30'; longitude 98°-99°.]	
From Dunlay station to Converse along Galveston, Harrisburg & San Antonio Ry.	
Dunlay, 60 feet east and 30 feet south of, southwest corner of station; iron post stamped "999"	990. 575
Dunlay, 4 miles east of, 40 feet south of track, near corner of right-of-way fence, between mileposts 245 and 246; iron post stamped "858"	849. 872
Noonan, opposite signboard; top of tie	768. 4
east rock pier; copper bolt stamped "U.S.G.S. 757 B.M."	748. 196

Lacoste, 2.25 miles west of, at crossing of Castroville and Devine road, midway between mileposts 237 and 238, 50 feet south of track, in southwest	Feet.
corner of right-of-way fence; iron post stamped "815"	806. 725
tank, 40 feet south of track; iron post stamped "692"	683. 854
Idlewild, in front of signboard; center of track	681. 4
per holt stamped "U.S.G.S. 616 B.M."	608. 279
Medina River, 2 miles east of, midway between mileposts 224 and 225, at	
crossing of San Antonio-Frio road, in corner of right-of-way fence, 50 feet north of track; iron post stamped "627"	618. 858
Mileposts 220 and 221, midway between, at southwest corner of section	
house, 40 feet north of track; iron post stamped "636"	627. 944 631. 6
San Antonio, 4 miles west of, midway between mileposts 216 and 217, near	001. 0
corner of right-of-way fence at San Antonio and Frio road crossing, 40 feet south of track; iron post stamped "681"	672. 992
At San Antonio.	012. 992
San Antonio, in front of Galveston, Harrisburg & San Antonio Ry. passenger	
station; top of rail	675. 1
San Antonio, post-office building, corner of Houston Street and Avenue D, in southwest corner; bronze tablet stamped "669"	001 100
San Antonio, Bexar County courthouse, east side, around first cellar win-	661. 180
dow south of north entrance, top of flat granite coping; bronze tablet stamped "655.7"	0.45 50.4
San Antonio city hall, east entrance, top of large stone north side of steps;	647. 794
bronze tablet stamped "661.1"	653. 212
Kerby, opposite signboard; center of track	707. 0
post stamped "735"	727. 688
From San Antonio north along International & Great Northern Ry.	
San Antonio, 10 miles north of, trestle 542, 100 feet north and 50 feet east of	
track, half way between mileposts 244 and 245, in large rock; copper bolt stamped "U.S.G.S. 776 B.M.".	767. 197
From San Antonio along upper Castroville road to point 2.8 miles west of city limits,	101. 101
thence south partly across country 3.4 miles to Castroville road, thence west and north along Castroville and Canyon roads to Galveston, Harrisburg & San Antonio	
R. R. milepost 228.	
San Antonio, 1.1 miles directly west of city limits, 1,300 feet south of St.	
Louis College, north side of upper Castroville road, 10 feet east of avenue; iron post stamped "722 SA".	713. 964
San Antonio, 2.8 miles west of city limits, 1.8 miles west of avenue to St.	110, 001
Louis College, 0.2 mile east of Salsamora Creek, south side of road, 3 feet east of gate entrance to pasture; iron post stamped "746 SA"	737. 881
San Antonio, 3.9 miles west of city limits, on lower Castroville road, south	101.001
side of road, by wire fence, 140 feet west of bridge over Leon Creek; iron post stamped "689 SA"	000 404
San Antonio, 6.8 miles west of city limits, on lower Castroville road, at top	680, 424
of hill, south side of road, 0.9 mile east of Medio Creek, 2 feet east of	Statut St.
milepost 10, by wire fence; iron post stamped "813 SA"	805. 084
with Canyon road south, 1.9 miles north of Medina River, at fence corner;	
iron post stamped "762 SA"	753. 753

From Castroville road north along Canyon road to Culebra Creek, thence southeast along Culebra Creek and upper Castroville roads to Salsamora Creek.	
San Antonio, 11 miles west of city limits, on upper Castroville road, at intersection of Canyon road, on west side of Caracal Creek, at southeast fence corner; iron post stamped "812 SA"	Feet. 803. 681
road, north side of Culebra Creek, 4.5 miles northwest of Leo Creek crossing of upper Castroville road, by wire fence; iron post stamped "857 SA". San Antonio, 7.3 miles west of city limits, west side of Culebra road, 0.3 mile south of Culebra Creek, and 1.5 miles northwest of Leon Creek crossing of upper Castroville road, at angle in road, by wire fence; iron post	849. 117
stamped "815 SA".	807. 184
From San Antonio, near milepost 205, Galveston, Harrisburg & San Antonio Ry., east over Binz-Engleman road, thence southeast over Georgetown road, west on Hedwick road, and south via Sayers to Sulphur Springs road, thence west to San Antonio.	
San Antonio, 2 miles east of city limits, south of Binz-Engleman public road and 60 feet south of Galveston, Harrisburg & San Antonio Ry. track, near crossing; iron post stamped "682 SA"	674. 004
San Antonio, 6 miles east of city limits, 2.2 miles east of Rosillo Creek, summit of ridge at angle of road; iron post stamped "707 SA"	699. 131
Converse, 4 miles southeast of, west side of Binz-Engleman road, 30 feet south of Greytown road, at intersection; iron post stamped "670 SA" Martinez, 5.5 miles directly east of, on north side of St. Hedwig road by wire fence at intersection with road leading north; iron post stamped	662. 203
"653 SA". Sayers, 4 miles southwest of, by road and 2.8 miles direct, 8 miles east of city limits of San Antonio, on New Sulphur Springs road at crossing of Arroyo	645, 082
Hondo road, by southeast fence corner; iron post stamped "593 SA" San Antonio, 3.6 miles southeast of city limits, 700 feet west of farmhouse,	585. 204
on south side of road, at angle in road; iron post stamped "616 SA" San Antonio, 0.2 mile east of east city limits, south side of Sulphur Springs road, 6 feet northeast of W. R. Wurzbach's store; iron post stamped	608. 276
"714 SA"	706. 505
From point southeast of Sayers southeast along Arroyo Hondo road to point 4 miles north of Elmendorf, thence west along various roads via Hillman to Leon.	
Elmendorf, 4.2 miles north of, in forks of Arroyo Hondo and Upson roads, at corner of wire fence; iron post stamped "507 SA"	499. 166
11 feet east of gate; iron post stamped "571 SA". Hellemans, 4 miles southeast of, at intersection of W. W. White's road with Goliad-San Antonio road, 0.5 mile south of mouth of Rosillo Creek	563. 208
joining Salado Creek, southwest side of road by wire fence, 3 feet east of telephone pole; iron post stamped "570 SA"	562, 211
Hellemans (Berg's station), on San Antonio & Aransas Pass Ry., 600 feet east of, northwest corner of San Juan and Pressa road; iron post stamped	
"560 SA"	552. 279
Pleasanton roads, at northeast fence corner; iron post stamped "SA 618". Leon, 2.7 miles southeast of, 4.5 miles south of San Antonio city limits, north side of Mission road, 6 feet east of Apple White-San Antonio roads,	610, 325
at northeast fence corner; iron post stamped "617 SA"	609. 262

From intersection of W. W. White road with Goliad-San Antonio road southeast via Calaveras and Fairview to Verdi, thence north via Loire and Losoyo to point 7 miles north of Losoyo. ¹	
Elmendorf, 2.2 miles northwest of, south side of road, 4 feet north of gate; iron post stamped "529 SA".	Feet. 521. 342
Sampasco switch, at road crossing, 15 feet south of track, 20 feet north of	
public road; iron post stamped "488 SA"	480. 207
Calaveras, in front of station; center of track.	411.7
Calaveras, 0.75 mile south of, summit of small ridge, east side of road, by wire fence; iron post stamped "428 SA"	420. 437
Calaveras, 3.75 miles south of, summit of ridge, east side of road, by wire fence; iron post stamped "537 SA"	529, 373
Fairview, 1 mile north of, 1,000 feet north of road forks, west side of road,	
by wire fence; iron post stamped "569 SA"	561. 159
Fairview, 3.5 miles southwest of, north side of road, 4 feet north of gate by wire fence; iron post stamped "519 SA"	511. 648
Verdi, 6 feet northeast of post office, by wire fence; iron post stamped	
"455 SA"	447. 455
Loire, southeast corner of post office; iron post stamped "518 SA" Loire, 3.5 miles north of, east side of road by wire fence, 2 feet north of	510. 618
gate in front of Washington Williams's house; iron post stamped "598	
SA". Losoyo, 4 miles south of, east side of road, by wire fence, at offset in lane;	590. 714
iron post stamped 575 SA"	567, 820
Losoyo, 35 feet north of post office, east side of road by fence; iron post	007.020
stamped "514 SA".	506. 74 1
From Earle south to Childress store.	
Earle, 0.8 mile north of post office, east side of road by wire fence, 600 feet	
north of gates; iron post stamped "522 SA"	514. 250
Earle, 2 miles north of, west side of road by wire fence, opposite milepost "SA 14".	556. 117
Earle, 4.5 miles south of, west side of road at fence corner, midway between mileposts 16 and 17; iron post stamped "593 SA"	
Earle, 7 miles south of, west side of road by wire fence, opposite milepost	585. 174
Earle, 10.5 miles south of, west side of road by wire fence, 100 feet west of	586. 310
settlement road running northeast through gate; iron post stamped "526 SA".	518. 196
Childress store, northeast fence corner, 40 feet west of store; iron post stamped "507 SA".	499, 199
Stamped OUT MI	100. 100
From Childress store west along settlement roads via John Cavender ranch north to- Gates Valley Church.	
Childress store, 4.2 miles west of, 4 feet east of gate, west of entrance to John	
Cavender's pasture, east side of road; iron post stamped "501 SA"	493. 032
"525 SA"	517, 099
	011.000

¹ The error distributed in this circuit exceeds the allowable limit.

From Gates Valley Church north along Gates Valley and Amphion roads to Mission road.	
Gates Valley Church, 2.8 miles north of, at gate, in forks of road by wire fence; iron post stamped "585 SA".	Feet. 577. 254
San Antonio, 21.5 miles south of, west side of road by wire fence, 1,400 feet north of sand ridge east-and west, 900 feet south of gate; iron post stamped "657 SA". San Antonio, 18.5 miles south of, 900 feet north of settlement road running	649. 404
southeast, west side of road, 4 feet north of 24-inch blazed blackjack tree; iron post stamped "751 SA"	743. 221
east side of road, by wire fence; iron post stamped "631 SA". Divide between Medina River and Leon Creek, west side of road, by wire fence; iron post stamped "611 SA".	623. 479 603. 123
From Medina River Bridge, Galveston, Harrisburg & San Antonio Ry., southeast along highway via Bexar and Rossville to Gates Valley Church.	003. 123
Medina River Bridge, north end of west pier; copper bolt	608. 218
Bexar and San Antonio road, by wire fence; iron post stamped "653 SA". Bexar, 1 mile north of, northeast of road crossing, by 18-inch post-oak tree	645. 072
utilized as fence corner post; Troh post stamped "634 SA"	626. 239
"682 SA"	674. 203
road, by wire fence; iron post stamped "745 SA". Rossville, 3.2 miles north of, east side of road, at southeast fence corner of cultivated field; iron post stamped "651 SA".	737. 162 643. 101
Rossville, southwest corner of post office, east side of road; iron post stamped "557 SA"	549. 211
Rossville, 3 miles east of, fence corners at dim road east and west across Benton-Pleasanton road; iron post stamped "563 SA"	555. 143
SAN MARCOS QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 97° 30′-98°.]	
From San Marcos along road via Zora and Geronimo to Seguin.	
San Marcos, river bridge 0.5 mile east of International & Great Northern R. R. passenger station, east end of north rock pier; copper bolt stamped	
"585" San Marcos, 2 miles south of, in forks of road, southwest corner, near sign post "Staples 10 miles; Seguin 25 miles;" iron post stamped "626"	577. 732 625. 540
San Marcos, 5 miles south of, 150 feet northeast of W. E. Gray's store, 5 feet south of telephone pole west of road; iron post stamped "626"	625. 769
Zorn, 2 miles north of, west of road, 50 feet north of gate, 200 feet east of house, mail box 25; iron post stamped "628"	628. 336
Zorn, 50 feet northeast of store, between hitching rail and fence, 100 feet southwest of road crossing; iron post stamped "529"	529. 848
road crossing, mail box 20; iron post stamped "614"	614,321 G
stamped "584"	583. 415 LOGI

Geronimo, 2.8 miles south of, at intersection of lane from east, 10 feet south of mail box 4, marked H. A. Glaeser, 250 feet northwest of house; iron post stamped "584".	Feet. 583. 422
Seguin, 1.5 miles north of, Coast and Geodetic Survey triangulation station Mott, 25 feet west of road, in concrete monument; nail marked "U. S.	581, 144
1903 C. & G. S.". Seguin, 25 feet north of main track, 1.5 feet east of fence around small park in front of station; iron post stamped "560 SA"	552. 115
From Seguin along road and San Antonio & Aransas Pass Ry. via Belmont to Luling.	
Seguin, 3.4 miles east of, 250 feet east of Geronimo Creek, 10 feet west of	
road crossing; iron post stamped "474". Junior, 1.5 miles east of, 50 feet southeast of Aug. Maurer's mail box, 15, in forks of road; iron post stamped "525"	474. 204 525. 45
Junior, 3.8 miles east of, at Hy. Bering's mail box, 28, 50 feet east of, at	
northwest corner of crossroads; iron post stamped "512"	512. 081
wire fence; iron post stamped "448". Belmont, 3 miles west of, 150 feet south of L. G. Denman's house (occupied by W. A. Huggins), 20 feet west of gate south of road; iron post stamped	448. 510
"427"	426. 551
Belmont, G. A. Sather's store, southeast corner, in wall 3 feet above ground and 1.5 feet from corner; bronze tablet set vertically, stamped "393" Belmont, 2.8 miles north of, at forks of roads, 10 feet north of mail box 10,	392. 664
east of road, near wire fence; iron post stamped "439"	439. 344
corner; iron post stamped "434". Luling, 3 miles south of, south of J. B. Wood's house and mail box, 1,000 feet south of, in forks of road (river road and bridge road); iron post	433. 849
stamped "394"	394. 008
Luling, in southwest corner of park opposite freight station; iron post stamped "426".	410. 708
From Luling along road by Tilmon to Lockhart.	
Luling, 3.6 miles northeast of, southwest corner of forks of Clear Fork road and Tilmon road; iron post stamped "413"	412. 862
Luling, 9.4 miles northeast of, at forks of road 0.5 mile west of gin near negro's house, northeast corner; iron post stamped "388"	387. 548
iron post stamped "388". Tilmon, 3 miles northwest of, 70 feet east of Plum Creek bridge, north of	387. 257
road; iron post stamped "390". Seawillow, 0.5 mile northwest of, in front of house, 15 feet south of C. A.	389.776
Rolsten's mail box, 3 feet north of gate; iron post stamped "462"	461. 060
Seawillow, 2.95 miles northwest of, 4 miles southeast of Lockhart, 600 feet southeast of mail box 8 (Mrs. J. T. Martindale), 100 feet north of small bridge, 15 feet east of road, in limestone ledge; bronze tablet	
stamped "480".	479. 344
Lockhart, in front of San Antonio & Aransas Pass Ry. station; top of rail Lockhart, 30 feet south of Missouri, Kansas & Texas Ry. track, 200 feet west of transfer track of San Antonio & Aransas Pass Ry., 40 feet west	513. 8
of road crossing: iron nost	504 704

From Lockhart along road via Fentress to Luling.

Lockhart, 3.7 miles southwest of, 150 feet west of Clear Fork Creek, 0.25 mile west of Joe M. Horner's house, south of road; iron post stamped "489" Lockhart, 5.1 miles southwest of, in fork of road, main road turns west,	Feet. 489. 007
500 feet east of Alex. Mahan's mail box; iron post stamped "610"	610. 568
Lockhart, 9.7 miles southwest of, at forks (left-hand road goes to Luling and Prairie Lea, right hand goes to Fentress); iron post stamped "539"	539. 494
Fentress, 75 feet northeast of Cumberland Presbyterian Church, in forks of road, 30 feet south of Lockhart-Kingsbury road, 40 feet north of	
Fentress-Luling road; iron post stamped "444". Prairie Lea, 200 feet southeast of W. N. McKinney's Sons' store, 600 feet northwest of Methodist Church, 500 feet southwest of schoolhouse, at	444. 091
fence corner; iron post stamped "451"	451, 255
30 feet northeast of mail box of P. A. Styles, 55; iron post stamped "460" Luling, 1.5 miles northwest of, in forks at southeast fence corner, 30 feet east of mail box 7, 2,000 feet southeast of schoolhouse; iron post stamped	460. 067
"378"	378. 427
From Fentress along road via Martindale to San Marcos.	
Fentress, 4.1 miles northwest of, at intersection of lane and main road, at	450.000
northeast corner; iron post stamped "473"	473. 283
fence, 40 feet east of main road; iron post stamped "528"	527. 631
of Rudsville and Fentress-San Marcos roads; iron post stamped "558" San Marcos, 3.4 miles southeast of, at southeast corner of crossroads; iron	557. 865
post stamped "567"	567. 471
From San Marcos via Uhland to Lockhart.	
San Marcos, 3.6 miles northeast of, 200 feet southwest of High Prairie	E00 077
schoolhouse, at fence corner; iron post stamped "598"	598. 077 623. 05
San Marcos, 8.6 miles northeast of, at northwest corner of crossing roads;	
iron post stamped "636"	635. 896
road; iron post stamped "644"	644. 227
west side of road; iron post stamped "611". Lockhart, 2.8 miles southwest of, 0.25 mile east of Blank's gin, 80 feet north of crossing of Missouri, Kansas & Texas Ry., north of road; iron	611. 134
post stamped "557"	556, 935
Lockhart, in front of Missouri, Kansas & Texas Ry. station; top of rail	518. 18
From Luling along San Antonio & Aransas Pass Ry. to point 3.5 miles southeast of Slayden.	
Luling, in front of San Antonio & Aransas Pass Ry. station; top of rail Luling, 3 miles southeast of, 30 feet north of road crossing at milepost 165;	400.1
iron post stamped "347"	346. 653
Andrews, in front of signboard; top of rail	339. 6
post 162; iron post stamped "323"	322. 954 338. 2
o the total of present, top of the total	

Ottine, 800 feet southeast of station, north corner of cattle-guard fence; iron	Feet.
post stamped "328"	328. 058
Slayden, 500 feet northwest of station, at road crossing at end of switch,	
at north fence corner of cattle guard; iron post stamped "327"	326. 948
Slayden, in front of station; top of rail	327.4
Slayden, 1.8 miles southeast of, at road crossing 1,500 feet southeast of	
milepost 156, at southeast corner; iron post stamped "305"	304. 932
From Seguin along Galveston, Harrisburg & San Antonio Ry. to Harwood.	
From Seguin along Galveston, Harrisburg & San Antonio Ry. to Harwood.	
Seguin, opposite station; center of track	551. 2
Elks siding, opposite signboard; center of track	544. 3
Elks siding, 200 feet southeast of Neil's house, 1.5 feet from wire fence	
south of east headblock; iron post stamped "558"	550. 237
Kingsbury, south of main track, 1.5 feet west of small park west of station;	
iron post stamped "614"	606. 386
Kingsbury, in front of station; center of track.	604. 6
Sullivan siding, at southeast corner of railroad section 78, 40 feet west of	105 151
headblock south end of switch; iron post stamped "473"	465. 471
San Marccs River, in top of rock bridge seat north end of east pier; copper bolt stamped "398"	909 447
Luling, southwest corner of park opposite freight station; iron post stamped	382. 447
"426"	410. 708
Ivy siding, southwest corner of right-of-way fence, 200 feet west of west end	110. 700
of siding, east of Luling-Harwood county road; iron post stamped "455".	439. 397
Harwood, 100 feet west of station, 25 feet north of track, 2 feet west of west	100. 001
end of park; iron post stamped "476"	460. 528
From Buda to San Marcos along International & Great Northern R. R.	
Trom Date to but attrock that grant the trouble to the trouble to the	
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in	
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road;	707. 726
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in	707. 726 713. 7
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713" Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier;	
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.".	
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper	713. 7
 Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track. Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". 	713. 7
 Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track. Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped 	713. 7 631. 000 577. 732
 Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track. Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". 	713. 7 631. 000
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662".	713. 7 631. 000 577. 732
 Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. 	713. 7 631. 000 577. 732
 Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper 	713. 7 631. 000 577. 732 656. 801
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.".	713. 7 631. 000 577. 732
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of	713. 7 631. 000 577. 732 656. 801
 Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, south of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. 	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail.	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2 603. 916
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post Clear Fork spur, at headblock; center of track.	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post Clear Fork spur, at headblock; center of track. Clear Fork spur, 400 feet east of, 25 feet north of center of track, 50 feet south	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2 603. 916
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post Clear Fork spur, at headblock; center of track. Clear Fork spur, 400 feet east of, 25 feet north of center of track, 50 feet south of San Marcos and Lockhart road crossing: iron post	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2 603. 916 566. 7
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post Clear Fork spur, at headblock; center of track. Clear Fork spur, 400 feet east of, 25 feet north of center of track, 50 feet south	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2 603. 916 566. 7 569. 726
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post Clear Fork spur, at headblock; center of track. Clear Fork spur, 400 feet east of, 25 feet north of center of track, 50 feet south of San Marcos and Lockhart road crossing: iron post Lockhart, 30 feet south of Missouri, Kansas & Texas Ry. track, 200 feet west of transfer track of San Antonio & Aransas Pass Ry., 40 feet west of road;	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2 603. 916 566. 7 569. 726
Kyle, 1 mile north of station, at Kyle and Austin public road crossing, in corner of right-of-way fence, 40 feet east of track, 30 feet north of road; iron post stamped "713". Kyle, in front of station; center of track Blanco River railroad bridge, in top of northeast end of north rock pier; copper bolt stamped "U. S. G. S. 636 B. M.". San Marcos River railroad bridge, in west end or north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 215, scuth of road crossing near, west of track; iron post stamped "662". From San Marcos along Missouri, Kansas & Texas Ry. to Lockhart. San Marcos River railroad bridge, in west end of north rock pier; copper bolt stamped "U. S. G. S. 583 B. M.". Mile board 1018, 10 feet west of ninth telegraph pole east of, 40 feet south of track, 30 feet east of wagon road; iron post. Maxwell, in front of station; top of rail. Maxwell, in front of station, 30 feet south of center of track; iron post. Clear Fork spur, at headblock; center of track. Clear Fork spur, 400 feet east of, 25 feet north of center of track, 50 feet south of San Marcos and Lockhart road crossing: iron post. Lockhart, in front of station; center of track. Lockhart, 30 feet south of Missouri, Kansas & Texas Ry. track, 200 feet west	713. 7 631. 000 577. 732 656. 801 577. 732 580. 984 604. 2 603. 916 566. 7 569. 726

From Lockhart to Luling along San Antonio & Aransas Pass Ry.	
Cattle guard 40, 40 feet south of Hales road crossing, 15 feet west of track iron post. Burdette siding, in front of platform; center of main track. Lockhart and Luling public road crossing, 25 feet east of track, 10 feet from fence; iron post.	. 487. 810 . 457. 7
	. 100.700
UVALDE QUADRANGLE.	
[Latitude 29°-29° 30'; longitude 99° 30'-100°.] From Uvalde along Dry Frio Canyon road north 20.75 miles.	
Uvalde, 4 miles northeast of, 20 feet northwest of gate at fork of Uvalde and Leaky (Frio Canyon) road; iron post stamped "1009"	. 1, 000. 516 o . 1, 108. 250
15 miles"; iron post stamped "1229". Uvalde, 20.75 miles north of, 200 feet south of J. F. Kelley ranch, 10 feet west of gate; iron post stamped "1356".	t
From Kelley ranch along Sabinal and Leaky road to Hackberry ranch.	
Concan schoolhouse, 465 feet northeast of, 10 feet south of road, inside fence iron post stamped "1252". Florea ranch, 0.25 mile east of, 10 feet southwest of road to ranch, in corne	. 1, 243. 860
of pasture; iron post stamped "1183". Hackberry ranch, 600 feet northwest of, 7 feet east of large live-oak tree a tork of Blanco Canyon road up Hackberry Creek; iron post stamped "1122".	. 1, 174. 860 t
From Hackberry north along Blanco Canyon road to Enderle ranch.	
Hackberry ranch, 4 miles north of, 500 feet south of Enderle ranch, 20 feet south of road; iron post stamped "1300"	
Along Uvalde and Utopia road.	
Blanco River, 0.75 mile northeast of, 50 feet north of gate; iron post stamped "1016".	1,007.881
 E. D. Kelley's ranch, 250 feet northwest of, set inside house lot, 20 fee east of gate; iron post stamped "1103". Sabinal and Utopia road, 1.75 miles southwest of, junction of Uvalde road 600 feet north of Sabinal River, 50 feet south of road, 2 feet north of smal mesquite tree; iron post stamped "1121". 	1, 094. 805
On Ranch road via Baldwin tank.	The state of
Umlong ranch, 2.25 miles northwest of, 300 feet east of Frio River, 2.25 miles west of Baldwin tank, 50 feet north of gate on road; iron pos stamped "1064"	t
On Nueces Canyon road.	
Benson Knob (Round Mountain), summit of; iron post stamped "1077" Uvalde, 13 miles northwest of, 100 feet west of gate; iron post stamped	Service .
"1045" Uvalde, 18.8 miles northwest of, 0.33 mile southwest of Nueces River cross ing, 50 feet north of gate on road to Francis Smith & Co.'s (Molesworth ranch; iron post stamped "1126".	

From Laguna northeast 3.5 miles along Sycamore Creek ranch road.

Laguna, 1 mile northeast of, inside lot fence, 25 feet south of Francis Smith & Co.'s (Molesworth) ranch house; iron post stamped "1162"	1, 153. 950
On Indian Creek ranch road.	
T. J. Lewis's ranch, near the fork of Nueces River and Indian Creek, inside	
of lot fence, 25 feet north of house; iron post stamped "976"	967.867
Ham's lower windmill; iron post stamped "1164". William Lewis's ranch, 5 miles north of, in lot 60 feet west of Van Ham's	
windmill; iron post stamped "1270"	
post stamped "1502"	1, 493. 988
windmill; iron post stamped "1327"	7 070 700
Francis Smith & Co.'s (Molesworth) windmill, on Indian Creek, 5 miles northeast of, 800 feet west of divide between Indian Creek and Dry Frio River, 50 feet north of gate in west face of Davenport's pasture; iron	
post stamped "1609"	1,600.886
On Uvalde-Fort Clark (Brackettville) road.	
Uvalde, 3.75 miles west of, by wire fence south of gate at end of lane; iron	
post stamped "935"	927.662
east of asphalt mine; iron post stamped "919". Uvalde, 12 miles west of, on saddle between 2 hills, 3.5 miles east of Carbon-	911. 412
ville (asphalt mine), 20 feet south of road; iron post stamped "955"	947. 332
From Uvalde southwest via Uvalde-Smythe and Nunn ranch road to Nunn & Smythe ranch.	
Uvalde, 9 miles southwest of, 1.75 miles southwest of old Tom Nunn ranch, 18 feet west of gate between Tom Nunn and Nunn & Smythe pastures;	
iron post stamped "864" Uvalde, 15 miles southwest of, in lot at Nunn & Smythe ranch house on	856. 351
Turkey Creek, 40 feet west of large gate; iron post stamped "848"	840. 418
From Uvalde southwest via Uvalde and Eagle Pass road 12.5 miles.	
Uvalde, 5.75 miles west of, under wire fence 20 feet south of gate at forks	
of road to Mrs. Bate's ranch on Nueces River; iron post stamped "977" Uvalde, 12.5 miles southwest of, 3.5 miles west of Nueces River, 30 feet north of road, near cluster of mesquite bushes, on divide between Mus-	969. 655
tang Creek and Windmill or Elm Creek; iron post stamped "889"	881. 078
From Uvalde southwest to Piper & West ranch (Hurd windmill) via road.	
Uvalde, 10.5 miles southwest of, in corner of lot, 20 feet west of Piper &	
West ranch house; iron post stamped "807"	799. 584
northeast corner of house lot; iron post stamped "792"	783. 971

PRIMARY LEVELING.

Near Turk's ranch.

	Near Turk's ranch.	
Г	'urk's ranch, 0.75 mile northeast of, in large rock on east end of Sand Hill; bronze tablet stamped "868"	Feet. 860. 182
	From Uvalde southwest 16 miles on Wilderness Lake road.	
	valde, 13 miles southwest of, in southeast corner of McDaniel's ranchhouse lot; iron post stamped "767". valde, 16 miles southwest of, 3 miles west of McDaniel's ranch, 2.5 miles southwest of Habbey ranch, 60 feet west of road forks, 10 feet north of road; iron post stamped "806".	759. 152 797. 946
	From Uvalde south 16 miles on Carrizo Springs road.	
	valde, 8 miles south of, 1.5 miles north of Pulliam's windmill and water hole, on high ridge, under a small mesquite tree, 10 feet west of road; iron post stamped "930"	922, 319
·	west of gate; iron post stamped "748"	740. 902
	From Uvalde toward Batesville along west side of Leona Creek.	
	valde, 13 miles southwest of, summit of hill in northwest corner of Piper & Ellis's pasture, 2 miles west of gate on Uvalde and Batesville road;	
TI	iron post stamped "964"	956. 608
	rear corner of fence, 55 feet east of gate; iron post stamped "763"	755. 429
U	valde, 4 miles south of, 10 feet east of gate; iron post stamped "890" valde, 8.75 miles south of, 10 feet east of road, under large mesquite tree;	882. 038
U	iron post stamped "864"	856. 148
	iron post stamped "833"	825. 172
	rom Ditch road from Uvalde to Batesville, Friotown, and Pearsall along east side of Leona Creek.	
U	valde, 6 miles southeast of, 50 feet east of gate; iron post stamped "885" valde, 11 miles southeast of, 5 feet east of gate at Baylorsville settlement,	877. 093
U	on S. C. Bennett ranch; iron post stamped "826"	817. 973
		745. 147
**	From Lewis ranch south by Friotown and Pearsall road to Bates ranch. valde, 18.5 miles southeast of, 1.25 miles northwest of Lewis windmill,	
U-	under a small mesquite tree 100 feet north of road, 225 feet west of Lewis ranch road; iron post stamped "891"	882. 500
	& Ellis), on Live Oak Creek; iron post stamped "784"	739. 909
	From Lewis ranch north via Sabinal and Batesville road 6 miles.	
Le	ewis ranch, south side of Frio River at crossing, in northwest corner of east house lot; iron post stamped "793"	785. 387
Le	60 feet north of intersection of Uvalde-Friotown-Pearsall road; iron post stamped "812"	804. 090
	iron post stamped "873"	865. 42

From Uvalde east along Friotown and Pearsall road to Englemann's.

Uvalde, 11 miles east of, 0.5 mile north of Englemann's house, 25 feet north of small house on north bank of Frio River; iron post stamped "864"	Feet. 856. 092
From Uvalde east along Sabinal and San Antonio road.	
Uvalde, 2.75 miles east of, 375 feet east of fork of Utopia road, near a large mesquite tree; iron post stamped "958"	949. 736
100 feet northeast of house; iron post stamped "917"	907. 491
Sabinal, 5 miles west of, 200 feet south of W. A. Kelley's ranch house, under small mesquite tree; iron post stamped "931"	922. 953
From Sabinal to Uvalde along Galveston, Harrisburg & San Antonio Ry	
Blanco River, in top of coping, north end of rock pier of iron bridge; copper bolt stamped "942"	934. 437
Uvalde, 12 miles east of, 20 feet east of the Uvalde and Utopia public road crossing, between tenth and eleventh telegraph poles west of mileboard	
290; iron post stamped "987"	979. 337
side of track; iron post stamped "965"	956. 996
Leona River bridge, in top of coping, north end of east rock pier; copper bolt stamped "937"	929. 268
Uvalde, in front of station; top of tie	928. 8
Uvalde, 30 feet east of courthouse; iron post stamped "910"	902. 135
stamped "913"	905. 256

Agua Fria, Alpine, Chisos Mountains, Marfa, Saratoga Mountain, Shafter, and Terlingua quadrangles.

BREWSTER AND PRESIDIO COUNTIES.

The elevations in the following list are approximate, as they are based on an aluminum tablet in the southeast corner stone of the county courthouse at Marfa, stamped "4695 Marfa," the elevation of which is accepted as 4,695.043 feet above mean sea level. This elevation was determined from Galveston, Harrisburg & San Antonio Railway levels, the height of the top of the rail in front of the station being accepted as 4,689 feet above mean sea level.

The leveling was done by M. S. Bright in 1901 and 1902, except for the greater portion in the Chisos Mountains quadrangle, which was done by Chester Irvine in 1902 and 1903 in cooperation with the University of Texas Mineral Survey.

All permanent bench marks dependent on this datum are stamped with the letters "Marfa" in addition to the figures of elevation. By railroad data a correction of about 10 feet should be added to these elevations to bring them in accord with those at El Paso determined by precise leveling.

MARFA QUADRANGLE.

[Latitude 30°-30° 30'; longitude 104°-104° 30'.]

From Marfa south 21.5 miles.

From Marfa south 21.5 miles.	
Marfa, in southeast corner stone of county courthouse; aluminum tablet stamped "4695 Marfa"	Feet. 4, 695. 043
Marfa, at front entrance to Murphy & Walker's brick storehouse; iron post stamped "4689 Marfa"	
Marfa, 3 miles south of, summit of ridge, east side of road, by wire fence; iron post stamped "4628 Marfa."	4, 628, 070
Marfa, 6.8 miles south of, in road forks; iron post stamped "4550 Marfa" Marfa, 10 miles south of, west side of road, at west gate, by wire fence;	4, 550. 029
iron post stamped "4480 Marfa". Marfa, 13 miles south of, summit of ridge, east side of road, at fence corner;	4, 480. 015
iron post stamped "4324 Marfa"	4, 324. 024
Marfa, 16.25 miles south of, west side of road, 5 feet west of gate post; iron post stamped "4261 Marfa"	4, 260. 947
Marfa, 19.5 miles south of, west side of road, 200 feet south of road crossing; iron post stamped "4198 Marfa"	
Marfa, 21.5 miles south of, west side of road, in flat; iron post stamped "4114 Marfa".	
SHAFTER QUADRANGLE.	1, 111. 100
[Latitude 29° 30′-30°; longitude 104°-104° 30′.]	
From point 21.5 miles south of Marfa to point 6.25 miles south of Dysart.	
Dysart, 7.25 miles north of, west side of road, 900 feet south of forks of same;	1 004 740
iron post stamped "4024 Marfa"	
stamped "3975 María"	3, 975. 120
Dysart, 2 miles north of, summit of ridge, west side of road and 200 feet north of road forks; iron post stamped "3853 Marfa"	3, 853. 003
Dysart, post office (Alamito town), west side of road, at northeast corner of Carlos Aererav's storehouse; iron post stamped "3772 Marfa"	
Dysart, 2.5 miles south of, in forks roads; iron post stamped "3715 Marfa". Dysart, 6.25 miles south of, in small valley, 12 feet west of road, 75 feet east of White Ridge; iron post stamped "3603 Marfa"	
AGUA FRIA QUADRANGLE.	0,002.020
[Latitude 29° 30′-30°; longitude 103° 30′-104°.]	
From point 6.25 miles south of Dysart to point 28 miles southeast of Dysart.	
Dysart, 9.8 miles south of, 100 feet north of windmill, south side of road,	
by wire fence; iron post stamped "3536 Marfa"	3, 536. 209
stamped "3656 Marfa". Dysart, 16.25 miles southeast of, on flat ridge, 4 feet south of road, in mound	3, 656. 148
of stone; iron post stamped "4071 Marfa"	4, 071. 189
Dysart, 18.8 miles southeast of, 6 feet east of road, 40 feet west of draw, in limestone outcrop; aluminum tablet stamped "4022 Marfa"	4, 022. 297
Dysart, 21.8 miles southeast of, 200 feet southwest of water tank, 8 feet west of road; iron post stamped "4133 Marfa"	
Dysart, 25.25 miles southeast of, east foot of hill, west side of road; iron post	
stamped "4204 Marfa"	
stone; iron post stamped "4496 Marfa"	4, 496. 258

From Adobe Walls north to point near Neville ranch.

Adobe Walls, 2.25 miles north of, 25 feet west of the Alpine road at summit of flat divide; iron post stamped "3447 Marfa"	Feet. 3, 447. 290
Adobe Walls, 5.5 miles north of, wire fence east and west, west side of road, at west gatepost; iron post stamped "3360 Marfa" 3,	, 360.407
Adobe Walls, 8.5 miles north of, west side of road, in open flat, at mail box; iron post stamped "3301 Marfa"	A STATE OF THE PARTY OF THE PAR
Adobe Walls, 11.8 miles north of, 10 feet west of road; iron post stamped "3467 María"	
Butcherknife Wells, 11.8 miles south of, west side of road, at foot of hill;	
iron post stamped "3684 Marfa"	
iron post stamped "3849 Marfa"	
spur of ridge, 8 feet east of road; iron post stamped "3917 Marfa"	
of mesquite bushes; iron post stamped "3760 Marfa"	, 760. 645
house, west side of road by wire fence; iron post stamped "3798 Marfa" 3, Butcherknife Wells, 3.25 miles north of, 6 feet west of road; iron post	, 798. 449
stamped "3836 Marfa"	836. 474
"4009 Marfa"	009.460
"4102 Marfa"	102. 592
west of old road; iron post stamped "4245 Marfa"	245. 557
At Agua Fria Springs.	
Agua Fria Springs, 12 feet north of springs, in limestone outcrop; bronze tablet stamped "3537 Marfa"	537. 510
TERLINGUA QUADRANGLE.	Tally.
TERLINGUA QUADRANGLE. [Latitude 29°-29° 30'; longitude 104°-104° 30'.]	-
[Latitude 29°-29° 30'; longitude 104°-104° 30'.] From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14	262 440
[Latitude 29°-29° 30'; longitude 104°-104° 30'.] From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	
[Latitude 29°-29° 30'; longitude 104°-104° 30'.] From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	
[Latitude 29°-29° 30'; longitude 104°-104° 30'.] From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174
[Latitude 29°-29° 30'; longitude 104°-104° 30'.] From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174 402. 185
[Latitude 29°-29° 30'; longitude 104°-104° 30'.] From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174 402. 185
From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174 402. 185 119. 328
From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174 402. 185 119. 328 789. 104
From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174 402. 185 119. 328 789. 104 662. 136
From point 28 miles southeast of Dysart to Terlingua. Dysart, 31.25 miles southeast of, on spur of ridge, 75 feet east of draw and 14 feet east of road; iron post stamped "4262 Marfa"	808. 174 402. 185 119. 328 789. 104 662. 136 745. 168

Terlingua, 2.8 miles southeast of, summit of small ridge, 160 feet northeast of road forks, northwest side of road; iron post stamped "2816 Marfa" Dewee's mine, in south wall of stone warehouse; aluminum tablet stamped		
"3201 Marfa".	3, 201. 369	
Terlingua, in north wall of rock building utilized as post office and store of		
Marfa Maraposa Mining Co.; bronze tablet stamped "3272 Marfa"	3, 272. 449	
From Dewee's mine east and north to Colquitt-Tigner mine.		
Dewee's mine, 2.8 miles east of, in road forks, in limestone outcrop; bronze tablet stamped "3066 Marfa"	2 000 100	
Colquitt-Tigner mines, 125 feet southeast of rock building, in limestone	3, 066. 468	
ledge; bronze tablet stamped "3274 Marfa"	3, 274. 30	
From point near Dewee's mine east and north to Adobe Walls Mountain.		
McKinney Bros. mines, 1,200 feet southeast of, east side of draw, north side		
of road, at forks of same; iron post stamped "2722 Marfa"	2, 722. 443	
of Cigar Springs road; iron post stamped "2716 Marfa"	2, 716. 375	
Cigar Springs, 3.8 miles north of, 10 feet west of road, 30 feet south of draw; iron post stamped "2671 Marfa"	2, 671. 308	
Alvin Reed ranch (Rock Corral), 1.5 miles north of, 400 feet south of road		
forks, west side of road at foot of hill; iron post stamped "2795 Marfa" Alvin Reed ranch, 5 miles north of, 25 feet south of road, at foot of black	2, 795. 373	
hill; iron post stamped "3049 Marfa"	3, 049. 261	
Adobe Walls and Spring, 0.25 mile west of, 15 feet west of road, at foot of	0 010 001	
small knoll; iron post stamped "3313 Marfa"	3, 313. 361	
From point near Rock Corral northwest along road to Agua Fria Springs (line run		
twice).		
twice). Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped		
twice). Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa".	2, 885. 388	
twice). Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of		
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa".		
twice). Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of		
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa"	3, 175. 309	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa".	3, 175. 309	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of	3, 175. 309	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa".	3, 175. 309 2, 577. 265	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa".	3, 175. 309 2, 577. 265	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande.	3, 175. 309 2, 577. 265	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of	3, 175. 309 2, 577. 265 2, 661. 340	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of road; iron post stamped "2415 Marfa". Dewee's old smelter, 1.8 miles east of, in open flat, 12 feet south of road	3, 175. 309 2, 577. 265 2, 661. 340 2, 415. 611	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of road; iron post stamped "2415 Marfa". Dewee's old smelter, 1.8 miles east of, in open flat, 12 feet south of road forks: iron post stamped "2344 Marfa".	3, 175. 309 2, 577. 265 2, 661. 340 2, 415. 611	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of road; iron post stamped "2415 Marfa". Dewee's old smelter, 1.8 miles east of, in open flat, 12 feet south of road forks; iron post stamped "2344 Marfa". Mexican settlement, 100 feet west of Terlingua Creek and 12 feet west of	3, 175. 309 2, 577. 265 2, 661. 340 2, 415. 611 2, 344. 621	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of road; iron post stamped "2415 Marfa". Dewee's old smelter, 1.8 miles east of, in open flat, 12 feet south of road forks; iron post stamped "2344 Marfa". Mexican settlement, 100 feet west of Terlingua Creek and 12 feet west of road, at double cottonwood tree; iron post stamped "2211 Marfa".	3, 175. 309 2, 577. 265 2, 661. 340 2, 415. 611 2, 344. 621	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of road; iron post stamped "2415 Marfa". Dewee's old smelter, 1.8 miles east of, in open flat, 12 feet south of road forks; iron post stamped "2344 Marfa". Mexican settlement, 100 feet west of Terlingua Creek and 12 feet west of road, at double cottonwood tree; iron post stamped "2211 Marfa". From Rio Grande northwest to point near Terlingua.	3, 175. 309 2, 577. 265 2, 661. 340 2, 415. 611 2, 344. 621	
Agua Fria Springs, 6.25 miles southeast of, 75 feet south of Terlingua Creek, 6 feet south of trail, at northwest corner of rock bluff; iron post stamped "2885 Marfa". Agua Fria Springs, 3.25 miles southeast of, north side of draw, east foot of hill, 2 feet south of trail; iron post stamped "3175 Marfa". From Cigar Springs east to Joe Black Springs. Cigar Springs, 2.8 miles east of, north side of road, on sharp rock ridge; iron post stamped "2577 Marfa". Joe Black Springs, 0.25 mile west of, 60 feet north of road, 20 feet west of wire fence, at foot of rock bluff in sandstone rock; aluminum tablet stamped "2661 Marfa". From Pena Springs west and southwest to Rio Grande. Pena Springs, 2 miles west of, summit of small divide, 40 feet northeast of road; iron post stamped "2415 Marfa". Dewee's old smelter, 1.8 miles east of, in open flat, 12 feet south of road forks; iron post stamped "2344 Marfa". Mexican settlement, 100 feet west of Terlingua Creek and 12 feet west of road, at double cottonwood tree; iron post stamped "2211 Marfa".	3, 175. 309 2, 577. 265 2, 661. 340 2, 415. 611 2, 344. 621 2, 211. 538	

Grand Canyon, 5 miles north of, in road forks in open flat; iron p stamped "2316 Marfa"	2, 316. 624
Grand Canyon, 8.5 miles north of, 10 feet east of road, on side of knoll; in post stamped "2516 Marfa"	ron 2, 516. 771
From Grand Canyon of Santa Helena east along road down Rio Grande to Cipris Hernandes ranch.	ino
Cipriano Hernandes ranch, 10 feet north of forks of road, 300 yards north ranch house, in embedded bowlder; probably an aluminum tablet (h was drilled to receive tablet, but there is no record in the U. S. Glogical Survey office that tablet has been set).	ole eo-
ALPINE QUADRANGLE.	
[Latitude 30°-30° 30'; longitude 103° 30'-104°.]	
From point near Neville ranch north to Alpine.	
Neville ranch, 0.5 mile northwest of, 120 feet west of Calamity Creek, 8 fewest of road at foot of hill; iron post stamped "4362 Marfa"	4, 362. 557
iron post stamped "4498 Marfa". Neville, 7.5 miles north of, 40 feet south of red gate, west side of road wire fence; iron post stamped "4716 Marfa".	by 4, 716. 453
Neville ranch, 10.5 miles north of, 100 feet east of road, west side of rocknoll in sandstone outcrop; bronze tablet stamped "4977 Marfa"	4, 977. 446
canic outcrop; bronze tablet stamped "5192 Marfa". Alpine, 10 miles southeast of, at summit in gap, 25 feet north of road in vecanic rock; bronze tablet stamped "5404 Marfa".	ol-
Alpine, 6.5 miles southeast of, summit in divide, 20 feet northeast of roin limestone outcrop; bronze tablet stamped "5255 Marfa". Alpine, 3.5 miles southeast of, in forks of road; iron post stamped "46	ad 5, 255. 545
Marfa"	4, 673. 650
bronze tablet stamped "4476 Marfa".	THE PARTY OF THE P
From Apline west along Galveston, Harrisburg & San Antonio Ry. to point near Mar	fa.
Alpine, 3.8 miles west of, 50 feet north of railroad track, 20 feet south public road, 5 feet east of gate; iron post stamped "4665 Marfa" Toronto, in front of signboard; top of rail	4, 665. 663 4, 735. 2
Alpine, 9.8 miles west of, 300 feet west of milepost 619, 50 feet north public road, by wire fence, in sandstone rock; bronze tablet stampe "4964 Marfa".	of ed
Paisano, 1.5 miles west of, 150 feet south of railroad track, 65 feet north public road, in limestone outcrop; bronze tablet stamped "4999 Marfa".	of
Paisano, 4 miles west of, 50 feet south of railroad track; 3 feet south milepost 626; iron post stamped "4910 Marfa".	of 4, 910. 531
Nopal siding, 100 feet south of track, 10 feet east of gate; iron post stampe "4806 Marfa"	. 4, 806. 728
Marfa, 4 miles east of, 0.25 mile southwest of milepost 632, in road forks; iro post stamped "4813 Marfa"	

CHISOS MOUNTAINS QUADRANGLE.

[Latitude 29°-29° 30'; longitude 103°-103° 30'.]

From Joe Black Springs east to Pena Springs.

Joe Black Springs, 3.25 miles east of, 100 feet southeast of road and 50 feet southwest of creek, at foot of round hill; iron post stamped "2745 Marfa". Joe Black Springs, 6.25 miles east of, 40 feet north of road, in volcanic rock; aluminum tablet stamped "2901 Marfa"	2, 745. 447 2, 901. 394	
aluminum tablet stamped "3134 Marfa". Gano Springs, 100 feet north of springs and 2,000 feet east of road forks, north side of draw; iron post stamped "3492 Marfa"		
From Gano Springs southwest via the Chimneys to Pass Springs.		
Rock Hut, 1.8 miles south of, flat ridge, 25 feet east of road, in sandstone outcrop; aluminum tablet stamped "3731 Marfa"		
Burro Springs, 1 mile southwest of, 20 feet west of road, north bank of draw, in bowlder outcrop; aluminum tablet stamped "2963 Marfa" The Chimneys, 1.5 miles west of, 100 feet southwest of road, in sandstone outcrop on flat ridge; aluminum tablet stamped "2634 Marfa"		
From Gano Springs northeast via Neville Spring and Stroud's mail box to Bone Springs.		
Gano Springs, 4.4 miles northeast of, on ridge 5 feet west of road, 300 feet east of creek; iron post stamped "3504 Marfa 1903"	3, 504, 420	
Gano Springs, 7.4 miles northeast of, 5 feet south of road and about 0.5 mile southwest of red ridge; iron post stamped "3523 Marfa 1903"		
stamped "3387 Marfa 1903"		
post stamped "3293 María 1903". Neville Spring, 2.6 miles northeast of, on end of ridge, 40 feet south of road, south bank of creek, 600 feet east of where road leaves creek bed; bronze	3, 293. 028	
tablet stamped "2968 Marfa 1903"	2, 967. 733	
ridge bearing east and west, 600 feet south of pasture gate; iron post stamped "2814 Marfa 1903"		
and Boquillas-Marathon roads; iron post stamped "2828 María 1903"	2, 828. 096	
From Stroud's mail box southeast along wagon road via Boquillas to Old Boquillas.		
Stroud's mail box, 4.5 miles south of, 1.5 miles north of old goat ranch, in group of small hills, 30 feet west of road; bronze tablet stamped "2744 Marfa 1903"	2 744 080	
McKinney Spring, 0.25 mile north of, 10 feet north of road; iron post stamped "2947 Marfa 1903"		
McKinney Spring, 2.5 miles east of, north side of road, in cut for roadway, end of ridge; bronze tablet stamped "2994 María 1903"		
McKinney Spring, 5.5 miles southeast of, 10 feet south of road in small saddle, 700 feet south of where road crosses and leaves creek; iron post stamped "2732 Marfa 1903"	2, 731, 889	
25286°—Bull, 637—16——8	, , , , , , , , , , , , , , , , , , , ,	

Boquillas, 3 miles north of, in ridge where road leaves creek, 8 feet west of Feet.	
road; bronze tablet stamped "2469 Marfa 1903")03
Boquillas, southeast corner of adobe building, 100 feet northeast of Ernst's	
store and post-office building; bronze tablet stamped "2133 Marfa 1903" 2, 133. 2	204
Boquillas, 1 mile east of, at forks, 6 feet south of road; mark on stone 2, 255.7	77
Boquillas, 4.31 miles southeast of, at junction of roads in drain; iron post	
stamped "2029 María 1903"	770
Old Boquillas, north side of road, on small ridge, 350 feet west of two old	-
adobe houses; iron post stamped "1873 María 1903"	03
adobe nouses, non post stamped 1073 maria 1903	.00
From Old Boquillas southwest to Mariscal Mountain, thence west to Hernandes	
ranch.	
San Vicente, 1.5 miles northeast of, on southwest slope of small rocky hill,	
10 feet east of road, 350 feet north of road forks, east side of Tornillo	
Creek; iron post stamped "1881 María 1903"	73
San Vicente, 1.5 miles southwest of, 1,600 feet east of junction of roads on	
summit of ridge, 10 feet north of road, embedded bowlder; bronze tablet	
stamped "1965 Marfa 1903"	579
San Vicente, 3.8 miles southwest of, junction of roads on flat, embedded	
bowlder 10 feet west of road; bronze tablet stamped "1915 Maria 1903" 1, 915. 0)23
San Vicente, 7.5 miles southwest of, 120 feet north of road, end of small rock	
ridge, at junction of drains; bronze tablet stamped "1998 Marfa 1903" 1, 997. 8	333
San Vicente, 10.5 miles southwest of, 10 feet west of road, 400 yards south of	
yellow bluff side of drain, embedded bowlder; bronze tablet stamped	
"2135 María 1903"	40
Mariscal Mountain, north end of, summit of ridge, 15 feet west of road, in	
saddle; bronze tablet stamped "2385 Marfa 1903"	557
Mariscal Mountain, 1 mile west of, 2,000 feet south of, where road comes	
through small gap, east bank of dry wash, 10 feet west of road, between	
hills; bronze tablet stamped "2217 María 1903"	104
Mariscal Mountain, 4 miles west of, on summit of flat ridge, 10 feet south	JI
Mariscal Mountain, 4 innes west of, on summit of flat ridge, to feet south	196
of road; bronze tablet stamped "2325 Marfa 1903"	190
Mariscal Mountain, 7 miles west of, 1,800 feet east of road forks, slope of	
small hill in valley, 30 feet south of road; bronze tablet stamped "2138	
Marfa 1903"	568
Mariscal Mountain, 10.5 miles west of, 3 miles east of Alvin Reed's spring,	
10 feet north of road, on low ridge, between drains; bronze tablet stamped	
"2269 María 1903"	78
Said Bend of Rio Grande, on end of ridge, west side of mouth of large drain,	
30 feet west of road; bronze tablet stamped "2053 María 1903" 2, 052. 5	660
Mexican settlement, 4 miles east of, 1 mile south of 4 blackjacks, south side	
of drain, 20 feet south of road; bronze tablet stamped "2140 Marfa 1903". 2, 139. 4	134
Mexican settlement, 1 mile east of, 40 feet northwest of forks of road, west	
bank of large drain, in embedded bowlder; probably a bronze or alumi-	
num tablet	41
Cipriano Hernandes ranch, 6 miles east of, 1 mile north of where road leaves	
Rio Grande and goes around hills, 10 feet south of road, summit of divide,	
in embedded bowlder; probably a bronze or aluminum tablet	221
Cipriano Hernandes ranch, 3 miles east of, 20 feet south of road, summit of	0
Cipriano meriandes rancii, 3 innes east of, 20 feet south of road, summit of	
divide, in embedded bowlder, 1 by 3 by 2 feet, 2 feet in ground; probably	11
a bronze or aluminum tablet	1.

¹ Holes were drilled to receive the tablets for the last three bench marks, but the Survey has no record that the tablets were set.

SARATOGA MOUNTAIN QUADRANGLE.

[Latitude 29° 30'-30°; longitude 103°-103° 30'.]

Near Stroud's ranch.

Note.—The following three elevations are means of direct and reverse	
lines.	
Stroud's mail box, 1.8 miles north of, 20 feet east of road, on slope of small	Feet.
gravel hill; iron post stamped "2881 Marfa 1903"	2, 881. 256
Stroud's lower tank, 1,830 feet north of, 10 feet east of road, iron post	
stamped "2753 Marfa 1903"	2, 753. 011
Bone Springs, about 1 mile south of, 3 miles north of Stroud's lower tank,	
20 feet west of road; iron post stamped "2641 Marfa 1903"	

Chispa and Van Horn quadrangles.

EL PASO COUNTY.

The elevations in the following list were determined by primary leveling extended from Fay, and were originally based on the elevation of the top of the rail in front of the station at Fay, accepted as 4,010 feet. Several bench marks near Van Horn were redetermined by the U. S. Coast and Geodetic Survey in 1911, and their elevations, found to be about 8 feet too low, have been corrected to agree with the 1912 adjustment.

The leveling was done by Chester Irvine in 1903, and by Stuart T.

Penick in 1905.

CHISPA QUADRANGLE.

[Latitude 30° 30'-31°; longitude 104° 30'-105°.]

From Fay, Galveston. Harrisburg & San Antonio Ry. station, across country to Horn, Texas & Pacific Ry. station.	Van Feet.
Fay, in front of station signboard; top of rail.	
Fay, west side of gate, 150 feet east of station signpost, 800 feet east of tion house; iron post stamped "4007 Van Hn 1903"	4, 015. 332
Cox ranch, 600 feet east of residence, east side of gate; iron post stan "3948 Van Hn 1903"	

VAN HORN QUADRANGLE.

[Latitude 31°-31° 30'; longitude 104° 30'-105°.]

From Van Horn east along Texas & Pacific Ry. to Plateau.

Van Horn, in front of Texas & Pacific Ry. station; top of rail	4,047.7
Van Horn, 240 feet west of station, 100 feet south of main track, 4 feet south	
of telegraph pole; iron post stamped "4039 Van Hn 1903" (C. & G. S.	
elevation)	4, 047. 462
Van Horn, 3 miles east of, 0.25 mile north of railway, 15 feet north of wagon	
road, 10 feet south of dry ditch; iron post stamped "3922 Van Hn 1903".	3, 929. 967
Van Horn, 6 miles east of, 700 feet east of milepost 796, 50 feet south of track,	
10 feet south of wagon road; iron post stamped "3867 Van Hn 1903" (C.	
& G. S. elevations)	3, 874. 927
Wild Horse, in front of section house; top of rail	3,852
Wild Horse, 1 mile east of, 1,400 feet east of milepost 733, 100 feet south of	
track, 10 feet north of wagon road; iron post stamped "3826 Van Hn 1903"	
(C. & G. S. elevation).	3, 833. 936

Wild Horse, 4 miles east of, 1,300 feet east of milepost 730, 60 feet south of track, 10 feet north of wagon road; iron post stamped "3840 Van Hn 1903" (C. & G. S. elevation)	, 897. 505
From Plateau north along highways via Marley's ranch to Marley's tank.	
Plateau, 1.5 miles north of, 200 feet west of forks of roads, 100 feet south of tank, 10 feet south of forks of road; iron post stamped "3916 Van Hn 1903". 3, Plateau, 4.5 miles north of, 5 feet west of road; iron post stamped "3865 Van Hn 1903". 3, Marley's ranch, 300 feet north of corral, 300 feet east of residence; iron post stamped "3759 Van Hn 1903". 3, Marley's ranch, 2.25 miles north of, forks of road; iron post stamped "3779 Van Hn 1903". 3, Marley's ranch, 5.8 miles north of, 5 feet east of road to Luckett's camp;	, 873. 347 , 767. 386 , 787. 344
iron post stamped "3899 Van Hn 1903"	, 977. 251
From Marley's tank southwest via Marley's lower ranch to Van Horn.	
Marley's tank, 2.5 miles west of, 10 feet east of road on summit of small ridge; iron post stamped "3899 Van Hn 1903"	, 716. 552
Marley's lower ranch, 4.6 miles south of, 10 feet east of road; iron post stamped "3715 Van Hn 1903"	, 723. 121
east of road; iron post stamped "3833 Van Hn 1903"	
Van Horn, 1.5 miles north of, 200 feet southwest of tank, 5 feet east of road; iron post stamped "4074 Van Hn 1903"	
From Van Horn west along Texas & Pacific Ry. to Allamore, thence north along road via Sulphur and Cannon ranches to Figure 2 ranch.	
Van Horn, 3.1 miles west of, 400 feet northeast of Texas & Pacific Ry. milepost 745, 10 feet north of wagon road; iron post stamped "4239 Van Hn 1903" (C. & G. S. elevation)	The same of the sa
G. S. elevation)	, 611. 812
post stamped "4702 Van Hn 1903"	710. 135

Millican upper ranch, 0.5 mile north of, forks of road, on flat; iron post stamped "4865 Van Hn 1903"	Feet. 4 873 672
Hazel mine, 60 feet east of road, 30 feet southwest of old wooden building;	
iron post stamped "4906 Van Hn 1903". Sulphur ranch, 200 feet north of residence, west side of gate; iron post stamped "4461 Van Hn 1903". Sulphur ranch, 2.5 miles north of, 0.25 mile north of old tank, 600 feet north	
of road forks, 10 feet west of Salt Flat-Van Horn road; iron post stamped "4290 Van Hn 1903"	4, 297. 142
Sulphur ranch, 5.5 miles north of, 20 feet east of road, east side of drain; iron post stamped "4048 Van Hn 1903"	4, 056. 517
Sulphur ranch, 8.5 miles north of, 10 feet east of road; iron post stamped "3806 Van Hn 1903"	3, 814. 578
Sulphur ranch, 11.6 miles north of, 2,400 feet north of road forks, 20 feet east of road, in drain; iron post stamped "3625 Van Hn 1903"	3, 633. 538
south of Cannon windmills, 10 feet west of wagon road; iron post stamped "3648 Van Hn 1903"	3, 656. 267
Figure 2 ranch, 3.8 miles south of, 0.5 mile west of north end of lake, 10 feet west of wagon road; iron post stamped "3581 Van Hn 1903"	3, 589. 611
fence; iron post stamped "3585 Van Hn 1903"	3, 593. 536
From Salt Lake east to Marley's lower ranch.	
Canon's double wells, 1.5 miles northwest of, 10 feet north of road; iron post stamped "3579 Van Hn 1903"	2 588 280
Canon's double wells, 2.5 miles east of, summit of small hill on flat, 10 feet	
west of road; iron post stamped "3622 Van Hn 1903"	
Canons double wells, 8.5 miles east of, 10 feet south of road; iron post stamped "3763 Van Hn 1903"	
From point 1.25 miles east of Wildhorse section house north along Salt Flat road and Valentine road 4 miles, thence west across country to a point 6 miles east of Van Horn.	A CO
Wildhorse, 3 miles northeast of, 2.5 miles east of Medley's ranch, 0.8 mile north of crossroads, 20 feet west of Salt Flat-Valentine road; iron post	
stamped "Van Hn 1905"	3, 771. 216
miles north of Medley's ranch; iron post stamped "3793 Van Hn 1905"	3, 801. 184
From point 3 miles northeast of Wildhorse, north to Medley's lower ranch, thence southeast to Jones's gate, thence southwest to starting point.	
Wildhorse, 5.5 miles north of, 2.5 miles south of Medley's lower ranch, 30 feet east of Salt Flat-Valentine road; iron post stamped "3729 Van Hn 1905"	3, 737, 489
Medley's lower ranch, 1,200 feet south of house, 20 feet west of Salt Flat road; iron post stamped "3700 Van Hn 1905"	
Medley's lower ranch, 3.25 miles southeast of, 3 miles northwest of Jones's	
pasture gate; iron post stamped "3726 Van Hn 1905"	
"3782 Van Hn 1905"	3, 790. 864
"3782 Van Hn 1905"	3, 790. 125

From Medley's lower ranch north	neast to Bean's ranch	, thence west	to point 1.5 miles
sout	h of Bean's three we	lls.	

Medley's lower ranch, 3 miles north of, 20 feet west of Salt Flat-Valentine road; iron post stamped "3679 Van Hn 1905". Bean's ranch, 600 feet west of, 10 feet south of road; iron post stamped "3665 Van Hn 1905".	2 2 6 6
From point 2 miles east of Canon's double wells southeast to tank, thence east to Bean's pasture gate, thence northeast to Taylor-Salt Flat road.	
Canon's tank, 600 feet south of, in rock; bronze tablet stamped "3641 Van Hn 1905"	3, 648. 498
Bean's pasture gate, 20 feet south of, 10 feet southwest of road; bronze tablet stamped "3645 Van Hn 1905"	3, 653. 695
From point 5.8 miles east of Canon's double wells north via Canon's new well, foot of mountains, Freeman well, and John's well to Figure 2 ranch.	
Canon's new well, 600 feet north of; iron post stamped "3669 Van Hn 1905".	3, 676. 989
Canon's new well, 3.25 miles east of, 0.5 mile northwest of small hill; iron post stamped "3892 Van Hn 1905"	3, 900. 643
Freeman well, 600 feet south of, 300 feet south of road; iron post stamped "3694 Van Hn 1905".	3, 702. 623
Drift wells, 1.25 miles north of, in forks of road; iron post stamped "3664 Van Hn 1905".	3, 672. 187

Cerro Alto Quadrangle.

John's well, 2.5 miles southeast of, 0.5 mile east of long, low ridge; iron post

Threemile well, 30 feet south of tank, 20 feet north of road; iron post

EL PASO COUNTY.

The elevations in the following list are based upon an elevation at El Paso determined by precise leveling and are derived through checked leveling on El Paso quadrangle by the United States Reclamation Service and the Geological Survey.

The leveling was done by M. S. Bright in 1901. It was originally based on an assumed railroad datum at San Elizario, and the stamped elevations are about 8 feet too low.

CERRO ALTO QUADRANGLE.

[Latitude 31° 30'-32°; longitude 105° 30'-106°.]

From point 15 miles east of Clint east 8.5 miles along north Salt Lake road to point near Coyote tanks, thence north 22 miles along dim roads and trails to South Sacramento road, thence east along South Sacramento road and across country 16 miles to saddle at head of draw, thence south 11 miles across country, thence west to Rockhouse draw and southwest down draw to point near Coyote tanks.

San Elizario, 15.7 miles east of, lat. 31° 40′; long. 105° 59′. North side of Feet.
road in mound of stone; iron post stamped "4162" 4, 169. 913
San Elizario, 21.5 miles east of, lat. 31° 40′; long. 105° 43′. East side of
saddle, south side of road at angle to northeast, in mound of stone; iron
post stamped "4523"

Lat. 31° 43′; long. 105° 51′. West slope of hill, 4 feet east of road, 350 feet east of draw, in mound of rock; iron post stamped "4709". Lat. 31° 45′; long. 105° 54′. East side of draw at angle to northwest, side of wagon trail, by stone pier; iron post stamped "4984". Lat. 31° 48′; long. 105° 54′. Summit of divide, east side of wagon trail; iron post stamped "5147". Lat. 31° 52′; long. 105° 53′. Two hundred feet east of draw, on point of	4, 716. 864 4, 992. 043 5, 157. 216
small ridge, S. 45° E. of Cerro Alto Mountain; iron post stamped "5318". Lat. 31° 57'; long. 105° 53'. Four feet south of South Sacramento road east and west, 400 feet west of draw; iron post stamped "5266" Lat. 31° 57'; long. 105° 47'. In forks of road; iron post stamped "5020"	5, 274. 119 5, 028. 165
Lat. 31° 56'; long. 105° 43'. At toe of slope, north side of draw; iron post stamped "4850''. Lat. 31° 56'; long. 105° 40'. Summit of ridge northwest and southeast, south about 10° west of Cerro Alamo, in forks of wagon trail; iron post	4, 858. 335
stamped "4788". Lat. 31° 54'; long. 105° 37'. Head of draw, summit in gap; iron post stamped "4860".	4, 796. 291
Lat. 31° 51′; long. 105° 37′. On ridge, south side of draw, about 100 feet west of east point of ridge; iron post stamped "4597''	
Lat. 31° 48′; long. 105° 38′. North side of slope near summit of big ridge east and west, 275 feet south of white flag on bush; iron post stamped "4686'.	4, 694. 651.
Lat. 31° 45′; long. 105° 39′. Top of small knoll 50 feet north of small draw east, 100 feet south of white flag; iron post stamped "4605". Lat. 31° 47′; long. 105° 43′. Iron post stamped "4890 S E"	4, 898. 141
Lat. 31° 47′; long. 105° 47′. East side of draw north and south at gap leading east; iron post stamped "5108". Lat. 31° 43′; long. 105° 49′. East edge of old road north and south; iron	5, 115, 914
post stamped "4774". From bench mark marked "4605," lat. 31° 45', long. 105° 39', south to lat. 31° 34', long. 105° 42', thence northwest to bench mark "4523," about 3 miles southwest of Coyote	4, 781. 818
tanks.	
Lat. 31° 41′; long. 105° 40′. Twenty-five feet south of Salt Lakes road east and west, north of gap in mountain; iron post stamped "4672" Lat. 31° 37′; long. 105° 41′. West side of draw north on bench on small	
spur of ridge, south of Cerro Alamo; iron post stamped "5061" Lat. 31° 34'; long. 105° 42'. Summit of flat ridge east and west, white	
flag; iron post stamped "5106". Lat. 31° 35'; long. 105° 45'. Twenty-five feet east of mound of stone on edge of high rock bluff, in limestone outcrop; bronze tablet stamped	
"5219". Lat. 31° 35'; long. 105° 48'. West slope of hill, 4 feet north of mound	
of stone, in limestone outcrop; bronze tablet stamped "4587" Lat. 35° 36'; long. 105° 51'. Flat draw southwest, east side, on slight ridge,	
north edge of wagon trail; iron post stamped "4331"	
iron post stamped "4404"	4, 412. 945

El Paso Quadrangle.

EL PASO COUNTY.

The elevations in the following list were determined by primary leveling extended from El Paso, based on an elevation determined by precise leveling. The line from El Paso northeast along the El Paso & Southwestern Railroad of this list is part of a single line to Alamogordo, N. Mex. The line from San Elizario east along the Salt Lake road is connected with El Paso by leveling of the Reclamation Service, not included in the list. For additional elevations see precise-level lists (pp. 8, 206–207).

The leveling was done by M. S. Bright in 1901, by Fred McLaughlin in 1907, and by K. W. Trimble in 1909.

EL PASO QUADRANGLE.

[Latitude 31° 30'-32°; longitude 106°-106° 30'.]

From El Paso north along highway to Newman's ranch.

El Paso, west end lower stone steps, north entrance of city hall; aluminum	
tablet stamped "3698"	3, 710. 902
El Paso, 500 feet north of crossing of El Paso & Southwestern Ry. and	
Fort Bliss street car line, at road crossing; top of rail	3, 721.4
Fort Bliss, 0.3 mile northwest of, in northeast corner of Ford's brick saloon;	
aluminum tablet stamped "3889"	3, 901, 846
Taylor ranch, 30 feet west of road, north of fence, on old railroad grade;	0,002.010
iron post stamped "3875"	2 997 059
Tron post stamped 5070	3, 007. 900
Taylor ranch, 2.2 miles north of, in top step of northeast entrance of two-	
story ranch house, 400 feet west of road; aluminum tablet stamped	0 055 100
"3946"	3, 957. 128
Taylor ranch, 5.2 miles north of, 15 feet west of road, near old reservoir;	
iron post stamped "4000"	4, 012. 938
Newman's ranch, 1.25 miles south of, in fence corner east of road; iron	
post stamped "4029"	4, 042. 021
From El Paso northeast along El Paso & Southwestern R. R. to State line (part of	
single line to point 10 miles southeast of Alamogordo, N. Mex.).	
single line to point to miles southeast of Alamogordo, iv. mea.).	
El Paso, intersection of El Paso & Southwestern R. R. and Mace Avenue;	
top of rail	3, 729. 6
top of rail	3, 729. 6
top of rail	
top of rail	
top of rail	3, 704. 35
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805".	3, 704. 35 3, 805. 999
top of rail	3, 704. 35 3, 805. 999
top of rail	3, 704. 35 3, 805. 999 3, 896. 21
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M.". Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873".	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899"	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad;	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad; iron post stamped "3919".	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad; iron post stamped "3919". Newman, N. Mex., 4 miles southwest of, at milepost 15, 50 feet west of El	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801 3, 920. 682
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad; iron post stamped "3919". Newman, N. Mex., 4 miles southwest of, at milepost 15, 50 feet west of El Paso & Southwestern R. R.; iron post stamped "3982".	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801 3, 920. 682
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad; iron post stamped "3919". Newman, N. Mex., 4 miles southwest of, at milepost 15, 50 feet west of El	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801 3, 920. 682
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad; iron post stamped "3919". Newman, N. Mex., 4 miles southwest of, at milepost 15, 50 feet west of El Paso & Southwestern R. R.; iron post stamped "3982". Newman, N. Mex., 1 mile southwest of, at milepost 18, 50 feet west of railroad; iron post stamped "4000".	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801 3, 920. 682 3, 983. 200 4, 001. 207
top of rail El Paso, Galveston, Houston & San Antonio Ry. crossing, in north end of switch block; nail marked "3703". El Paso, 3 miles northeast of, at milepost 3, 50 feet west of railroad; iron post stamped "3805". Fort Bliss, south side of water tower; top of bolt marked "3894.9 B.M." Fort Bliss, 1.3 miles northeast of, at milepost 6, 50 feet west of railroad; iron post stamped "3873". Tobin, at milepost 9, 50 feet west of railroad; iron post stamped "3899" Franklin, 0.2 mile southwest of, at milepost 12, 50 feet west of railroad; iron post stamped "3919". Newman, N. Mex., 4 miles southwest of, at milepost 15, 50 feet west of El Paso & Southwestern R. R.; iron post stamped "3982". Newman, N. Mex., 1 mile southwest of, at milepost 18, 50 feet west of rail-	3, 704. 35 3, 805. 999 3, 896. 21 3, 874. 581 3, 899. 801 3, 920. 682 3, 983. 200 4, 001. 207

From Clint post office (near San Elizario) east along North Salt Lake Road 15 miles to elevation of 4,100 feet.

Clint, northwest corner of post-office building; iron post stamped "3625	Feet.
SE"	3, 632. 915
Clint, in front of station; top of rail	3, 635. 5
Clint, 4.75 miles east of, in road forks; iron post stamped "3993 SE"	4,001.125
Clint, 10.5 miles east of, 400 feet west of angle in road to southeast, north	
side of road; iron post stamped "4039 SE"	4, 046. 877

Brownsville, Harlingen, Isabel, Mission, and San Juan quadrangles. CAMERON AND HIDALGO COUNTIES.

The elevations in the following list were determined by primary leveling and are based upon Coast and Geodetic Survey bench mark 1 at Point Isabel from which a line, leveled twice, connects with bench mark R. P. 43, of the United States and Mexico Boundary Commission. The Boundary Commission checked levels as published in its report entitled "Survey of the Rio Grande, Roma to the Gulf of Mexico" have been corrected by adding 1.423 feet, which is the correction derived from Point Isabel.

The leveling was done in 1913 by R. C. Seitz.

MISSION QUADRANGLE.

[Latitude 26°-26° 15'; longitude 98° 15'-98° 30'.]

From point near McAllen station west along St. Louis, Brownsville & Mexico R. R. to R. P. 14, 2 miles west of Closner.

McAllen station, 1.90 miles west of, on south right of way line opposite	Feet.
milepole 36; iron post stamped "130 1913"	130. 436
McAllen station, 2.30 miles west of, 2,100 feet west of milepole 36, in east	
and west fence line, at road south; top of south rail	131. 70
McAllen station, 2.90 miles west of, 2.90 miles east of Mission, in base of	
milepole 37; spike	134.06
Milepole 37, 2,040 feet west of, highway crossing; top of south rail	133. 9
Mission, 1.80 miles east of, in base of milepole 38; spike	134.06
Mission, 0.90 mile east of, in southeast angle of crossroads, 50 feet north of	
railroad, 600 feet east of milepole 39; iron post stamped "138 1913"	138. 435
Mission station, in front of; top of south rail.	142.3
Mission station, 1,410 feet west of, at railroad crossing; top of south rail	143.3
Mission station, 0.40 mile west of, on top of north end of concrete canal	
siphon; bronze tablet stamped "149 1913"	149. 119
Mission station, 1.10 miles west of, in base of milepole 41; spike	140.67
Mamie station, 700 feet east of, at highway crossing; top of south rail	139.5
Mamie station, opposite signboard; top of north rail	135. 6
Mission station, 2.10 miles west of, in base of section post opposite milepole	1.
42; spike	130. 10
Mission station, 2.50 miles west of, in southwest angle of crossroads, 50 feet	
north of track and about 2,400 feet east of milepole 43; iron post, stamped	
"133 1913"	133. 302
Mission station, 3.10 miles west of, in base of milepost 43; spike	136. 67
Mission station, 4.10 miles west of, in base of milepole 44; spike	125. 78
Milepole 45, 0.40 mile east of, 25 feet west of highway crossing; top of south	
rail	132.6

The Street and the grant has been been been been been been been bee	Feet.
Milepole 45, in base of; spike	139. 74
Chihuahua, opposite station signboard; top of south rail	130.8
Mission, 6.10 miles west of, on south right of way line opposite milepole 46;	
iron post stamped "124 1913"	123. 597
Closner, in front of station; top of south rail	125. 6
Mission station, 7.10 miles west of, 0.20 mile west of Closner station, in base	
of milepole 47; spike	124. 93
Penitas Village, at road crossing north of Cavazos Bros.' general merchan-	
dise store; top of south rail	127.6
Closner station, 1.20 miles west of, at west end of small cut, in base of tele-	
graph pole; spike	129. 38
Closner station, 1.60 miles west of, at road crossing; top of south rail,	120.00
painted "125.6"	125. 6
Closner station, 2 miles west of, 18 feet south of "Frisco" track, and south	120.0
of Monterey ranch house, 1,100 feet east of milepole 49; international	
boundary reference point 14. (See boundary commission's description	
Monterey ranch, etc., 123.720)	125. 143
Monterey ranch, etc., 125.720)	120. 143
From Reference Point 14, west along St. Louis, Brownsville & Mexico R. R. to Havana	
Village (leveled twice).	
Closner station, 2.2 miles west of, 4.40 miles east of Fordyce station, set on	1
north right of way line opposite milepole 49; iron post stamped "126	
1913"	125, 747
Fordyce station, 3.40 miles east of, in base of milepole 50; spike	123. 42
Fordyce station, 2.40 miles east of, in base of milepole 51; spike	129. 98
Havana Village, 50 feet south of track, 30 feet west of public highway and	
about 100 feet northeast of schoolhouse in edge of village; iron post	
stamped "130 1913 S"	129. 788
	120.100
From a point near Hidalgo (part of double line from point near McAllen station).	
McAllen station, 0.90 mile west by 3.40 miles south of, telephone pole on	
east side of road, about 700 feet north of small white house and windmill;	
copper nail.	100.36
McAllen station, 0.90 mile west by 4.50 miles south of, property corner on	Bright .
east side of road, about 75 feet north of southeast corner of field, 920 feet	
south of small bridge over slough; copper nail (signboard near by)	96. 54
Hidalgo, 2.10 miles north of, on east side road at T road west, United States	
and Mexico Boundary Commission bench-mark reference point 20	
(Boundary Commission elevation 103.084)	104. 507
Hidalgo, 0.80 mile north of, on west side road at point where road makes	2011.001
slight bend to east around slough; iron post stamped "107 1913 S"	106, 705
Hidalgo, in northeast corner of yard of abandoned courthouse, United	100.100
States and Mexico Boundary Commission bench-mark reference point 21.	106. 147
Daily the free many diseases with much	100. 11.
SAN JUAN QUADRANGLE.	
[Latitude 26°-26° 15'; longitude 98°-98° 15'.]	
From Run post office north along highway to Donna, thence west along St. Louis, Brownsville & Mexico R. R. to McAllen station.	
Run, 1.3 miles west of post office, T road north to Donna, in anchor post	
in northeast angle of roads; copper nail	84. 06
Donna, 5.80 miles south of, 1.1 miles north of junction with Military Road,	THE REAL PROPERTY.
east side of road, north side of small clearing, in small tree; copper nail.	77. 92
Donna 5.3 miles south of bridge over canal: floor	82 2

Donna, 4.80 miles south of, on east side of road, in edge of brush, in stump; copper nail.	Feet. 82, 02
Donna, 3.90 miles south of, on west side of public highway, on high ground	02, 02
between two sloughs; iron post stamped "76 1913"	77, 023
Donna, 3 miles south of, in property corner in center of highway, about	on the s
500 feet south of bend; copper nail	77. 53
Donna, 2.2 miles south of, about 1,000 feet north of Donna plantation sugar	
mill, west of public highway, about 100 feet south of place where canal	
is siphoned under road, in corner of fence post; copper nail	89. 06
Donna station, 1.40 miles south of, on east side of road and about 50 feet	00.01
south of canal, in base of telephone pole; copper nail	92. 81
Donna station, 1.10 miles south of, private roads east and west, at crossing	91. 63
of private railroad; top of east rail. Donna station, ³ mile south of, center of cross roads, a white house occupy-	91.05
ing southeast angle	89. 7
Donna, in southeast corner of public park; iron post stamped "96 1913"	97. 307
Donna station, in southwest corner of loading platform northeast of sta-	01.001
tion; copper nail.	98. 27
Donna station, in front of; top of south rail.	94. 8
Donna station, 1.10 miles west of, highway crossing, in top of small anchor	
post, at northeast fence corner, 50 feet south of railroad; copper nail	97.41
Donna station, 2.30 miles west of, in base of milepost 25; spike	96. 09
Donna station, 3.30 miles west of, 1.60 miles east of Ebenezer station, in	
base of milepole 26; spike	95. 19
Ebenezer station, 0.60 mile east of, on south right of way line opposite	
milepole 27; iron post stamped "98 1913"	99. 452
Ebenezer station, in front of; top of south rail.	102. 9
Ebenezer station, 0.40 mile west of, 1.50 miles east of San Juan station,	104. 05
in base of milepole 28; spike	104. 03
San Juan station, 0.50 mile east of, in base of milepole 25, spike	100.01
nail, painted "109.0"	110. 39
San Juan station, 0.50 mile west of, in southwest angle of cross roads; iron	1
post stamped "109 1913"	110.052
Pharr station, in southwest corner of station platform; copper nail	114. 87
Pharr station, at highway crossing just west of station; top of south rail	113. 9
Pharr station, 1 mile west of, 2.10 miles east of McAllen station, in base	
of milepole 32; spike	115. 12
McAllen, 1.30 miles east of, in southeast angle of cross roads 930 feet east	
of milepole 33; iron post stamped "115 1913"	116. 810
McAllen station, in front of; top of south rail.	122. 0
McAllen station, in northeast angle of cross streets just southwest of depot,	707 00
on curbstone; chiseled square	121. 07
McAllen station, 0.90 mile west of, in base of milepole 35; spike	129. 264
McAllen station, 0.90 mile west and 1.20 miles south of, a wire fence extends east on east side of road, in telephone pole on west side of road; copper	
east on east side of road, in telephone pole on west side of road, copper nail.	102, 68
McAllen station, 0.80 mile west by 2.10 miles south of, on summit at west	102.00
side of public highway about 600 feet north of small white house; iron	
post stamped "110 1913 S."	110. 377

From Hidalgo east along military road to Run post office (a double line adjusted to agree with boundary line values +1.423).	
Hidalgo, 1.20 miles east of, telephone pole north of road and about 500 feet	Feet.
west of white house, north side of canal; copper nail	104. 72
Hidalgo, 2.10 miles east of, north side of military road at southeast corner	101.12
of cleared field and about 450 feet east of small bridge over canal; iron	
post stamped "103 1913 S."	102 002
	103. 083
Hidalgo, 3 miles east of property corner, on south fence line of military road,	100 14
about 300 feet north of brick house; copper nail	102. 14
Hidalgo, 3.40 miles east of, 75 feet south of military road between two brick	
houses on Coapoti ranch; United States and Mexico Boundary Commis-	
sion bench-mark reference post 22.	101. 128
Hidalgo, 4.40 miles east of, tree on north side of military road 50 feet east of	
T road north; copper nail	98. 22
Hidalgo, 5.40 miles east of, 1 mile west of San Juan Plantation Sugar Mill,	
south side of road at Troad north to San Juan Station; iron post stamped	
"97 1913 S"	96. 557
Hidalgo, 6.60 miles east of, 5 meters from northwest corner brick house that	
is about 600 feet southeast of San Juan plantation sugar mill; United	
States and Mexico Boundary Commission bench mark reference point 23.	96, 895
Hidalgo, 7.40 miles east of, 1.20 miles east of San Juan plantation sugar mill,	00.000
small stump south of military road and 1,750 feet east of T road north;	
copper nail	93. 36
San Juan sugar mill, 2.30 miles east of, south line of military road on east	<i>9</i> 3. 30
side of ranch; iron post stamped "89 1913 S"	00 040
side of ranch; fron post stamped 69 1915 5	89. 846
San Juan sugar mill, 3.50 miles east of, telephone pole south side of mili-	0= 00
tary road, on east line of ranch; copper nail	87. 30
San Juan sugar mill, 4.60 miles east of, telephone pole south side of mili-	This said
tary road, east side of small depression; copper nail	83. 49
San Juan sugar mill, 5.80 miles east of, 3.10 miles west of Run post office,	
southwest angle of crossroads; iron post stamped "83 1913 S"	83. 037
Run, 2.20 miles west of post office, on south side of military road, 100	
feet west of Donna Canal, in root of stump; copper nail	81. 69
HARLINGEN QUADRANGLE.	
[Latitude 26°-26° 30′; longitude 97° 30′-98°.]	
From Donna east along St. Louis, Brownsville & Mexico Ry. to Llano Grande (single spur line; elevations unreliable).	
Donna, 0.8 mile east of, in base of milepole 22; spike	87. 28
Donna, 1.8 miles east of, in base of milepole 21; spike	84. 88
Donna, 2.2 miles east of, at private road crossing; top of rail	84. 0
	83. 52
Donna, 2.8 miles east of, in base of milepole 20; spike	00.02
Donna, 3.8 miles east of, 30 feet south of milepole 19, in base of section post;	01.05
spike	81. 25
Donna, 4.8 miles east of, in base of milepole 18; spike	75. 62
Llano Grande, about 500 feet west of station, in base of milepole 17; spike.	80. 82
BROWNSVILLE QUADRANGLE.	
[Latitude 25° 30′-26°; longitude 97°-97° 30′.]	
pure the pure the first of the pure the	
From point 9 miles northeast of Brownsville southwest along Rio Grande Ry. to Brownsville (part of a line from Isabel leveled twice).	
Brownsville station, 9 miles east of, 50 feet south of railroad and 25 feet west	
of milepost 9–13; iron post stamped "7 1913 S"	7. 162
Brownsville station, 9 miles east of, in base mile pole 9-13; spike	8. 03

to that out of article strength will say to recount doubles	Feet.
Brownsville station, 8 miles east of, in base milepost 8-14; spike	10. 36
Brownsville station, 6 miles east of, on north right of way line opposite mile-	
post 6–16; iron post stamped "17 1913 S"	17. 331
Brownsville station, 6 miles east of, in base milepost 6-16; spike	17. 30 22. 69
Brownsville station, 5 miles east of, in base milepost 5–17; spike	18. 84
Brownsville station, 3.1 miles east of, on north right of way line about 200	10.04
feet east of milepost 3–19 and north of cattle guard; iron post stamped	
"23 1913 S"	23, 447
Brownsville station, 3.1 miles east of, in top milepost 3-19; copper nail	27. 44
Brownsville, Rio Grande Ry. station; top south rail opposite	33. 1
Brownsville, in northwest angle of intersection of Madison and 11th streets,	
opposite southwest corner of courthouse yard, set on property line; iron	
post, stamped "34 1913 S"	33. 833
Brownsville, in yard of post office; R.P. 43	36. 495
ISABEL QUADRANGLE.	
[Latitude 26°-26° 30'; longitude 97°-97° 30'.]	
From Isabel southwest along Rio Grande Ry. (part of a line to Brownsville leveled twice).	
Point Isabel, in left side of upper step to lighthouse; copper bolt (U.S.C. &	
G.S. b, m, 1).	27. 91
Point Isabel station, 120 feet west of west end of, set 50 feet north of track;	
iron post stamped "9 1913 S"	9. 170
Point Isabel station, 0.80 mile west of, in base milepost 21-1; spike	10. 54
Point Isabel station, 1.8 miles west of, in base milepost 20–2; spike	8. 34
Point Isabel station, 2.3 miles west of, about 310 feet east of west end of	
trestle across lagoon, in south end of stringer, outside piling line; copper	- 00
nail. Point Isabel station, 3.8 miles west of, set about 40 feet south of railroad,	7. 28
opposite milepost 18-4; iron post, stamped "10-1913-S"	9. 790
Point Isabel station, 4.8 miles west of, in base milepost 17–5; spike	7. 47
Point Isabel station, 5.8 miles west of, in base milepost 17-5, spike	3. 62
Point Isabel station, 6.8 miles west of, in base milepost 15–7; spike	2. 83
Point Isabel station, 7.8 miles west of, set on south right of way line opposite	2.00
milepost 14–8; iron post stamped "11 1913 S"	10. 965
Point Isabel station, 8.8 miles west of, in base milepost 13-9; spike	8. 47
Point Isabel station, 9.8 miles west of, set on south right of way line opposite	
milepost 12-10; iron bench mark post stamped "6 1913 S"	6. 654
Point Isabel station, 9.8 miles west of, in base milepost 12-10; spike	8.06
Brownsville station, 11 miles east of, 10.8 miles west of Point Isabel station,	
in b se milepost 11–11; spike.	9. 09
Brownsville station, 10 miles east of, in base milepost 10-12; spike	6. 93
Decemberille Harlingen Isabel Mice Mission Posite Comforduce and	Non Trees

Brownsville, Harlingen, Isabel, Mier, Mission, Rosita, Samfordyce, and San Juan quadrangles.

CAMERON, HIDALGO, AND STARR COUNTIES.

The elevations in the following list were determined from a twice-leveled primary line of the United States and Mexico Boundary Commission and accord with mean sea level. A correction of 1.423 feet has been added to values published in the boundary commission's

report entitled "Survey of the Rio Grande, Roma to the Gulf of Mexico," to accord with an elevation at Brownsville determined in 1913 by the United States Geological Survey by a twice-leveled line from Coast and Geodetic Survey bench mark 1, at Point Isabel.

The positions given west of R. P. 28 were computed in 1914 by the United States Geological Survey and are based upon Coast and Geodetic Survey position for R. P. 28, which is latitude 26° 04' 13.17'', longitude 97° 56' 43.16''. The correction determined for values given in the boundary commission report after converting the same from latitudes and departures to latitudes and longitudes is +1.71 seconds in latitude and -1.82 seconds in longitude.

BROWNSVILLE QUADRANGLE.

[Latitude 25° 30'-26°; longitude 97°-97° 30'.]

Reference-point monuments along the Rio Grande from its mouth to Roma.

On top of sand hill 200 meters north of river and 500 meters west of Gulf; reference-point monument 55.	Feet. 14, 218
On north side of main road 3 kilometers east of Estrella ranch; reference-	11. 210
point monument 54	6. 902
At Port Brownsville, 10 meters from northeast corner of frame house;	
reference-point monument 53	5. 032
Tulsa ranch, 15 meters southeast of house; reference-point monument 52	29.835
San Martin ranch, 5 meters from chimney of house; reference-point	
monument 51	13. 956
El Sauce ranch, 10 meters east of house; reference-point monument 50	14. 317
Sabinito ranch, 6 meters from corner of house; reference-point monu-	
ment 49.	18. 254
San Joaquin ranch, 5 meters from corner of house; reference-point monu-	07 040
ment 48. Frank Rabb house, 42 meters west of northwest corner of; reference-point	27. 342
monument 47	29, 540
Indiana pumping plant, 9 meters from northeast corner of frame house;	29. 540
reference-point monument 46	32, 164
Rancho Nuevo, 1 meter west of southwest corner of frame house; reference-	02. 101
point monument 45	33, 575
Old Fort Brown, at north corner of hospital; reference-point monument 44	35, 511
Brownsville, in post-office yard; reference-point monument 43	36. 495
ROSITA QUADRANGLE.	
[Latitude 25° 30′-26°; longitude 97° 30′-98°.]	
Reference-point monuments along the Rio Grande from its mouth to Roma.	
Las Prietas ranch, 3 meters from house near bank of lagoon south of	
Brownsville road; reference-point monument 42	39.054
Lineno ranch, 9 meters from house near military road; reference-point	
monument 41	37. 906
Carmen ranch, 8 meters from corner of church; reference-point monu-	
ment 40	43. 615
San Pedro ranch, 15 meters from northeast corner of store; reference-	
point monument 39.	47.519

HARLINGEN QUADRANGLE.

[Latitude 26°-26° 30'; longitude 97° 30'-98°.]

Reference-point monuments along the Rio Grande from its mouth to Roma.	
El Puente ranch, 15 meters from southwest corner of house; reference-	Feet.
point monument 38.	46. 436
Calabozo ranch, 5 meters from southeast corner of store; reference-point monument 37.	52. 440
Barranco ranch, 11 meters from northwest corner of bridge; reference-	02. 110
point monument 36	51.062
Llanito ranch, 8 meters from frame house; reference-point monument 35	54. 835
Rucias ranch, 5 meters from northwest corner of brick church; reference- point monument 34	60. 019
Florida ranch, in front of, 2 meters from tomb north of road; reference-point	00.019
monument 33	62. 315
Santa Maria Church yard, 8 meters west of southeast corner of church;	
reference-point monument 32. Zacatal ranch house, 20 meters west of north corner of, east of Brownsville	65. 629
road; reference-point monument 31 (latitude 26° 05′ 08.38″; longitude	
97° 51′ 56.47″)	69. 992
Fordyce ranch house, 12 meters northeast of; reference-point monument 30.	68. 024
Relampago post office, 13.5 meters northeast of, south of Brownsville road and west of Mercedes Canal; reference-point monument 29	71. 797
Tulca ranch, northeast of northeast corner of brick church; reference-	11. 191
point monument 28 (latitude 26° 04′ 13.17″; longitude 97° 56′ 43.16″)	76. 849
Auga Negra ranch, 15 meters southwest of corner of frame house; refer-	
ence-point monument 27 (latitude 26° 05′ 03.96″; longitude 97° 59′	75, 832
49.80")	10.002
SAN JUAN QUADRANGLE.	
]Latitude 26°-26° 15′; longitude 98°-98° 15′.]	
]Latitude 26°-26° 15'; longitude 98°-98° 15'.] Reference-point monuments along the Rio Grande from its mouth to Roma.	
[Latitude 26°-26° 15'; longitude 98°-98° 15'.] Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monu-	83. 149
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″)	83. 149
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″) Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longi-	
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″) Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″).	83. 149 84. 527
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″;	
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″)	
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house;	84. 527
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′	84. 527 91. 318
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″).	84. 527
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′	84. 527 91. 318
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22	84. 527 91. 318 96. 895
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22 (latitude 26° 05′ 11.54″; longitude 98° 13′ 01.98″)	84. 527 91. 318 96. 895
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22 (latitude 26° 05′ 11.54″; longitude 98° 13′ 01.98″). MISSION QUADRANGLE.	84. 527 91. 318 96. 895
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22 (latitude 26° 05′ 11.54″; longitude 98° 13′ 01.98″). MISSION QUADRANGLE. [Latitude 26°-26° 15′; longitude 98°-98° 30′.] Reference-point monuments along the Rio Grande from its mouth to Roma. Hidalgo, yard of abandoned courthouse in; reference-point monument 21	84. 527 91. 318 96. 895 101. 128
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22 (latitude 26° 05′ 11.54″; longitude 98° 13′ 01.98″). MISSION QUADRANGLE. [Latitude 26° 05′ 15′; longitude 98° 98° 30′.] Reference-point monuments along the Rio Grande from its mouth to Roma. Hidalgo, yard of abandoned courthouse in; reference-point monument 21 (latitude 26° 05′ 59.20″; longitude 98° 15′ 43.88″).	84. 527 91. 318 96. 895
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22 (latitude 26° 05′ 11.54″; longitude 98° 13′ 01.98″). MISSION QUADRANGLE. [Latitude 26° 05′ 59.20″; longitude 98° 15′ 43.88″). Hidalgo, yard of abandoned courthouse in; reference-point monument 21 (latitude 26° 05′ 59.20″; longitude 98° 15′ 43.88″). Hidalgo, 2 miles north of, at intersection Brownsville and McAllen roads;	84. 527 91. 318 96. 895 101. 128
Reference-point monuments along the Rio Grande from its mouth to Roma. Run (Old Blanco ranch), in yard of post office at; reference-point monument 26 (latitude 26° 04′ 27.37″; longitude 98° 02′ 25.58″). Hallaway's house, in front of, south of Brownsville road and west of Donna Canal; reference-point monument 25 (latitude 26° 04′ 39.47″; longitude 98° 04′ 34.97″). Weber ranch, 243 meters east of reference-point monument on San Juan del Rio Banco; reference-point monument 24 (latitude 26° 04′ 07.33″; longitude 98° 06′ 17.01″) San Juan plantation, 5 meters from northwest corner of brick house; reference-point monument 23 (latitude 26° 04′ 58.65″; longitude 98° 10′ 09.18″). Capote ranch, 25 meters west of schoolhouse; reference-point monument 22 (latitude 26° 05′ 11.54″; longitude 98° 13′ 01.98″). MISSION QUADRANGLE. [Latitude 26° 05′ 15′; longitude 98° 98° 30′.] Reference-point monuments along the Rio Grande from its mouth to Roma. Hidalgo, yard of abandoned courthouse in; reference-point monument 21 (latitude 26° 05′ 59.20″; longitude 98° 15′ 43.88″).	84. 527 91. 318 96. 895 101. 128

Grangeno ranch, 8 meters from northwest corner of store; reference-point monument 19 (latitude 26° 08′ 07.51″; longitude 98° 18′ 13.14″)	Feet. 108, 936
point monument 18 (latitude 26° 09′ 56.50″; longitude 98° 20′ 01.94″) Hedley ranch house, 40 meters east of, west side Brownsville road; reference-	116. 810
point monument 17 (latitude 26° 11′ 01.58″; longitude 98° 22′ 47.42″) Ojo de Agua ranch, southeast corner of store yard, junction main road and	122. 059
lane; reference-point monument 16 (latitude 26° 11′ 52.64″; longitude 98° 24′ 38.36″). Penitas ranch, about center of, on north side of road in hollow; reference-	122, 584
point monument 15 (latitude 26° 13′ 42.34″; longitude 98° 26′ 46.58″) Monterey ranch, 13 meters southeast of railroad-crossing signpost; reference-	121. 370
point monument 14 (latitude 26° 13′ 55.63″; longitude 98° 27′ 58.35″) Havana ranch, near northwest corner of store building; reference-point	125. 143
monument 13 (latitude 26° 14′ 27.44″; longitude 98° 30′ 26.30″)	128. 916
SAMFORDYCE QUADRANGLE.	
[Latitude 26°-26° 30′; longitude 98° 30′-99°.]	
Reference-point monuments along the Rio Grande from its mouth to Roma.	
Los Ebanos, in yard of schoolhouse; reference-point monument 12 (latitude 26° 14′ 26.18″; longitude 98° 33′ 38.76″)	137, 479
Cuevas and Cuevitas ranches, midway between, near river, 150 meters east of large wash; reference-point monument 11 (latitude 26° 15′ 30.28″;	as refets
longitude 98° 34′ 38.12″)	156. 114
ment 10	139. 579
Garcia and La Grulla, on south side main road midway between, 6 meters	145. 780
east of angle in fence; reference-point monument 8	142. 072
Garcia ranch, 1 meter northeast of southeast corner of church; reference- point monument 7	757 100
Canasta ranch, in center of, on south side of Brownsville road; reference-	151. 423
point monument 6	156. 639
ment 5	155. 819
monument 4. Olmos ranch, 47 meters east of east end of iron bridge across Olmos Creek;	157. 656
reference-point monument 3. Rio Grande City, southeast corner Britton Avenue and First Street, 330	163, 693
meters south of courthouse; reference-point monument 2. Garcia ranch, 2 miles west of Rio Grande City and 60 meters south of	169. 106
main road; reference-point monument 1 Villarreales ranch, 16 meters northwest of northwest corner of brick house;	169. 270
reference-point monument lettered "A". Remolino ranch, 33 meters west of house; reference-point monument	173. 503
lettered "B". Garceno ranch, 24 meters west of frame house; reference-point monument	181. 180
lettered "C"	197. 650
monument lettered "D"	187, 807

MIER QUADRANGLE.

[Latitude 26°-26° 30'; longitude 99°-99° 30'.]

Reference-point monuments along the Rio Grande from its mouth to Roma.

Roma, 40 meters back of church, northeast corner of street; reference-point monument lettered "E". 225.405

Dallas 30' quadrangle, Ferris district.

DALLAS, ELLIS, AND KAUFMAN COUNTIES.

The elevations in the following list were determined by primary leveling and accord with the 1912 adjustment of precise leveling. They depend upon United States Corps of Engineers' precise leveling of 1912 and 1915 along Trinity River.

The leveling was done in 1915 by C. H. Birdseye, E. L. McNair, and R. R. Monbeck.

This work is in six special quadrangles on the Trinity River.

DALLAS QUADRANGLE.

[Latitude 32° 30'-33°; longitude 96° 30'-97°.]

From Lock 2 southeast along west side of Trinity River to Crabtree Ferry and 2 miles southeast of Crabtree Ferry.

Lock 2, on east lock wall, lower end, near gate; sunken chiseled square	Feet.
marked "U.S.P.B.M. No. 1" (U. S. C. E. elevation)	372. 204
Lock 2, on east lock wall, at upper end near ladder; sunken chiseled square marked "U.S.P.B.M. No. 2" (U. S. C. E. elevation)	372, 179
Lock 2, about 1,500 feet south of, 700 feet west of Wilmer Bridge, at south-	3/2.1/9
east corner of T road corners; iron post stamped "Prim. Trav. Sta., No. 34,	
1915, 372 "	371. 842
Wilmer Bridge, about 0.6 mile south of, in middle of north and south	011.012
roadway, in top of low bois d'arc stump; nail, post painted black "U. S.	
B, M, 46"	369. 83
Trinity River, 50 feet west of, 150 feet from cabin, in notch cut on root of	
pecan tree in open field; nail, tree blazed, scribed, and painted black	
"U. S. B. M. 47"	369. 71
Trinity River, about 200 feet west of, 20 feet west of old tram road bed at	
culvert, in notch cut on root of large oak tree on fence line; nail, tree	
blazed, scribed, and painted black "U. S. B. M. 48"	366. 23
Malloy Bridge, about 0.5 mile northwest of, on north side of open field,	
25 feet west of telephone line, in notch cut on root of hackberry tree;	000 04
nail, tree blazed, scribed, and painted black "U.S.B.M. 49"	363. 95
Malloy Bridge, about 0.4 mile S. 60° W. of, on north side of road near	
fence, in notch cut on root of elm tree; nail, tree blazed, scribed, and painted "U.S.B.M. 10"	364, 09
Lock and dam 4, 2 miles northwest of, 1,500 feet north of J. E. Perry's house,	304. 09
at center of road forks; hub	363. 19
Patterson ranch; high-water mark of 1908.	367. 4
Lock and dam 4, 1.5 miles northwest of, opposite small bridge over slough,	0011.1
on south side of road, in root of tree; nail, tree blazed "U.S.B.M. 11"	359. 07
Lock and dam 4, 1.25 miles northwest of, 400 feet east of T road north, at	
corner of woods, in root of elm tree on south side of road; nail, tree blazed	
"U.S.B.M. 12"	358. 22

25286°-Bull. 637-16-9

Lock and dam 4, 0.6 mile northwest of, 200 feet west of river, on west side	Feet.
of levee and fence, in root of tree; nail, tree blazed "U.S.B.M. 13"	360.07
Lock and dam 4, 0.25 mile west of, T road north between old cabin and stable,	
in root of lone elm tree; five nails bent from center of iron washer (old	
t. b. m.)	357. 13
Lock and dam 4, 300 feet west of, 200 feet southwest of lock keeper's house,	
at angle in reservation, on fence line on east side of road, in concrete	
block 20 inches by 20 inches by 48 inches; crosscut. A 3-inch iron pipe	
projects 4 feet from center of block, to which a fence is fastened (station 89,	
Trinity River survey, primary traverse of 1912, marked "U.S.P.B.M.	
No. 3")	358. 639
Note.—U. S. Corps of Engineers' elevation for this, 358.584 feet, was	
not accepted for the reason that the bench mark seems to have been dis-	
turbed. A heavy woven wire fence is so fastened to this concrete block	
that a movement due to pull of fence has probably elevated cross, which is on outside corner from angle in fence.	
Lock and dam 4, in downstream end of west lock wall; crosscut, marked	
"U.S.P.B.M. 4." Bench mark is bottom of square, which is 0.027 foot	
deep (U. S. Corps of Engineers' elevation used)	358. 552
Lock and dam 4, on south end of west lock wall, 6 feet north of U.S.P.B.M. 4,	300.002
in top of lock wall; bronze tablet marked "State of Texas Reclamation	
Department, Austin." (There is a raised star in center. Tablet is not	
stamped)	358. 617
Lock and dam 4, at southwest corner of reservation, 570 feet southwest of	
lock, in west corner of concrete block 20 inches by 20 inches by 48 inches,	
from center of which a 3-inch iron pipe projects, to which wire fence is	
fastened; bottom of chiseled square 0.03 foot deep (station 90 of Trinity	
River survey, primary traverse of 1912)	358. 93
Lock and dam 4, 0.44 mile south of, 500 feet south of negro cabin, 125 feet	
west of river, in root of lone walnut tree; copper nail, tree scribed and	
painted "U.S.B.M." (station 92 of primary traverse of 1912)	357. 84
Lock and dam 4, 0.66 mile south of, on river bank, 20 feet east of road, in	
root of elm tree; tack, tree blazed and painted "U.S.B.M." (station 93	
of primary traverse of 1912).	358. 41
Lock and dam 4, 0.93 mile southeast of, on east side of road, in root of oak tree; tack, tree blazed and painted "U.S.B.M." (station 94 of primary	
	257 00
Lock and dam 4, 1.1 miles southeast of, 210 feet south of T road west, 50	357. 82
feet west of river bank, 30 feet southeast of old store; iron post marked	
COLL COLD II II TO I TO I TO I TO I TO I TO I TO	357. 576
Lock and dam 4, 1.1 miles southeast of, 190 feet northwest of bench mark	301.010
34-S, 50 feet south of well, in root of lone pecan tree; tack, tree blazed	
1 1 1 //TT O TO 3 5 11 /	356. 68
Lock and dam 4, 1.35 miles southeast of, on river bank, 10 feet east of road,	
in root of oak tree; tack, tree blazed and painted "U.S.B.M." (station	
96 of primary traverse of 1912)	356. 68
Crabtree Ferry, 0.38 mile west of, 2 miles southeast of lock and dam 4,	
350 feet south of John Wilson's ranch house, 30 feet north of road, in	
root of pecan tree; copper nail and washer (bench mark is 3 feet west of	
hub, which is primary traverse station 100 of 1912).	355. 051
Crabtree Ferry, on levee on west side of Trinity River, 20 feet west of elm	
tree to which is attached ferry cable, 40 feet north of road to Ferris, in	
top of stake; tack (primary traverse station 101 of 1912)	357. 154

Crabtree Ferry, on levee on west side of Trinity River, 60 feet south of primary traverse station 101, 10 feet south of road to Ferris, projecting	
2 inches from center of concrete block 12 inches by 12 inches by 48	
inches, top of cap of 3-inch iron post marked "U.S.E.D.," not stamped	Feet.
(this is U.S.E.D. p.b.m. 53)	356. 904
Crabtree Ferry, 0.18 mile south of, on top of levee, 250 feet south of cabia,	
on west side of Trinity River, projecting 2 inches from concrete block	
12 inches by 12 inches by 48 inches; top of cap of 3-inch iron post marked	
"U.S.E.D.—Elev.—," not stamped (this is U.S.E.D. p.b.m. No. 52)	356. 634
Crabtree Ferry, 0.21 mile southeast of, on west side of levee, opposite	
blazed telephone pole, 90 feet south of U.S.E.D. p.b.m. 52, in top of	
hub; tack (primary traverse station 102 of 1912)	355. 28
Crabtree Ferry, 0.5 mile southeast of, 125 feet south of new house, on west	
bank of Trinity River, on east side of road, in base of 24-inch oak tree	
bearing an old blazed X underlined three times; railroad spike (State	
of Texas t.b.m. 19)	354. 89
Crabtree Ferry, 0.73 mile southeast of, two pecan trees 10 feet apart, 100	
feet west of road, in root of east tree; tack, tree blazed and painted	- Interior
"U.S.B.M." (primary traverse station 104 of 1912)	352. 89
Crabtree Ferry, 0.9 mile southeast of, on west edge of river road, project-	
ing 2 inches from concrete block 12 inches by 12 inches by 48 inches;	
top of cap of 3-inch iron post marked "U.S.E.D. b.m, Elev," not	
stamped (this is U.S.E.D. p.b.m. 46)	353. 763
Crabtree Ferry, 0.95 mile southeast of, at private road west, 75 feet west	
of river bank, in root of elm tree; tack (station 106 of primary traverse	
of 1912; station 5 of primary traverse of 1915)	353. 54
Crabtree Ferry, 0.95 mile southeast of, at private road west, 20 feet west	
of river bank and 55 feet east of station 106, in root of hackberry tree;	
nail (old t.b.m.; U.S.E.D.?)	353, 90
Crabtree Ferry, 0.95 miles southeast of, in field, 50 feet west of river bank	
and 130 feet southeast of station 106, projecting 2 inches from concrete	
block 12 by 12 by 48 inches; top of cap of 3-inch iron post marked "U.S.	
E.D. b.m. —, Elev. —," not stamped (this is U.S.E.D. p.b.m. 45)	353. 778
Lock 5, about 0.5 mile west of proposed site of, 40 feet south of river bank,	
40 feet east of sharp bend in road where road leaves river, in 12 by 12	
inch block of concrete marked "U.S. IX"; top of cap of 3-inch iron pipe,	
not stamped	353. 424
Crabtree Ferry, 1.35 miles southeast of, 30 feet north of T road corners,	
road bearing N. 60° E., in notch cut on root of oak tree; tack (primary	
traverse station 107 of 1912)	350.75
Crabtree Ferry, 1.5 miles southeast of, at south edge of roadway bearing	
N. 60° E., in notch cut on root of oak tree; tack (primary traverse sta-	
tion 108 of 1912)	350. 38
Lock 5, near site of, near Oxbow bend in river, 80 feet south of river bank,	
30 feet east of hedgerow, 500 feet west of cabin, in 12 by 12 inch block	
of concrete; top of cap of 3-inch iron pipe, not stamped	352. 625
Crabtree Ferry, 1.8 miles southeast of, 600 feet west of Trinity River, at	
right angle in road and telephone line, in concrete block 12 inches by	
12 by 48 inches; top of cap of 3-inch iron post (U.S.E.D. p.b.m. 40)	351. 402
Crabtree Ferry, 2 miles southeast of, 10 feet west of river bank, just east	
of roadway, on line of telephone line, S. 30° E. 889 feet from p.b.m. 40,	
in concrete block 12 inches by 12 inches by 48 inches; top of cap of	
3-inch iron post (U.S.E.D. p.b.m. 39)	351. 406

From Wilmer Bridge along highways southwest 1.2 miles, thence southeast to Hurley's store, thence northeast to point near Malloy Bridge.	
	Feet.
Wilmer Bridge, southwest of, at T road southeast; floor of small bridge	370.4
Wilmer Bridge, southwest of, at T road northwest; center of road	371.1
Wilmer Bridge, southwest of; floor of bridge over slough	371.3
Wilmer Bridge, 1.15 miles southwest of, 20 feet south of roadway, near fence	024.04
line, on root of oak tree; copper nail and washer	374.34
Gravel Slough, 1 mile west of, about 50 feet south of right angle in road, in	
notch cut on root of large pecan tree in roadway; nail, tree blazed,	970 01
scribed, and painted black "U.S.B.M. 44"	370. 91
Gravel Slough, 0.5 mile west of, in open field, in notch cut on root of large	200 20
pecan tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 43"	369.30
Gravel Slough, bridge across, along easterly and westerly road, 10 feet north of east end of, in notch cut on root of hackberry tree; nail, tree blazed,	
scribed, and painted black "U.S.B.M. 42"	367.07
Gravel Slough, 90 feet west of north end of bridge over, in fence line, in	301.01
notch cut on root of hackberry tree; nail, tree blazed, scribed, and	
painted black "U.S.B.M. 41"	364.80
Gravel Slough, about 0.5 mile northwest of Hurley's store, at edge of small	001.00
slough with open field on west, in notch cut on root of large cottonwood	
tree; nail, tree blazed, scribed, and painted "U.S.B.M. 40"	363.68
Gravel Slough, 15 feet southwest of corner of Hurley's store, 300 feet west of	
iron bridge; iron post stamped "Prim. Trav. Sta. No. 24, 1915, 364"	364. 280
From point 1.2 miles southwest of Wilmer Bridge southwest 0.6 mile (single spur line).	
Wilmer Bridge, 1.75 miles southwest of, 800 feet from edge of foothills, 80	
feet north of a slough bridge, 12 feet northwest of center of road; iron	
post stamped "Prim. Trav. Sta. No. 33, 1915, 374"	373. 554
From Hurley's store along highways south 2.5 miles, thence northeast to Lock 4.	
Gravel Slough, 0.6 mile south and 0.3 mile west of Hurley's store, in open	
field at edge of foothills, in notch cut on root of tree; nail, tree blazed,	
scribed, and painted black "U.S.B.M. 9"	369.78
Gravel Slough, 1.15 miles south by 0.43 mile west of Hurley's store, 300 feet	
east of a house, in open field, at edge of foothills, 1,000 feet northwest of a	
cemetery, in notch cut on root of large cottonwood tree; nail, tree blazed,	
scribed, and painted black "U.S.B.M. 8"	361.13
Lock and dam 4, 0.5 mile south and about 2 miles west of, on point of foot-	
hills, about 500 feet north of Tenmile Creek, about 15 feet east of house of	
Mr. Nix; iron post stamped "Prim. Trav. Sta. No. 23, 1915, 384"	384.061
Lock and dam 4, about 1 mile south and 1.75 miles west of, just on north	
side of lock 4 road, in open field, in notch cut on root of pecan tree; nail,	050 05
tree blazed, scribed, and painted black "U.S.B.M. 7"	358.07
Lock and dam 4, 1.2 miles southwest of, about 500 feet east of main channel	
of Tenmile Creek, in root of tree on south edge of road; nail, tree blazed	252 00
"U.S.B.M. No. 14"	353. 80
From point 2.5 miles south of Hurley's store along highways southeast 2.4 miles, thence	
northeast to Crabtree Ferry.	
Lock and dam 4, 2 miles southwest of, on north side of road leading to lock	
4, near west edge of bottom lands, in root of lone tree; nail, tree blazed	0.00
"U.S.B.M. 7".	358.07
Crabtree Ferry, 3 miles due west of, 0.5 mile south of lock 4 road, at north	
end of levee, 60 feet west of cabin, in root of tree; nail, tree blazed "U.S.	050 00
В.М. 6"	358.68

Crabtree Ferry, 3 miles west of, on west edge of bottom lands, on north side	
of road which strikes river 1 mile south of lock 4, on fence line, 50 feet	Feet.
west of blazed tree; iron post stamped "Prim. Trav. Sta. 22"	375.197
Crabtree Ferry, 2.1 miles southwest of, thence 0.7 mile northwest of, in	
woods, 52 feet north of levee, in root of tree; nail, tree blazed "U.S.	
B.M. 5"	352.31
Crabtree Ferry, 2.1 miles southwest of, top of small bridge; high-water	002.01
mark of 1908	000 0
	362.3
Crabtree Ferry, 2.1 miles southwest of, on first rise at west edge of bottom	
lands, private road south, near fence corner on south side of road; iron	
post stamped "Prim. Trav. Sta. 21"	362.980
Crabtree Ferry, 1.65 miles southwest of, on south edge of road, 300 feet east	
of bridge over Tenmile Creek, in root of tree; nail, tree blazed "U.S.	
B.M. 4"	350.97
Crabtree Ferry, 1.15 miles southwest of, 33 feet south of road, in root of tree	
at corner of woods; nail, tree blazed "U.S.B.M. 3"	350.37
Crabtree Ferry, 0.8 mile southwest of, on north side of road from Crabtree	
Ferry to Ferris, 4 feet south of bois d'arc tree, in top of hub; copper nail.	351.25
Torry to rotat, recovered to some a tro-	001.20
From point 1 mile southeast of Crabtree Ferry northwest along highway to point 0.8	
mile west of Crabtree Ferry.	
Crabtree Ferry, 0.7 mile south of, 0.5 mile south of road, on fence line, in	
root of tree; nail, tree scribed and painted "U.S.B.M. 1"	250 02
Crabtree Ferry, 0.9 mile southwest of, 0.25 mile south of road, at angle in	350.03
woods line, in root of tree on fence line; nail, tree blazed and painted	
"U.S.B.M. 2"	349. 92
"U.S.B.M. 2" At lock and dam 4 east side of river.	349. 92
At lock and dam 4 east side of river.	349. 92
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of	349. 92
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete;	349. 92
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M.	349, 92
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete;	349. 92 364. 772
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915)	
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915)	
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915)	
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65"	364. 772
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65" From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity	364. 772
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65"	364. 772
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915). Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north.	364. 772
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915). Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet	364, 772 359, 577
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer.	364. 772
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364, 772 359, 577
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364, 772 359, 577 348, 72
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364, 772 359, 577
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364, 772 359, 577 348, 72
At lock and dam 4 east side of river. Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915). Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer. County corner, about 0.5 mile south of, 200 feet north of left bank of river, in woods, in notch cut on root of oak tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 19". County corner, 0.5 mile south and 0.5 mile east of, about 150 feet north of river bank, in thick woods, in notch cut on root of hackberry tree; nail,	364. 772 359. 577 348. 72 349. 20
Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65" From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364, 772 359, 577 348, 72
Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65" From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364. 772 359. 577 348. 72 349. 20
Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer County corner, about 0.5 mile south of, 200 feet north of left bank of river, in woods, in notch cut on root of oak tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 19". County corner, 0.5 mile south and 0.5 mile east of, about 150 feet north of river bank, in thick woods, in notch cut on root of hackberry tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 20". County corner, about 0.5 mile south and 0.6 mile east of, 50 feet northeast of river bank, in thick woods, in concrete block 12 inches by 12 inches by	364. 772 359. 577 348. 72 349. 20
Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65" From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer	364. 772 359. 577 348. 72 349. 20
Lock and dam 4, on east side of river, 75 feet east of wing wall, at east end of dam, on highest point in field, in 12-inch by 12-inch block of concrete; 3-inch iron pipe marked "U.S.E.D.", not stamped but painted "B.M. No. 66" (line of 1915) Lock and dam 4, on east side of river, near southeast corner of reservation, on fence line, on west side of road; iron post marked "U.S.E.D.", not stamped but painted "B.M. No. 65". From point 2 miles southeast of Crabtree Ferry along highways east side of Trinity River to point 0.5 mile south by 0.6 mile east of county corner, thence north. Ellis, Dallas, and Kaufman counties, corner of, 20 feet north and 15 feet east of, on notch cut at base of elm tree; copper nail and washer County corner, about 0.5 mile south of, 200 feet north of left bank of river, in woods, in notch cut on root of oak tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 19". County corner, 0.5 mile south and 0.5 mile east of, about 150 feet north of river bank, in thick woods, in notch cut on root of hackberry tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 20". County corner, about 0.5 mile south and 0.6 mile east of, 50 feet northeast of river bank, in thick woods, in concrete block 12 inches by 12 inches by	364. 772 359. 577 348. 72 349. 20

From point 0.5 mile south by 0.6 mile east of county corner along highways east 0.7 mile, thence north to point 2.3 miles east of Crabtree Ferry, thence west to Crabtree Ferry.	
County corner, 0.55 mile south and 0.9 mile east of, in thick woods, in notch cut on root of elm tree; nail, tree blazed scribed, and painted black "U.S.B.M. 21"	Feet. 346. 82
Parsons Slough, in notch cut at base of dead ash tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 22"	344. 54
end of Chester Harlan's open field, close to wire fence line with woods on south; iron post stamped "Prim. Trav. Sta. No. 25, 1915, 357"	357. 150
Ed Harlan's house, 60 feet north of edge of timber and lowland, 15 feet west of fence, in notch cut on root of oak tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 23"	349. 92
County corner, about 1 mile east and 0.85 mile north of, on land of Dr. Glenn and about 400 feet from F. A. Jenkins's house, in notch cut on root of oak tree; nail, tree blazed, scribed, and painted black "U.S.	
B.M. 24" County corner, 1.2 miles north and 0.4 mile east of, 0.3 mile northeast of bridge over Parsons Slough, south side of road, at edge of foothills, 2 feet from wire fence line; iron post stamped "Prim. Trav. Sta. No. 26, 1915,	359. 78
354"	353. 824
scribed, and painted black "U.S.B.M. 26"	351. 42
root of ash tree; nail, tree blazed, scribed, and painted "U.S.B.M.18" Crabtree Ferry, about 0.8 mile east of, near right angle in road, in notch cut on root of double elm tree; nail, tree blazed, scribed, and painted	349. 68
"U.S.B.M. 17". Crabtree Ferry, about 0.7 mile east of, along roadway, 6 feet north of fence line, in notch on root of ash tree; nail, tree blazed, scribed, and painted	350. 10
black "U.S.B.M. 16". Crabtree Ferry, about 1,200 feet east of, 50 feet south of a cabin, about center of roadway, in notch cut on root of oak tree; nail, tree blazed,	350. 05
scribed, and painted black "U.S.B.M. 15". Crabtree Ferry, 450 feet southeast of, 85 feet east of angle in road turning away from river, on south side of road, in 12-inch by 12-inch block of con-	354. 40
crete; 3-inch iron pipe (U.S.E.D. p.b.m. No. 54. New line of 1915) From point 1.5 miles east of Crabtree Ferry along highways northwest to point 0.5 mile north by 0.7 mile east of Malloy Bridge, thence southwest to Malloy Bridge.	355. 888
Dallas, Ellis, Kaufman county corner, 1.6 miles northwest of, in open field, in notch cut at base of large pecan tree; nail, tree blazed, scribed, and painted "U.S.B.M. 27".	353. 98
County corner, 2.1 miles northwest of, thick woods, in notch at base of ash tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 28"	352. 65
and open field on north, in notch cut on root of hackberry tree; nail, tree blazed, scribed, and painted "U.S.B.M. 29"	355, 56

Lock 4, about 1.5 miles east of, north side of cleared field, at fence corner,	
fence east and west and north, strip of woods on northeast; iron post	Feet.
stamped "Prim. Trav. Sta. No. 35, 1915, 358"	357. 878
Lock 4, 1.5 miles east of; approximate high-water mark on cabin	363. 8
Hamilton Ridge, 0.7 mile southeast of, woods east, west, and north, open	
field on south, 15 feet northeast of farm roadway, in notch cut on root of	
large ash tree; nail, tree blazed, scribed, and painted black "U.S.B.M.	
30"	356. 65
Hamilton Ridge, 0.3 mile southeast of, scattering strip of woods with open	
field on north and south, in notch cut on root of persimmon tree; nail,	
tree blazed, scribed, and painted black "U.S.B.M. 39"	359. 19
Hamilton Ridge, said to be highest part of Bois D'Arc Island, 15 feet east of	
corner of tenant house, land of Mr. Much, of Ferris; iron post stamped	
"Prim. Trav. Sta. No. 36, 1915, 369"	368, 861
Hamilton Ridge, 0.3 mile northwest of, thick woods, in notch cut at base of	
large dead ash tree; nail, tree blazed, scribed, and painted black	
"U.S.B.M. 38"	359. 75
Hamilton Ridge, 0.8 mile northwest of, about 0.5 mile southeast from Sea-	
gorville-Ferris road, in thick woods, in notch cut at base of ash tree;	
nail, tree blazed, scribed, and painted black "U.S.B.M. 37"	361. 61
Malloy Bridge, 0.5 mile north and 0.7 mile east of, on northwest side of road,	
5 feet from fence line, 200 feet west of small bridge; iron post stamped	001 000
"Prim. Trav. Sta. No. 31, 1915"	361. 868
Malloy Bridge, about 300 feet east of, 100 feet south of vacant building,	
2 feet east of fence line on east side of road, in concrete block 12 inches	
by 12 inches by 48 inches; top of cap of 3-inch iron post (U.S.E.D. p. b.	000 155
m. 15; number not marked. A similar p. b. m. is 529 feet due north)	363. 455
Malloy Bridge, 132 feet east of pier, on graded embankment leading to	
bridge; iron post stamped "Prim. Trav. Sta. No. 32, 1915, 369" (U.S.G.S.	
equals station 75 in 1915 traverse line of U.S.E.D.; apparently they have not located the two bench marks noted above)	368. 772
Malloy Bridge; floor at center of	372. 3
Malloy Bridge, in top of northeast pier; bronze tablet marked "State of	312.3
Texas Reclamation Department'' (not stamped)	367. 997
	501. 551
From point 2.3 miles east of Crabtree Ferry along highways northwest 4.9 miles,	
thence west and southwest to point 0.5 mile north by 0.7 mile east of Malloy Bridge.	
Dallas, Ellis, and Kaufman county corner, 1.75 miles north and 0.1 mile	
east of, 70 feet east of edge of timber and at edge of lowland, in notch	
cut on root of ash tree; nail, tree blazed, scribed, and painted black	051 00
"U.S.B.M. 25". Primary traverse station 26, about 40 feet from, high-water mark of 1908,	351. 88
on south side of chinaberry tree; nail	250 6
County corner, 2 miles north of, at milepost 28 on Dallas- Kaufman county	359. 6
line, in open field on land owned by C. W. Hanes, in top of hub along-	
	267 0
side post; tack	367. 0
Hanes's land, on north side of lane, 700 feet northeast from edge of woods	
and lowland, 1.5 feet from wire fence line; iron post stamped "Prim.	
Trav. Sta. No. 27, 1915, 359"	359. 171
Parsons Slough Bridge, 0.9 mile east, thence 3 miles south of, about 400	500.111
feet west of Mr. Tyler's house, in notch cut on leaning oak tree; nail, tree	
blazed, scribed, and painted "U.S.B.M. 31"	356. 68
National Docational Management of the second	

Parsons Slough Bridge, 0.9 mile east, thence 2.5 miles south of, in notch	
cut on root of large pecan tree in open field; nail, tree blazed, scribed,	Feet.
and painted black "U.S.B.M. 32"	358. 06
Parsons Slough Bridge, 0.9 mile east, thence 1.9 miles south of, 150 feet	
northeast of edge of timber, in open field, in notch cut on root of large	
pecan tree; nail, tree blazed, scribed, and painted black "U.S.B.M. 33".	358. 71
Parsons Slough Bridge, 0.9 mile east, thence 1.5 miles south of, 50 feet	
north of corner of Mr. Finley's farmhouse, 20 feet northeast of gate be-	
side wire fence; iron post stamped "Prim. Trav. Sta. No. 28, 1915, 366"	365. 936
Parsons Slough Bridge, 0.9 mile east, thence 1 mile south of, about 0.5	
mile north of Mr. Finley's farmhouse, 65 feet east of a tenant house,	
in notch cut on root of hackberry tree; nail, tree blazed, scribed, and	12000
painted black "U.S.B.M. 34".	363. 56
Parsons Slough Bridge, 0.9 mile east, thence 0.5 mile south of, about 1	
mile north of Mr. Finley's farmhouse, in laneway bearing northeasterly,	
at edge of lowland and timber, in notch cut on root of pecan tree; nail,	000 05
tree blazed, scribed, and painted "U.S.B.M. 35"	362. 35
Parsons Slough Bridge, about 0.9 mile east of, on Seagoville-Ferris road, 150 feet east of levee and ditch, 7 feet northwest of fence line; iron post	
stamped "Prim. Trav. Sta. No. 29, 1915, 373"	373. 373
Parsons Slough Bridge, about 75 feet northeast of north end of, on Seago-	313. 313
ville-Ferris road, on top of levee, 3 feet from wire fence; iron post stamped	
"Prim. Trav. Sta. No. 30, 1915, 367".	367. 034
Malloy Bridge, about 1 mile north and 1.2 miles east of, 50 feet northwest	001.001
of center of road, in notch cut on root of hackberry tree; nail, tree blazed,	
scribed, and painted "U.S.B.M. 36"	361, 50
Brushy Slough; floor of bridge over	362. 9
Farmersville, Mineola, Sulphur Springs, and Wills Point quadrangles.	Mineola

District. HUNT, RAINS, SMITH, AND WOOD COUNTIES.

The elevations in the following list were determined by primary leveling and accord with the 1912 adjustment.

The leveling was done in 1915 by R. R. Monbeck.

FARMERSVILLE QUADRANGLE.

[Latitude 33°-33° 30'; longitude 96°-96° 30'.]

From Greenville southeast along Missouri, Kansas & Texas Ry. to Sabine River bridge.	
Greenville, in top step to main (Lee Street) entrance to Hunt County courthouse, near base of right-hand columns of two false arches forming part of entrance, 5 inches from adjacent corners of arches; intersection of	Feet.
lines in end of copper bolt (C. & G. S. b. m. M ₂)	548. 368
Greenville, on Central schoolhouse on Weslie Street, on part of building	
jutting out to form main entrance, in stone in fifth tier above ground,	
about 4.5 feet from north side of main entrance, 10 inches from edge of	
stone; intersection of lines in end of copper bolt (C. & G. S. b. m. K2)	540.931
Greenville, 1 mile southeast of courthouse, 600 feet north of Fair Ground	
entrance, 300 feet southeast of broom factory, in end of tie beside switch;	
copper nail	531.14
Greenville, 1.4 miles southeast of, intersection of Missouri, Kansas & Texas	
Ry. and Texas Midland Ry.; top of rail	512.3
Greenville, 1.5 miles southeast of, bridge H 714.9; top of rail	511.0

Greenville, 2 miles southeast of, southeast corner of bridge H 715.5, in end	Feet.
of bridge timber; copper nail	511.79
Greenville, 2.7 miles southeast of, bridge H 715.9; top of rail	509.6
Greenville, 3.3 miles southeast of, 300 feet northwest of road crossing, 300	
feet southeast of house, 120 feet north of track, in top of concrete pier;	500 207
bronze tablet stamped "500". Greenville, 3.8 miles southeast of, bridge H 718.9; top of rail	500.307 499.5
Greenville, 4.3 miles southeast of, 40 feet north of road crossing, in top of	499.0
stump between road forks; copper nail	526. 20
Greenville, 5 miles southeast of, bridge H 718.1; top of rail	525.9
Greenville, 5.5 miles southeast of, 80 feet west of road crossing, 10 feet south	
of road, in top of stump, 4.5 feet above ground; copper nail	534.61
Dixon, 1.1 miles northwest of, road crossing; top of rail	508.4
Dixon, 0.8 mile northwest of, 100 feet east of road forks, 400 feet southwest	
of white house, 20 feet southeast of road crossing, in bridge timber; top of	
painted bolt	507.38
Dixon, 0.5 mile northwest of, road crossing at crossroads; top of rail	505.1
Dixon, 100 feet south of station, 150 feet northwest of white house, 20 feet	
south of road, 2 feet south of fence corner; iron post stamped "503"	502.670
Dixon, 0.5 mile southeast of, road crossing; top of rail	495.6
Dixon, 1 mile southeast of, 80 feet southwest of road crossing, 10 feet south	101.05
of road, in top of stump, 4.5 feet above ground; copper nail	494. 25
Dixon, 1.5 miles southeast of, bridge H 721.6; top of rail.	467.1
Haynes siding, 1.8 miles southeast of Dixon, 270 feet northwest of road crossing, east end of bridge, in tie beside switch; copper nail	462.17
Dixon, 2.2 miles southeast of, trestle H 722.4; top of rail.	460.1
Dixon, 2.6 miles southeast of, east end of steel bridge over Sabine River,	100.1
south end of concrete abutment; bronze tablet stamped "460"	460. 259
MINEOLA QUADRANGLE.	Same?
[Latitude 32° 30′-33°; longitude 95°-95°30′.]	
From Mineola northeast along highways to Scroggins.	
Mineola, 1,200 feet east of station, 150 feet southeast of Mineola Box Fac-	
tory, 150 feet southwest of cotton gin, 40 feet north of Texas & Pacific	
track, 10 feet west of fence corner; iron post stamped "414, Prim. Trav.	
Sta. No. 8"	413. 838
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above	
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	413. 838 406. 75
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4 479. 147
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4 479. 147
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4 479. 147 395. 42
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4 479. 147 395. 42 376. 64
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4 479. 147 395. 42
Mineola, 1 mile north of, at drain crossing, 15 feet west of road, 2 feet above ground, in side of sweet gum tree; copper nail	406. 75 440. 33 408. 4 479. 147 395. 42 376. 64

Quitman, 2.6 miles south of, near southwest end of steel bridge over Lake	
Fork of Sabine River, north concrete pier for steel support, 20 feet west of	Feet.
fence; bronze tablet stamped "331"	330. 692
Quitman, 1.2 miles south of, 200 feet east of house 20 feet west of road, 10	
feet south of fence corner, in root of oak tree; copper nail	381. 87
Quitman, 60 feet northeast of Wood County courthouse, in south side of	
concrete pier at base of southwest supporting column to water tower;	
bronze tablet stamped "413"	412. 751
Quitman, 0.9 mile northeast of, 250 feet south of house, 20 feet east of road,	112. 101
in base of oak tree; copper nail.	415. 34
Quitman, 2.1 miles north of, northwest corner of steel bridge over Dry Creek,	110.01
southwest corner of concrete abutment; center of painted circle	362. 71
Quitman, 3 miles northeast of, 60 feet northwest of Mr. Warlick's residence,	
30 feet east of road, beside fence corner, 1,200 feet south of road forks;	112
iron post stamped "446"	445. 700
Quitman, 4 miles northeast of, 200 feet north of Forest Hill Schoolhouse,	
20 feet south of road, in root of hickory tree; copper nail	448. 34
Quitman, 5 miles northeast of, 250 feet northwest of house, 20 feet south	
of road, in base of oak tree; copper nail	480. 61
Quitman, 6.2 miles northeast of, bend of road at foot of hill, 100 feet west of	
house, 30 feet south of road, 2 feet east of gatepost; iron post stamped	
"463"	462. 580
Quitman, 7 miles northeast of, 10 feet northwest of crossroads, in root of large	
stump; copper nail	473, 90
Quitman, 8 miles northeast of, 40 feet east of bridge, 30 feet northeast of	
drain, 30 feet south of road, in top of stump; copper nail	443. 60
Winnsboro, 6.9 miles southwest of, 1,600 feet west of Sandy Creek bridge,	110. 00
100 feet northeast of road forks, 140 feet north of house, at southwest corner	
of orchard, 2 feet north of gatepost; iron post stamped "434"	433, 472
of orchard, 2 feet north of gatepost, from post stamped 434	455, 472
Sandy Creek, steel bridge over, in timber at northwest corner of bridge;	000 00
copper nail.	398. 02
Winnsboro, 5.7 miles southwest of, 250 feet southwest of white church, 250	121.44
feet north of house, 15 feet east of road, in top of oak stump; copper nail.	464. 08
Winnsboro, 4.7 miles southwest of, 150 feet east of house, at road forks, in	
top of oak stump; copper nail	454. 31
Winnsboro, 3.7 miles southwest of, 500 feet east of white house, 20 feet east	
of road, 8 feet south of fence corner; iron post stamped "432"	432. 202
Winnsboro, 2.4 miles southwest of, 30 feet west of road, 300 feet west of	
house, in top of stump; copper nail	458. 94
Winnsboro, 1.4 miles southwest of, at drain crossing, 30 feet east of road, 20	
feet southeast of fence corner, in top of stump; copper nail	469. 18
Winnsboro, 200 feet northwest of station, 80 feet north of track, center of	
intersecting streets, concrete water trough supporting column with	
electric lights, on shelf at east side of column; bronze tablet stamped	
"525"	524. 477
Winnsboro, opposite semaphore at station; top of rail	522. 1
Winnsboro, 0.4 mile east of, bridge X 767.2; top of rail	504. 4
Winnsboro, 0.9 mile east of, bridge X 767.7; top of rail	500. 9
East Winnsboro, 400 feet west of station, 4 feet north of road, 40 feet south-	000.0
east of switch, in top of stump; copper nail	507. 40
Winnsboro, 2.4 miles east of, 50 feet south of track, 500 feet west of bridge	001. 40
Willisporo, 2.4 miles east of, oo feet south of track, ooo feet west of bridge	471 67
X 769.2, in top of fence corner; copper nail.	471. 67
Winnsboro, 3.5 miles east of, 50 feet south of private road crossing, 20 feet	460 00
southeast of gate, in top of charred stump; copper nail	460. 02

	Treat
Winnsboro, 4.1 miles east of, public road crossing; top of rail	Feet. 432.7
Winnsboro, 4.8 miles east of, 400 feet east of private-road crossing, 450 feet	102.1
southeast of house, 60 feet south of track, in root of tree; copper nail	422.55
Scroggins, 1.6 miles west of, bridge X 772; top of rail	407.7
Scroggins, 1 mile west of, 40 feet north of private road crossing, 150 feet	
southeast of house, in root of oak tree; copper nail	402.95
Scroggins, 6 telegraph poles east of station, 45 feet east of east end of wooden	
bridge and 12 paces south, 7 feet within right-of-way fence, in top of lime-	
stone post; bottom of square (C. & G. S. bench mark V ₂)	355.846
Table	
From Mineola south 2.6 miles along highway to north bank of Sabine River. (Leveled twice; portion of line.)	
Mineola, 1.9 miles south of, 30 feet north of culvert, center of road, in top of	007 00
stump; iron nail and washer.	335.32
Mineola, 2.4 miles south of, at north edge of Sabine River bottom, at north	
end of embankment approach to bridge, in line with Dump road going south, 70 feet northeast of center of road and 2 feet south of wire fence;	
iron post stamped "328, Prim. Trav. Sta. No. 16"	328.377
iron post stamped 328, Frim. 1rav. Sta. No. 10	340.311
From point 2.6 miles south of Mineola southeast along highways and International &	
Great Northern Ry. to Eads flag station, thence west along highway south side of	
Sabine River and north across river to starting point.	
Mineola, 2.4 miles south by 0.4 mile east of, 0.4 mile below Dump road, near	
wire fence, in base of post-oak tree with top broken off; nail	323.87
Mineola, 2.4 miles south by 0.8 mile east of, in cornfield, 100 feet northeast	
of edge of thicket, in root of walnut tree; nail	329.61
Eads (flag station), 2.1 miles northwest of, 2,200 feet southeast of Interna-	
tional & Great Northern Ry. milepost No. 42, 37 feet west of center of	
track, 1.5 feet east of right-of-way fence, about 150 feet north of river	Car Tall
bottom land; iron post stamped "330, Prim. Trav. Sta. No. 15, 1915"	329.498
Bridge over slough; top of rail.	324.4
Eads (flag station), 1.6 miles northwest of, bridge 107½ over slough, west	007 50
end of south abutment, in end of timber; copper nail	321.56
Bridge 107, 700 feet east of sawmill, at center of bridge; top of rail	324.8
Eads (flag station), 0.7 mile northwest of, west end of north abutment of International & Great Northern Ry. bridge No. 106½, in end of timber:	
copper nail	322.02
North end of trestle 105; top of rail.	325.0
Sabine River bridge, south end of; top of rail	327.5
Eads (flag station), 75 feet east of track, opposite signboard, 50 feet south-	021.0
east of cabin, about 200 feet from south end of Sabine River bridge, 15	
inches west of wire fence; iron post stamped "328, Prim. Trav. Sta. No.	
14, 1915''	327.874
Eads (flag station), 0.7 mile west of, across river, about 450 feet west of	
primary traverse temporary bench mark 21, on point of ridge 500 feet	
west of small creek (40 feet west of transit station No. 216), in top of large	
stump: copper nail	338.190
Mineola, 3.7 miles south, thence 1.5 miles southeast of, 600 feet southwest	
of primary traverse temporary bench mark 20, 100 feet south of fence cor-	
ner, in lane between fences, in root of oak tree; iron nail	319.45
Mineola, 3.7 miles south, thence 1.1 miles southeast of, 500 feet east of creek,	
in open timber at edge of bottom, 150 feet north of knoll 20 feet high; iron	
post stamped "323, Prim. Trav. Sta. No. 13, 1915"	322.604

Mineola, 3.7 miles south, thence 0.7 mile southeast of, 100 feet south of traverse line, 200 feet east of drain, 25 feet southeast of charred stump, 6 feet	
north of trail, in top of stump; nail and iron washer Mineola, 3.7 miles south of, about 80 feet west of primary traverse temporary bench mark 18 (under water Mar. 10), at south end of Dump road, southeast corner of bridge over slough, in top of pile; nail and iron washer. Mineola, 3.4 miles south of, about 180 feet south of primary traverse temporary bench mark 25 (under water Mar. 10), northeast concrete pier of steel bridge over creek, end of truss, at corner of steel plate; top of painted rivet Mineola, 2.9 miles south of, about 300 feet north of primary traverse tem-	Feet. 323. 60 327. 80 326. 00
porary bench mark 24 (under water Mar. 10), at south end of 240-foot bridge over slough, beside east railing, 8 feet from end of bridge; nail and iron washer. From point 2.6 miles south of Mineola west 1 mile.	324.64
Mineola, 2.4 miles south by 0.4 mile west of, 40 feet south of fence at edge of field, in root of leaning post-oak tree 24 inches in diameter; nail	320. 55 322. 10
From point 4 miles south by 0.7 mile west of Mineola east 0.7 mile to south end of Dump road.	THE STATE OF THE S
Mineola, 3.7 miles south by 0.7 mile west of, at bend of road, beside wire fence north of cotton field, 15 feet south of fence corner; iron post stamped "331, Prim. Trav. Sta. No. 12, 1915'.	331.066
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail.	320. 39
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch	320. 39
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail	320.39
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail	320.39
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak. Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post;	471.8
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post	471. 8 509. 13
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge	471. 8 509. 13 530. 603
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt.	471. 8 509. 13
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail.	471. 8 509. 13 530. 603
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail. Lone Oak, 400 feet north of station, 100 feet west of track, southeast corner of J. W. Bass's hardware store; iron post stamped "561".	471. 8 509. 13 530. 603 547. 27 563. 6 560. 760
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail. Lone Oak, 400 feet north of station, 100 feet west of track, southeast corner of J. W. Bass's hardware store; iron post stamped "561". Lone Oak, opposite semaphore at station; top of rail.	471. 8 509. 13 530. 603 547. 27 563. 6
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail. Lone Oak, 400 feet north of station, 100 feet west of track, southeast corner of J. W. Bass's hardware store; iron post stamped "561". Lone Oak, opposite semaphore at station; top of rail. WILLS POINT QUADRANGLE.	471. 8 509. 13 530. 603 547. 27 563. 6 560. 760
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail. Lone Oak, 400 feet north of station, 100 feet west of track, southeast corner of J. W. Bass's hardware store; iron post stamped "561". Lone Oak, opposite semaphore at station; top of rail. WILLS POINT QUADRANGLE. [Latitude 32° 30'-33°; longitude 95° 30'-96°.]	471. 8 509. 13 530. 603 547. 27 563. 6 560. 760
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30′; longitude 95° 30′-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail. Lone Oak, 400 feet north of station, 100 feet west of track, southeast corner of J. W. Bass's hardware store; iron post stamped "561". Lone Oak, opposite semaphore at station; top of rail. WILLS POINT QUADRANGLE. [Latitude 32° 30′-33°; longitude 95° 30′-96°.] From Lone Oak southeast along Missouri, Kansas & Texas Ry. to Mineola.	471. 8 509. 13 530. 603 547. 27 563. 6 560. 760
Mineola, 3.7 miles south by 0.2 mile west of, about 0.2 mile west of south end of Dump road, center of road, 15 feet south of fence, in root of 8-inch elm tree; nail. SULPHUR SPRINGS QUADRANGLE. [Latitude 33°-33° 30'; longitude 95° 30'-96°.] From bridge over Sabine River southeast along Missouri, Kansas & Texas Ry. to Lone Oak, 3.9 miles northwest of, bridge H 723.5; top of rail. Lone Oak, 3.1 miles northwest of, 200 feet southwest of Hall schoolhouse, 20 feet east of road crossing, at corner of cattle guard, in top of post; copper nail. Lone Oak, 2.1 miles northwest of, 1,000 feet west of Hall Church, 100 feet east of road crossing, in angle of fence 4 feet east of corner; iron post stamped "531". Lone Oak, 1.1 miles northwest of, south corner of bridge H 726.3, in bridge timber; top of painted bolt. Lone Oak, 0.7 mile northwest of station, road crossing at north edge of town; top of rail. Lone Oak, 400 feet north of station, 100 feet west of track, southeast corner of J. W. Bass's hardware store; iron post stamped "561". Lone Oak, opposite semaphore at station; top of rail. WILLS POINT QUADRANGLE. [Latitude 32° 30'-33°; longitude 95° 30'-96°.]	471. 8 509. 13 530. 603 547. 27 563. 6 560. 760

PRIMARY LEVELING.

Lone Oak, 2.3 miles southeast of, 30 feet southwest of private-road crossing, in gatepost; upturned end of ½-inch bolt.	Feet. 554. 08
Lone Oak, 3.5 miles southeast of, 40 feet northeast of private-road crossing,	1
3 feet north of gatepost; iron post stamped "532"	532, 158
Lone Oak, 4 miles southeast of, bridge H 731.4; top of rail.	513. 7
Lone Oak, 4.3 miles southeast of, bridge H 731.7; top of rail	508. 7
Point, 1.4 miles northwest of, south corner of bridge H 720.0, in bridge tim-	000. 1
ber; top of painted bolt	506. 63
Point, 150 feet south of station, 2 feet east of northeast corner of frame	000.00
	526. 544
building at north end of Main Street; iron post stamped "527"	020. 044
Point, 0.8 mile southeast of, 500 feet north of white house, 20 feet north of	T00 F4
road crossing, at east side of cattle guard, in top of stake; copper nail	528. 54
Point, 1 mile southeast of, bridge H 734.4; top of rail	528. 3
Point, 2 miles southeast of, northwest corner of bridge H 735.3, in bridge	F10 P7
timber; top of painted bolt	513. 71
Point, 3.1 miles southeast of, 100 feet west of road crossing, 20 feet north-	
east of road forks, 2 feet inside right-of-way fence; iron post stamped	F10 01F
"513"	513. 215
Point, 3.4 miles southeast of, bridge H 736.9; top of rail	502. 7
Emory, 3.1 miles northwest of, 70 feet southwest of road crossing, 30 feet	
north of large oak tree, in top of oak stump; copper nail	502. 63
Rains old switch, 250 feet northwest of, road crossing; top of rail	491. 7
Emory, 2.2 miles northwest of, southeast corner of bridge H 738.8, in end	
of bridge timber; top of painted bolt.	496. 79
Emory, 1.6 miles northwest of, bridge H 739.4; top of rail	491. 4
Emory, 1.2 miles northwest of, northwest corner of bridge H 739.7, in end	
of bridge timber; top of painted bolt	495. 88
Emory, 0.5 mile northwest of, bridge H 740.4; top of rail	478.9
Emory station, opposite semaphore; top of rail	469. 2
Emory, Rains County courthouse, at right side of concrete steps to north-	
west entrance, in end of top step; bronze tablet stamped "483"	483. 057
Emory, 1.5 miles southeast of, 80 feet south of road crossing, 10 feet south	
of gate, in top of charred stump; copper nail	482.08
Emory, 2.2 miles southeast of, bridge H 742.8; top of rail	458.3
Ginger, 0.6 mile northwest of, 2.7 miles southeast of Emory, 20 feet south-	
east of road crossing, in south side of cattle guard; top of painted bolt	480.00
Ginger, 30 feet north of station, 50 feet northeast of track, 2 feet south of	
corner of Ginger drug store (deserted); iron post stamped "477"	476. 714
Ginger, 0.4 mile southeast of, at south corner of bridge H 744.4; top of bolt	457.9
Ginger, 1 mile southeast of, 100 feet northeast of road crossing, 10 feet south	
of road, in base of oak tree; copper nail	464.86
Ginger, 1.4 miles southeast of, water tank; top of rail	458. 0
Ginger, 2 miles southeast of, 20 feet northwest of road crossing, 200 feet	
northeast of house, in timber at west side of cattle guard; top of painted	
bolt	464.96
Ginger, 2.9 miles southeast of, bridge H 746.7; top of rail	467. 4
Alba, 3.1 miles northwest of, clearing switch, 80 feet east of road crossing,	
20 feet north of road; iron post stamped "456"	456. 429
Alba, 2.1 miles northwest of, 100 feet north of road crossing, 20 feet east of	
road, in top of stump; copper nail.	478. 68
Alba, 1 mile northwest of, 40 feet southwest of private-road crossing; painted	
end of lower hinge to gate.	476. 93
Alba, 0.7 mile northwest of, bridge H 749.5; top of rail	464. 4
Alba, northwest edge of town site, road crossing; top of rail	468. 2
Asserting the series of the se	

Alba, 200 feet north of station, 100 feet northeast of track, 50 feet northwest	
of road, at southwest corner of red frame building; iron post stamped	Feet.
"450"	450. 395
Alba station, opposite semaphore; top of rail	450.8
Alba, Texas Short-Line Junction, intersection of tracks; top of rail	435. 0
Alba, 1.2 miles southeast of, 100 feet west of road crossing, 10 feet northeast	
of road, in top of stump; copper nail	443. 93
Alba, 1.5 miles southeast of, bridge H 751.8; top of rail	435. 3
Alba, 2.2 miles southeast of, 60 feet northeast of old road crossing, 10 feet	
northeast of right of way fence, in top of large oak stump; copper nail	452. 97
Alba, 3.1 miles southeast of, bridge H 753.3, 400 feet southeast of Craver	
switch; top of rail.	424. 72
Alba, 3.4 miles southeast of, 600 feet northwest of house, 50 feet northwest	
of track, 150 feet south of yard limit signboard, 15 feet south of oak tree	
beside right of way fence; iron post stamped "428"	428. 082
Golden, 2 miles northwest of, 150 feet northwest of road crossing, south	
corner of culvert H 754.5, in end of bridge timber; top of painted bolt	445. 46
Golden, 1.5 miles northwest of, road crossing; top of rail	444. 1
Golden, 1 mile northwest of, near south corner of bridge H 755.5, in bridge	
timber; top of painted bolt	425. 42
Golden, 100 feet north of station, 60 feet northeast of track, 3 feet north of	
southwest corner of brick building; iron post stamped "428"	427. 977
Golden, 0.9 mile southeast of, south corner of bridge H 757.3, 300 feet north	
of house, in end of bridge timber; top of painted bolt	404. 26
Golden, 1.3 miles southeast of, bridge H 757.7; top of rail	382.6
Golden, 1.9 miles southeast of, southwest corner of bridge H 758.3 over	
Willens Creek, in end of bridge timber; top of painted bolt	358. 32
Mineola, 3.5 miles northwest of, 50 feet south of road crossing, 350 feet south	
of house, beside right of way fence; iron post stamped "384"	383. 455
Mineola, 3.2 miles northwest of, bridge H 760.2; top of rail	373.6
Mineola, 2.9 miles northwest of, center of bridge H 760.5, in bridge timber;	
top of painted bolt.	375. 34
Mineola, 1.9 miles northwest of, 30 feet north of road crossing, 150 feet south	
of house, beside switch to storage sidetrack, in switch block; copper nail	396. 30
Mineola, 0.7 mile northwest of, intersection of Missouri, Kansas & Texas Ry.	
and Texas & Pacific Ry., northeast corner of concrete pier at foot of steps	
to switch tower; top of 1-inch rod embedded in concrete	373. 82
ATT AT A TOTAL OF THE PARTY OF	
From point 2.6 miles south of Mineola northwest along highway along north side of	
Sabine River to Texas & Pacific Ry., thence along this railroad west across Sabine River, thence southeast along south side of river to point 4 miles south of Mineola.	
Actives, encince potentials aroung south state of arrest to point a minor south of latitional.	
Callaway Crossing, 2.8 miles east of, 150 feet north of edge of bottom at south	
end of lane, 2 feet south of fence line, 3 feet west of fence corner; iron post	
stamped "328 Prim. Trav. Sta. No. 17, 1915"	327. 540
Callaway Crossing, 2.2 miles east of, at edge of woods and overflowed land,	
in root of gum tree; nail	328. 02
Callaway Crossing, 1.4 miles east of, 130 feet north of primary traverse tem-	
porary bench mark 29 (under water March 5), at edge of cotton field, in	
top of stump; copper nail	330. 39
Callaway Crossing, 0.8 mile east of, at edge of timber and lowland, 15 feet	
south of wire fence, in root of post-oak tree; nail	327. 61
Callaway Crossing, 0.2 mile east of, 30 feet east of drain, in root of oak tree;	
nail	329. 90

PRIMARY LEVELING.

Callaway Crossing, at north end of, 50 feet northeast of end of bridge over	
slough, 20 feet north of road, at foot of hill, 2 feet from wire fence; iron post stamped "332 Prim. Trav. Sta. No. 18, 1915"	Feet. 331. 432
Callaway Crossing, 0.6 mile northwest of, 300 feet east of primary traverse	
temporary bench mark 32 (under water Mar. 6), 100 feet south of lane,	
in corn field, in top of stump; copper nail	331. 77
Callaway Crossing, 300 feet east along fence from primary traverse tempo-	
rary bench mark 33 (under water Mar. 6), 10 feet south of fence, in top of	
stump; copper nail	333. 66
Macks, 100 feet west of signboard, south side of east abutment of Texas &	
Pacific Ry. bridge 140 A over slough, in end of timber; copper nail	346. 84
Macks, 0.7 mile west of, south end of west abutment of Texas & Pacific	
bridge 141 B over creek, 500 feet east of primary traverse temporary	
bench mark 35 (under water Mar. 6), in end of timber; copper nail	343. 17
Butler Lake, 1,500 feet southeast of Texas & Pacific Ry. bridge over Butler	
Lake, about 450 feet cast along fence from Butler Lake, 3 feet south of wire	
fence, 5 feet from braced fence post; iron post stamped "353, Prim.	
Trav. Sta. No. 20, 1915"	351.761
Macks, 1.1 miles west of, east end of Sabine River Bridge; top of rail	343.5
Macks, 1.3 miles west of, 105 feet east of milepost 141, 870 feet west of	
Smith-Wood county-line post, 900 feet west of Sabine River Bridge, 40	
feet south of Texas & Pacific Ry. track, 20 feet west of fence corner; iron	0.15 000
post stamped "346, Prim. Trav. Sta. No. 10, 1915"	345.892
Callaway Crossing, 4 miles northwest of, 900 feet southwest of primary	
traverse temporary bench mark 1 (under water Mar. 11), 30 feet south-	
east of point where traverse line crosses east and west wire fence, in top	334.11
of stump; iron nail and washer.	554.11
Callaway Crossing, 3.7 miles northwest of, 75 feet east of creek and old bridge, in root of sweet-gum tree; nail	336.05
Callaway Crossing, 3.1 miles northwest of, at south edge of bottom, about	330.03
200 feet south of traverse line, 6 feet east of wire fence, in base of tree;	
iron nail and washer (not found)	333.58
Callaway Creek, 2.4 miles northwest of, 300 feet south of creek, near edge of	000.00
lowland, in root of post-oak tree; nail.	331.02
Callaway Crossing, 1.7 miles northwest of, at north end of lane at foot of hill,	
40 feet east of fence, 10 feet east of old road, on side of leaning tree trunk,	
2.5 feet above ground; iron nail and washer	333.65
Callaway Crossing, 0.8 mile northwest of, on east bank of creek, in stump	
covered clearing, 200 feet southeast of point of ridge, 20 feet east of fence,	
250 feet east of small bridge, 200 feet west of edge of thicket, in top of	
small stump; iron nail and washer	332.28
Callaway Crossing, 300 feet south of old bridge over slough, 10 feet east of	
public road, in root of 18-inch oak tree; iron nail	327.53
Callaway Crossing, 0.6 mile southeast of, at northeast corner of field, 100	
feet from edge of bottom, in top of corner post of wire fence; iron nail and	and the same
washer	332.98
Callaway Crossing, 1.1 miles southeast of, at top of small ridge, 400 feet	
southwest of edge of bottom, 100 feet east of old well, at north side of old	004.0
road, beside wire fence, in top of large stump; iron nail and washer	334.05
Callaway Crossing, 1.8 miles southeast of, 850 feet south of Village Creek,	
along wire fence, 50 feet north of small creek, 500 feet northwest of cane	328.02
brake, 1 foot east of fence, in top of stump; iron nail.	528.02
Callaway Crossing, 2.6 miles southeast of, at northeast corner of plowed	339.99
field, 300 feet east of drain, in root of blazed tree; nail (not on sheet)	303. 33

Callaway Crossing, 3.1 miles southeast of, at foot of timbered r	
south of edge of bottom land, 10 feet southeast of fence corr	ner, in root of Feet.
tree; nail	328.39
Burleson Lake, 0.2 mile southeast of outlet of, 30 feet south of o	outlet stream,
125 feet south of old ford, on bank among scrub timber and	d brush; iron
post stamped "326, Frim. Trav. Sta. No. 11, 1915"	325. 569
Burleson I ake, 0.6 mile southeast of, 250 feet west of cotton f	field, 200 feet
south of slough, in root of elm tree on fence line; nail	321.92
Burleson Lake, 1.2 miles southeast of, 70 feet north of road, 10	0 feet west of
fence and open field, in root of gum tree; nail	
Burleson Lake, 1.6 miles southeast of, 40 feet northwest of ros	
pin oak tree; nail.	
- Vicini, and the best regimes to the contract that	
At Callaway Crossing, a tie line southwest across Sabine I	liver.
Callaway Crossing, northwest corner of Sabine River Bridge, e	
beside railing, in center of painted circle; nail	
Callaway Crossing, 1,000 feet west of Sabine River Bridge, 10	
of end of small pond, 100 feet north of road; iron post stamped	1 "331, Prim.
Trav. Sta. No. 19, 1915"	
The state of the s	
Archer City, Eschite, Henrietta, Montague, and Walt	er quadrangles.
Archer City, Eschite, Henrietta, Montague, and Walt ARCHER, CLAY, AND WICHITA COUNTIES	DESCRIPTION DESCRIPTION DIVISION
ARCHER, CLAY, AND WICHITA COUNTIES	A secret to dutte see
The elevations in the following list depend on	A secret to dutte see
The elevations in the following list depend on heights of bench marks near Ringgold.	n 1912 adjustment
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose	. 1912 adjustment coe Reeves in 1914,
The elevations in the following list depend on heights of bench marks near Ringgold.	. 1912 adjustment coe Reeves in 1914,
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose additional leveling was done in Archer City quadrangles.	. 1912 adjustment coe Reeves in 1914, drangle in 1915 by
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rosa additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R.	. 1912 adjustment coe Reeves in 1914, drangle in 1915 by
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose additional leveling was done in Archer City quadrangles.	. 1912 adjustment coe Reeves in 1914, drangle in 1915 by
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose additional leveling was done in Archer City quadrangle C. R. Fisher and in Eschite quadrangle by C. R. Watson.	. 1912 adjustment coe Reeves in 1914, drangle in 1915 by
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rosa additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R. Watson. ARCHER CITY QUADRANGLE.	n 1912 adjustment coe Reeves in 1914, drangle in 1915 by Fisher and D. H.
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R. Watson. ARCHER CITY QUADRANGLE. [Latitude 33° 30′-34°; longitude 98° 30′-99°.] Along Missouri, Kansas & Texas Ry. near northeast corner of the second	n 1912 adjustment coe Reeves in 1914, drangle in 1915 by Fisher and D. H.
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rosa additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R. Watson. ARCHER CITY QUADRANGLE. [Latitude 33° 30′-34°; longitude 98° 30′-99°.] Along Missourl, Kansas & Texas Ry. near northeast corner of the Bacon, 1 mile south of, at second-class road crossing, north sides.	n 1912 adjustment coe Reeves in 1914, drangle in 1915 by Fisher and D. H.
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R. Watson. ARCHER CITY QUADRANGLE. [Latitude 33° 30′-34°; longitude 98° 30′-99°.] Along Missouri, Kansas & Texas Ry. near northeast corner of the Bacon, 1 mile south of, at second-class road crossing, north side east cap sill of cattle guards; middle bolt, painted "1041"	coe Reeves in 1914, drangle in 1915 by Fisher and D. H.
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rosa additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R. Watson. ARCHER CITY QUADRANGLE. [Latitude 33° 30′-34°; longitude 98° 30′-99°.] Along Missouri, Kansas & Texas Ry. near northeast corner of the Bacon, 1 mile south of, at second-class road crossing, north side east cap sill of cattle guards; middle bolt, painted "1041". Wichita Falls, 4.6 miles north of, 40 feet south of corner fence processing the second control of the	coe Reeves in 1914, drangle in 1915 by Fisher and D. H. riangle. e of road, in Feet. 1,040.69
The elevations in the following list depend on heights of bench marks near Ringgold. The leveling was done in all quadrangles by Rose additional leveling was done in Archer City quadrangle by C. R. Fisher and in Eschite quadrangle by C. R. Watson. ARCHER CITY QUADRANGLE. [Latitude 33° 30′-34°; longitude 98° 30′-99°.] Along Missouri, Kansas & Texas Ry. near northeast corner of the Bacon, 1 mile south of, at second-class road crossing, north side east cap sill of cattle guards; middle bolt, painted "1041"	coe Reeves in 1914, drangle in 1915 by Fisher and D. H. riangle. e of road, in Feet. 1,040.69 bost of north ailroad; iron

From point near Fowlkes station southeast along Fort Worth & Denver City Ry. to Wichita Falls.

Electra, 5.2 miles east of, 0.5 mile west of Fowlkes station along Fort Worth

Wichita Falls, 3.9 miles north of, east end of south stringer of small wooden

bridge; copper nail, painted "994".....

994.33

^{&#}x27;Includes Beaver Creek quadrangle, latitude 33°52′30′′-34°, longitude 98°52′30′′-99°; Fowlkes quadrangle, latitude 33°52′30′′-34°, longitude 98°52′30′′-34°, longitude 98°37′30′′-98°45′; Wichita Falls quadrangle, latitude 33°52′30′′-34°, longitude 98°37′30′′-34°, longitude 98°30′-98°37′30′.

Electra, 8.7 miles east of, 40 feet north of track, 140 feet south of main road,	
200 feet west of "1 mile" signal for Burk station, in base of telephone	Feet.
pole; top of head of railway spike painted "1030.9"	1, 030. 91
Electra, 9 miles east of, 40 feet north of track, 50 feet south of road, in fence	
corner at road crossing, 3 mile west of Burk station, 130 yards south of	nest pulet
Burkburnett ranch house; iron post stamped "1031" painted "1030.7".	1, 030. 808
Electra, 10.3 miles east of, 180 feet east of the east end of switch at Burk	
station, 40 feet north of track, 300 yards east of Burk station, in base of	disquests -
telephone pole; top of head of railway spike painted "1026.4"	1, 026. 49
Electra, 10.9 miles east of, on east abutment of first small concrete culvert	
east of Burk station, 8 feet south of track, on southwest corner of abut-	7 077 00
ment; center of painted circle painted "1011.0"	1, 011. 03
Electra, 11.8 miles east of, on southwest corner of east concrete abutment of	
bridge number 128-80, on surface of concrete; painted circle painted	1 007 00
"1007.6" Electra, 12.6 miles east of, at road crossing in northwest fence corner of rail-	1, 007. 63
Electra, 12.6 miles east of, at road crossing in northwest lence corner of ran-	
way right of way, 20 feet west of road; iron post stamped "1013", painted	1 012 105
"1013.1"	1, 013. 193
telegraph pole; top of head of railway spike painted "1023.4"	1 022 51
Iowa Park, 1.8 miles west of, ½ mile east of railway water tank, at cross-	1, 025. 51
roads, 50 feet north of track, in base of telephone pole; top of head of	
railway spike painted "1040.0"	1.040.09
Iowa Park, 0.5 mile west of, 150 feet north of wagon road in south end of	1,010.00
east concrete abutment of small bridge over small creek; bronze tablet	
stamped "1015", painted "1014.7"	1, 014, 815
Iowa Park, 25 feet east of southwest corner of Overbey Troutman store,	
10 inches south of south wall, set in concrete sidewalk; bronze tablet	
stamped "1036"	1, 036. 52
Iowa Park, 0.7 mile east of, at crossroads, 50 feet north of railway track, in	
base of telephone pole; top of head of railway spike painted "1019.4"	1, 019. 49
Iowa Park, 1.9 miles east of, 320 yards east of small creek 40 feet north of	W BERNEY
track, in base of telephone pole; top of head of railway spike painted	
"994.5"	994. 63
Iowa Park, 3.2 miles east of, 40 feet north of track, 120 feet south of road, 4	defulación.
mile west of schoolhouse, 160 feet west of creek; iron post stamped "978".	977. 954
Iowa Park, 4.3 miles east of, 40 feet north of track, 130 feet south of road,	
400 yards east of road crossing, in base of telephone pole; top of head of	000 00
railway spike painted "973.6"	973. 69
Iowa Park, 5.3 miles east of, 500 feet west of road crossing, 40 feet north of	
track, 130 feet south of road, in base of telephone pole; top of head of rail-	070 20
way spike painted "970.2". Iowa Park, 7.2 miles east of, 120 yards west of square white house, south side	970. 29
of track, 8 feet south of track, on east end of concrete culvert over small	
creek; bronze tablet stamped "966"	965. 834
Iowa Park, 7.6 miles east of, 600 feet east of road crossing, 40 feet north of	000.001
track, 130 feet south of road, in base of telephone pole; top of head of	
railway spike painted "953.2"	953. 34
Iowa Park, 8.7 miles east of, 140 feet east of road crossing, 120 feet south of	and my
main road, 40 feet north of track, in base of telephone pole; top of head of	
railway spike painted "950.7"	950. 83
Wichita Falls, 0.50 mile north of, on county bridge over "Big Wichita"	
River, on west end of north pier; chiseled square within painted circle,	
painted "952"	952. 240
25286°—Bull. 637—16——10	

From point 1.2 miles south of Electra along highways south 7 miles, thence east and northeast to Burk station.

Electra, 2.2 miles south of, 75 feet east of road, 30 feet west of small house, 15 feet west of the northwest corner of picket fence, in ground near square	Feet.
telephone pole; top of stake painted "1170.7"	1, 170. 66
2 feet west of fence, 140 yards south of jog in road to west; iron post stamped "1173", painted "1172.9"	1, 172. 781
Electra, 3.8 miles south of, 20 feet east of road, 8 inches west of fence post, 150 yards south of head of large stream running west; top of stake painted	
"1172.9" Electra, 4.7 miles south of, 0.25 mile north of short jog in road to east, 40	1, 172, 85
feet east of road, in projecting knot of fence post; copper nail painted "1161.6"	1, 161. 48
Electra, 5.7 miles south of, at angle in turn road to southwest, 4 mile west of ranch house, 6 feet northwest of the southeast fence corner; iron post	
stamped "1,135" painted "1135.1". Electra, 6.5 miles south of, at jog in road to west, in base of the southeast	
corner fence post; top of railway spike painted "1095.8" Electra, 7.5 miles south of, 0.75 mile south of ranch house, at jog in road	1, 095. 69
to south, 15 feet west of road, near center of public road highway, in mesquite stump; copper nail painted "1076.9"	1, 076. 76
Electra, 8 miles south of, 0.5 mile north of road leading east, on top of hill where road leaves public highway to the southwest, 100 feet south of turn, at west fence line, 40 feet south of large fence post, in sandstone rock;	
bronze tablet stamped "1116" painted "1116.0"	1, 115. 870
near bottom of creek, 10 feet north of fence corner; top of sandstone rock painted "1053.4"	1, 053. 20
Electra, 7 miles south of, 1 mile west of John Wagner's ranch house, 70 feet northeast of gate to private road leading to John Wagner's ranch	
house, on south side of road, in projecting knot of fence post; copper nail painted "1101.1"	1, 100. 90
at right-angled turn of road to east, 12 feet south of the southeast fence corner; iron post stamped "1110"	1 100 901
Electra, 7.5 miles southeast of, 1.5 miles northeast of John Wagner's ranch house, $\frac{1}{2}$ mile northeast of lone oil derrick, on south fence line, in pro-	1, 100. 001
jecting knot of fence post; copper nail painted "1084.0"	1, 083. 77
jecting knot of fence post; copper nail. Electra, 9 miles southeast of, at cross roads, 4 miles northwest of Burk	1, 047. 35
station, 30 feet east of cross roads, 3 feet north of the south fence line; iron post stamped "1055" painted "1054.9"	1, 054. 708
Burk station, 3 miles southwest of, due east of Fowlkes triangulation station, 1 mile north of cross roads, 20 feet west of road, in mesquite stump; cop-	
per nail painted "1090.9"	1, 090. 64
quite tree; copper nail painted "1057. 0"	1, 056. 74

ESCHITE QUADRANGLE.

[Latitude 34°-34° 30'; longitude 98° 30'-99°.]

Near Burkburnett.

Burkburnett, 3 miles south of, 0.5 mile east of railroad crossing, in northeast corner of T road forks north, 50 feet north of corner fence post; iron post stamped "1009". Burkburnett, 3 miles south of, 50 feet east of public road crossing, in base of telephone pole; head of spike painted "1001". Burkburnett, 4.25 miles south of, at point where public road leaves Missouri, Kansas & Texas Ry., and turns east, in base of telegraph pole; head of spike painted "1029". Burkburnett, 5.25 miles south of, 100 feet south of second-class road crossing and fence line, in base of telegraph pole; head of spike painted "1064". Burkburnett, 6 miles south of, 50 feet east of Missouri, Kansas & Texas Ry. crossing, on line of right of way and north side of road; iron post stamped "1058". Burkburnett, 7.3 miles south of, at Bacon siding, second telegraph pole north of section house; head of railroad spike painted "1040"	1, 000. 83 1, 028. 52 1, 064. 04 1, 057. 896
From point 3 miles south of Burkburnett north along Wichita Falls & Northern R. R. to Burkburnett, thence along highways west, south and east to point 7.5 miles south of Burkburnett, thence to point 6 miles south of Burkburnett.	
Burkburnett, 3 miles south of, 5 miles east of railroad crossing, in northeast corner of T road forks north, 50 feet north of corner fence post; iron post stamped "1009". Burkburnett, 2 miles south of, at railroad crossing, 20 feet west of track and public-road crossing, in base of crossing sign post; railroad spike painted "1010.9". Burkburnett, 1 mile south of, 250 feet east of railroad, in northeast corner of T road north, in base of power pole; railroad spike painted "1037.4". Burkburnett, 0.5 mile south of, in northeast corner of T road east, 5 feet north of power pole; iron post. Burkburnett, in southwest concrete pier of city water tower; bronze tablet stamped "1057".	1, 010. 88 1, 037. 48 1, 043. 105
Burkburnett, in front of station; top of rail. Burkburnett, 1.2 miles west of, in northwest corner fence post at crossroads, in base of fence post; railroad spike painted "1082.1". Burkburnett, 2.2 miles west of, in southeast corner of crossroads, 10 feet northwest of corner post, top of rock; painted circle "1112.9". Sullivan triangulation station, on Mr. Sullivan's farm, 2 miles southwest of Burkburnett and just north of the Burkburnett-Electra wagon road.	1, 051. 6 1, 082. 18
Station is about 600 feet west of Mr. Sullivan's residence. Station mark: A standard iron post projecting 9 inches above surface. Burkburnett, 3.3 miles west of, in northeast corner of crossroads at Fairview schoolhouse, in top of corner fence post; copper nail painted "1107-9". Burkburnett, 4.4 miles west of, in southwest corner of crossroads, in base of corner fence post; sixtypenny spike painted "1081.4".	1, 107. 98

¹ Includes Burkburnett quadrangle, latitude 34°-34°07′30″, longitude 98°37′30″; Clara quadrangle, latitude 34°-34°07′30″, longitude 98°37′30″-98°45′: Barwise School quadrangle, latitude 34°-34°07′30″, longitude 98°52′30″; Electra quadrangle, latitude 34°-34°07′30″, longitude 98°52′30″-99°.

Burkburnett, 5.5 miles west of, on south side of road, 45 feet northeast of farm-	
house, 600 feet west of offset in east and west public road; iron post Feet.	
stamped "1085"	,
Burkburnett, 6.4 miles west of, at T road east, on west side of north and	
south road, in base of telephone pole; railroad spike painted "1085.9" 1, 086.07	
Burkburnett, 7.2 miles west of, Clara 0.5 mile north of, 100 feet south of angle	
in roads, on east side of road, in base of telephone pole; sixtypenny spike	
painted "1106.3"	
Clara, 600 feet southeast of, at T road west, east side of road, 5 feet south of	
telephone pole; iron post stamped "1102"	
Clara, 1.3 miles west of, north side of road, 135 feet west of private road south	
to farmhouse, in base of telephone pole; sixtypenny spike painted	
"1126.9"	
Clara, 1.7 miles west of, at T road west, in east side of north and south road,	
in top of short fence post; copper nail painted "1114.2"	
Clara, 2.2 miles west of, in southeast corner of T road south; painted circle	
on rock "1142.8"	
Clara, 2.3 miles west of, in northeast corner of T road north, east end of gal-	
vanized culvert; painted circle	
Clara, 3.3 miles west of, 6 feet east of telephone pole, north and south fence	
south, in fence line south side of road; iron post stamped "1099" 1,099.375	
Clara, 4 miles west of, west end of steel bridge over Tenth Cavalry Creek, on	
top of west anchor, on north side of bridge; bolt marked "1064.9" 1,065.09	
Sunshine schoolhouse, 1 mile north and ½ mile east of, in southeast fence	
post at cross roads north and south and east and west, in projecting knot;	
copper nail with washer marked "1105.4"	
Sunshine schoolhouse, 3 mile northeast of, 30 feet west of road, 8 inches east	
of telephone pole, driven down ½ inch from surface of ground; wooden	
stake marked "1113.8"	
Sunshine schoolhouse, 1 mile east of, in west end of 3"x12" timber of new	
culvert, T road north, 20 feet south of northwest fence corner; copper nail	
with washer marked "1143.3"	
Sunshine triangulation station, at southeast corner of Sunshine school yard,	
on a prominent hill. Station is just north of the Burkburnett-Electra	
wagon road, about 8 miles northeast of Electra and about 12 miles south-	
west of Burkburnett, 21 feet east and 18 feet north to corner of schoolhouse.	
Station mark: A standard iron post projecting 9 inches above surface,	
under which a brickbat was buried	
Sunshine schoolhouse, 3 mile southeast of, southwest fence corner at turn	
of road, 2 feet northeast of, 40 feet southeast of road, 400 yards west of	
white house on top of hill; top of 3-inch iron post filled with concrete,	
marked "1157.0"	
Sunshine schoolhouse, 2 miles southeast of, at T road south, southeast fence	
corner post, 1½ feet from post, driven in ground; top of wooden stake	
marked "1114.5"	
Sunshine schoolhouse, 3 miles southeast of, 5 feet northwest of the north-	
east fence-corner post, 12 feet northeast of end of small culvert, T road	
north; iron post stamped "1078" (elevation painted 1078.3)	
Sunshine schoolhouse, 4 miles southeast of, northeast fence corner, 3 feet	
west of, 40 feet northeast of road, driven one inch from surface of ground;	
top of wooden stake painted "1098.8"	
Sunshine schoolhouse, 4½ miles southeast of, southeast fence-corner post,	
30 feet east of, on top of large rock on fence line; marked point painted	
1101	

Prairie Cottage schoolhouse, 400 feet southeast of, southwest fence corner, 2 feet west of, crossroads east and west and north and south, on top of large rock; marked point painted "1074.5".	Feet. 1, 074. 74
Prairie Cottage schoolhouse, 1 mile east of, W. F. Heesermann's mail box 20 feet west of, fence 4 feet south of, 20 feet north of road; iron post set 3½ feet in ground stamped 1091, painted (1091.1)	1, 091. 363
fence corner post, 10 feet west of; top of wooden stake driven in ground painted "1095.6"	1, 095. 88
corner post, on large rock; painted mark painted 1082.9. Wiethe schoolhouse, at T road north, 3 mile east of, 30 feet north of road, northwest fence-corner post 3 feet west of, set in large sandstone rock;	
bronze tablet stamped "1073". Wiethe schoolhouse 1.8 miles east of, at T road north, the northeast corner fence post, 6 feet east on fence line, on rock; marked point painted	
"1045.1" Lindsey triangulation station, ½ mile south of and ½ mile west of, T road east, the northeast corner fence post, 2 feet east of, driven in ground; top	
of wooden post painted "1056.8". Lindsey triangulation station, in Mr. Joseph Lindsey's orchard, 7 miles south and 2 miles west of Burkburnett station, is about 2 feet west of the east garden fence and due west of the northwest corner of Mr. Lindsey's residence. Station mark: A standard iron post projecting 9 inches above	1, 057. 17
surface. Everett schoolhouse, 1.5 miles west of, at road crossing, the southwest fence	1, 122. 617
corner post; top of railway track spike painted "1034.9"	1, 035. 25
corner post, 10 feet north of, on fence line, 60 feet west of telephone line, on top of rock; painted point, painted 1031.2	1, 031. 61
Bacon siding, 2 miles west of Everett schoolhouse, 0.5 mile east of, at cross-roads, the southwest fence corner post 7 feet northeast of; iron post stamped "1028", painted 1028	1. 028, 437
Bacon, 1 mile west of, Everett schoolhouse 1.8 miles east of, jog of road to north, in north end of 3 by 10 timber of small culvert; copper nail with	
washer painted "1034.4". Bacon siding, second telegraph pole north of section house; head of railway spike painted "1040"	
Burkburnett, 6 miles south of, 50 feet east of Missouri, Kansas & Texas Ry. crossing, on line of right of way and on north side of road; iron post stamped	
"1058". From point 0.8 mile southeast of Sunshine schoolhouse along highways west and southwest to Electra, thence north 6 miles, thence east to point 2.5 miles north of Sunshine schoolhouse.	1, 057. 896
Sunshine schoolhouse, 0.8 mile southeast of, 2 feet northeast of the southwest fence corner post, 40 feet southeast of road 400 yards west of white house	
on top of hill; top of 3-inch iron post stamped "1157.0"	
pole; head of railway spike painted "1151.4". Sunshine schoolhouse, 2 miles west of, along public-road fence line, south	
of road, in side of telephone pole; head of railway spike painted "1149.6". Sunshine schoolhouse, 2.5 miles west of, at T road west, in base of telephone pole on south side of road; head of railway spike painted "1158.8"	

Sunshine schoolhouse, 3.2 miles west of, 1 foot north of fence line on south
side of road, ½ mile east of jog in road to the south, 120 yards southeast of
oil derrick, 30 feet west of telephone pole painted "1164.8"; iron post Feet.
stamped "1165"
Electra, 5 miles east of, 100 feet north of jog in road to west, on west side of
road, in side of telephone pole; head of railway spike painted "1163.7". 1, 163.65
Electra, 3 miles east of, 100 feet south of jog in road to south, 150 yards
south of greenhouse at green pumping station, on west side of road,
driven in side of telephone pole; head of railway spike painted "1164.1". 1, 164.05
Electra, 2 miles east of, 150 yards west of red houses at forks of road, on north side of road, in base of telephone pole; head of railway spike painted
"1174.8"
Electra, 1.5 miles northeast of, at jog in road to south, on west end of wooden
culvert, 40 feet east of fence corner; copper nail with washer painted
"1185.5"
Electra, Lone Oil Derrick triangulation station on east edge of; iron post
stamped "1221"
Electra, in north concrete pier of the city water tank; bronze tablet stamped
"1222" 1, 221. 682
Electra, 1 mile north of, 100 yards north of Electra Cemetery, at forks of
road on west side of road, driven in side of telephone pole; head of rail-
way spike painted "1196. 7"
Electra, 2 miles north of, at T road south, on north side of road, in side of
telephone pole; top of head of railway spike painted "1162.0"
Electra, 3 miles north of, at T road east, on west side of road, 2 feet east of
fence line; iron post stamped "1154"
Electra, 4 miles north of, at crossroads ½ mile west of tank farm, the south-
east corner fence post, in base of post; top of head of railway spike painted "1130.2"
Electra, 5 miles north of, 0.6 mile south of Catholic Church, 2 miles west of
Enterprise schoolhouse, at crossroads, 3 feet southwest of the northeast
corner fence post, in base of telephone pole; top of head of railway spike. 1, 143. 41
Electra, 6 miles north of, 0.4 mile north of Catholic Church, at crossroads,
10 feet south of the southeast corner fence post, painted "1119.5"; iron post
stamped "1120"
Electra, 6 miles north of, 0.4 mile north by 1 mile east of Catholic Church,
300 feet east of T road south, 250 feet west of T road north, at east end of
bridge over China Creek, in side of large cottonwood tree; top of head of
railway spike painted "1086.3"
Electra, 6 miles north of, 0.4 mile north by 2 miles east of Catholic Church,
1 mile north of Enterprise schoolhouse, at crossroads, 10 feet south of the
southeast corner fence post, in base of telephone pole; top of head of rail-
way spike painted "1130.8" 1, 130.68 Electra, 5 miles north of, 0.6 mile south and 2 miles east of Catholic Church,
100 yards southeast of Enterprise schoolhouse, at crossroads, 20 feet
north of the northeast corner fence post on east side of road; iron post
stamped "1136", painted "1136.2"
Enterprise schoolhouse, 1 mile east of, at T road south, 75 yards south-
west of bright yellow house, 6 feet east of the southwest corner fence
post, in base of telephone pole; top of head of railway spike painted
"1106.2"
Enterprise schoolhouse, 2 miles east of, at crossroads, 1 foot northwest of
the southeast corner fence post, in base of telephone pole; top of head of
railway spike painted "1108.5" 1, 108.27

Enterprise schoolhouse, 3 miles east of, 1 mile west and ½ mile south of, at T road west, 20 feet west of the southwest corner fence post; iron post stamped "1088" painted "1087.8". Baptist Church, 1 mile south by 0.8 mile west of, 2½ miles north of Sunshine schoolhouse, in base of telephone pole on north side of road; top of head of railway spike painted "1099.5". Baptist Church, 1 mile south of, 2½ miles north of Sunshine schoolhouse, at crossroads, 200 feet north of yellow house, 120 feet west of the northwest corner fence post, in base of telephone pole; top of head of railway spike.	Feet. 1, 087. 636 1, 099. 27
Sunshine schoolhouse, 2.5 miles northeast of, at crossroads in the south- east corner fence post, in projecting knot; copper nail with washer painted "1105.4" (this t. b. m. is on circuit 1)	
From Electra southeast along Fort Worth & Denver City Ry. to point near Fowlkes station.	
Electra, 0.8 mile east of, at road crossing, 60 feet east of road, on north side of tracks, in base of telegraph pole; top of head of railway spike painted "1193.3"	1, 193, 25
Electra, 1.8 miles east of, on north side of track, 400 yards northwest of lone oil derrick, in base of telephone pole; top of head of railway spike painted "1148.5".	
Electra, 2.2 miles east of, at west end of side track for oil car loading racks, on south side of track, in north end of switch signal beam; copper nail	1, 143. 40
"painted "1127.3". Electra, 3 miles east of, at road crossing, 2 feet north of north right of way	
fence, 15 feet west of road; iron post stamped "1112" painted "1111.9". Electra, 4.2 miles east of, at road crossing, 40 feet north of track, 60 feet south of road and 30 feet east of road, in base of telephone pole; top of	
head of railway spike, painted "1102.6"	1, 102. 56
From Electra south along highway 1.2 miles.	
Electra, 1.2 miles south of, on top of first high ridge south of railway track, 30 feet east of road, in fence post painted "1191.1"; top of head of railway spike.	1 101 01
	1, 101.01
HENRIETTA QUADRANGLE.	
[Latitude 33° 30′-34°; longitude 98°-98° 30′.	
From point 2.8 miles west of Ringgold, west along Missouri, Kansas & Texas Ry. to Henrietta, thence south along Southwestern Ry. and east along highways to point 8 miles southwest of Ringgold.	
Ringgold, 2.8 miles west of, 725 feet west of G. T. Jackson's house, in base of warning post; head of railroad spike, painted "863.6"	863.63
iron post stamped "859"	858.918
"886.9" Ringgold, 5.1 miles west of, 800 feet east of Rosson siding, 40 feet south of railroad crossing, in base of telephone pole; head of spike, painted "922" Ringgold, 6.2 miles west of, 0.8 mile west of Rosson siding, north end of east headblock of wooden trestle 762.3; copper nail, painted "872".	886.85 (1981.871 28876.97 Z
	14/

Ringgold, 6.2 miles west of, 0.8 mile west of Rosson siding, 25 feet south-	
west of wooden trestle 762.3, 10 feet west of telephone pole; iron post	Feet.
stamped "870"	870.350
Ringgold, 7.1 miles west of, 0.6 mile east of Cotton Gin, 20 feet south of	
railroad; in base of telegraph pole; head of railroad spike, painted	
"872.9"	872.84
Ringgold, 8.1 miles west of, 7.6 miles east of Henrietta, 0.4 mile west of	
Cotton Gin, in base of telegraph pole; head of railroad spike, painted	
"855.3"	855.27
Walton siding, northeast corner of bunk house, opposite section house, in	
supporting sill; copper nail painted "866"	866.48
Walton siding, 50 feet south of road crossing, 5 feet west of road, 130 feet	
southeast of section house; iron post stamped "866"	866.624
Henrietta, 5.25 miles east of, 1.1 miles west of Walton siding, 25 feet south	
of railroad track, in base of telephone pole; head of railroad spike, painted	
"903"	903.84
Henrietta, 4 miles east of, south end of east headblock of wooden trestle No.	
7677; copper nail, painted "850"	851.03
Henrietta, 3 miles east of, 1,060 feet east of road crossing, south of railroad,	
in base of telephone pole; head of railroad spike, painted "848.4"	849.40
Henrietta, 2 miles east of, 90 feet southeast of road crossing, in base of tele-	
phone pole; head of railroad spike, painted "855.4"	856.33
Henrietta, 2 miles east of, 95 feet southeast of road crossing, 10 feet east	
of telegraph pole; iron post stamped "854"	854. 461
Henrietta, 0.96 mile east of, 1,100 feet west of second-class road crossing,	ming A
north bend of west head block of wooden trestle; copper nail painted	
"873.4"	874. 40
Henrietta, Missouri, Kansas & Texas Ry. station, 80 feet west of, 10 feet	
north of railroad siding; iron post stamped "891"	892. 185
Henrietta, 1.15 miles southwest of, 25 feet west of Southwestern Ry., in	
base of telegraph pole; head of spike, painted "899"	899. 97
Henrietta, 2.3 miles southwest of, 20 feet southeast of road crossing, in	
base of telegraph pole; head of spike painted "933"	933. 61
Henrietta, 2.3 miles southwest of, 20 feet east of railroad, in line of fence	
north of public road; iron post stamped "931"	931. 846
Henrietta, 3.1 miles southwest of, 700 feet southwest of cattle guards, in	
fence line, southeast of railroad, in base of telegraph pole; spike painted	
"927"	927. 56
Henrietta, 3.86 miles southwest of, 150 feet north of farm house on public	
road to Halsell, in top of corner fence post; copper nail painted "931"	931. 59
Henrietta, 4.25 miles south of, 2 miles west of, 125 feet south of wooden	
bridge on Halsell road, 40 feet east of road, in sandstone ledge; bronze	
tablet stamped "908"	908. 723
Henrietta, 4.5 miles south of, northeast corner of Bluegrove road and lane	0.40.00
east, in base of corner fence post; copper nail painted "940"	940. 99
Henrietta, 4.5 miles south of, 1 mile east of, northeast corner of crossroads,	000 000
5 feet north of corner fence post; iron post stamped "926"	927. 395
Henrietta, 4.5 miles south of, 2 miles east of, northwest corner of T road	0.47 0.4
west, on top of rock brace to corner fence post; painted circle	947. 04
Henrietta, 4.5 miles south of, 3 miles east of, in front of farm house, north	079 04
of road, in end of brace to corner fence post; copper nail painted "971" Henrietta, 4.5 miles south of, 4 miles east of, 1,000 feet east of farm house,	972. 04
1,300 feet west of T road forks, 25 feet north of road west, 170 feet east of	
small stream crossing, in sandstone ledge; bronze tablet stamped "911"	019 900
sman sweam crossing, in sandstone reage, prouze capter stamped 911"	912. 369

Henrietta, 6 miles southeast of, Dick Worsham's siding, opposite center of section house; top of rail (Fort Worth & Denver City Ry.)	Feet. 891. 57 890. 827
From Henrietta northwest along Fort Worth & Denver City and Missouri, Kansas & Texas railways to Wichita Falls.	
Henrietta, Missouri, Kansas & Texas Ry. station, 80 feet west of, 10 feet	
north of railroad; iron post stamped "891"	892. 185
Ry., 4 feet below elevation of rail; copper nail painted "865.5"	865. 52
Henrietta, 2.28 miles west of, east end of small steel bridge on Fort Worth & Denver City Ry., in top of south top sill: copper nail painted "863"	863. 26
Henrietta, 3.13 miles west of, 600 feet west of bridge on public road, south end of east concrete support of steel bridge of Fort Worth & Denver City	
Ry. over Little Witchita River; chiseled cross painted "857"	856. 61
Henrietta, 3.1 miles west of, 600 feet west of bridge on public road, south end of east concrete support of steel bridge, Fort Worth & Denver City Ry.; bronze tablet stamped "857"	856, 633
Edward's switch, opposite signboard, Fort Worth & Denver City Ry.;	000. 000
top of north rail	878. 95
Henrietta, 4.8 miles west of, 0.8 mile west of Edward's siding, in south end of of west concrete support of small steel bridge, Fort Worth & Den-	000 00
ver City Ry.; chiseled cross painted "868"	868. 30
Fort Worth & Denver City Ry., on south side of railroad, west edge of	
culvert; chiseled cross painted "886"	886. 20
Henrietta, 6.4 miles west of, at road crossing, 12 feet south of Missouri,	
Kansas & Texas Ry., 6 feet west of road, 2½ feet above elevation of rail, in sandstone ledge; bronze tablet stamped "895"	895. 093
Henrietta, 7.6 miles west of, south end of west head block of wooden trestle	000.000
on Missouri, Kansas & Texas Ry.; copper nail painted "921"	920. 62
Henrietta, 8.6 miles west of, south end of west head pillar of wooden trestle	
of Missouri, Kansas & Texas Ry., 3 feet below elevation of rail; copper nail painted "934.5".	934. 45
Jolly station, 600 feet northeast of, T road north, northeast corner of road	334. 40
forks, in yard of section house, 5 feet east of corner fence post; iron post	
stamped "971"	970. 789
	055 55
south rail	975.55
station," between railroads, in base of telegraph pole; railroad spike painted "951"	950, 72
Jolly, 2 miles west of, at second-class road crossing, between Missouri, Kan-	000112
sas & Texas and Fort Worth & Denver City railways, in base of warning post; head of railroad spike, painted "939.5"	939.57
Jolly, 3.3 miles west of, at second-class road crossing, between Fort Worth &	
Denver City and Missouri, Kansas & Texas railways, 10 feet west of road,	A spinet
in base of telegraph pole; head of railroad spike, painted "987"	986.84
Jolly, 3.3 miles west of, between Fort Worth & Denver City and Missouri, Kansas & Texas railways, 15 feet west of second-class road crossing; iron	
Kansas & Texas ranways, 15 feet west of second-class road crossing, from	986, 630

Tally 5 miles meet of meeth and of meth and 1 to 1 1 1 1 1 25	
Jolly, 5 miles west of, south end of east head block of wooden trestle, Missouri, Kansas & Texas Ry., 2.5 feet below elevation of rail; copper nail painted "998".	Feet. 998.28
Wichita Falls, 3 miles east of, northeast corner of public road and Missouri, Kansas & Texas Ry. crossing, in base of warning post; head of spike,	990.20
painted "988". Wichita Falls, 1.9 miles east of, in northeast corner of public road and Mis-	988.36
souri, Kansas & Texas Ry. crossing, in base of warning post; head of spike, painted "975".	974.98
Wichita Falls, 0.75 mile east of station, 200 feet west of bridge over Holliday Creek, opposite Wichita Falls Boiler Works, in base of telegraph pole;	
head of spike, painted "948"	947. 93
elevation of walk; bronze tablet stamped "951"	951. 150
River, on west end of north pier; chiseled cross within painted circle, painted "952" Wichita Falls, 1.75 miles north of, in west end of north supporting block of	952.24
bridge over small slough; copper nail painted "948"	947.63
of road behind L. Knull's mail box; iron post stamped "965"	965. 320
crossing; middle bolt painted "969"	968.70
From Jolly along highways to Dean, thence northeast along Wichita Valley Ry. to point 1.9 miles southwest of Petrolia.	
Jolly, 1.1 miles north of, in front of farmhouse, on brace to north post of gate to barnyard; copper nail painted "992". Jolly, 1.9 miles north of, 200 feet southeast of farmhouse, in northeast corner	991.99
of T road forks east, in top of corner fence post; copper nail painted "998.5".	998.47
Jolly, 3.6 miles north of, 600 feet north of farmhouse, in southwest corner of T road forks west, in corner of field; iron post stamped "970"	970. 102
end of corrugated-iron culvert under road east; painted cross, painted "960"	959.78
Jolly, 5.75 miles north of, 300 feet east of Dean section house, in northwest corner of railroad and public-road crossing, in base of telegraph pole;	
spike, painted "962.5". Dean, 0.75 mile east of, 500 feet west of "One mile" post, in line of fence, in north head sill of cattle guards; middle bolt painted "966"	962. 52
Dean, 1.25 miles east of, 150 feet east of public-road crossing and T road forks east, 100 feet south of railroad bridge A 10–22, in line of fence north of road	966.46
east; iron post stamped "969" Dean, 2.25 miles northeast of, north of railroad, in base of telegraph pole;	968, 900
head of railroad spike, painted "1015"	, 015. 27
railroad spike painted "987"	987.45
side of road, in line of fence; iron post stamped "994"	994.019

PRIMARY LEVELING.	199
From Riverland schoolhouse east and south along highways via Stanfield's ranch to Rosson siding.	
Petrolia, 6.5 miles east of, 2.5 miles south of, 1.5 miles west of Riverland schoolhouse, in northeast corner of crossroads, 8 feet north of corner fence post, in line of fence; iron post stamped "952". Petrolia, 2.5 miles south of, 8 miles east of, 350 feet west of Riverland schoolhouse, in south end of east stringer supporting small wooden bridge;	Feet. 951.771
copper nail painted "920". Petrolia, 2.5 miles south of, 9 miles east of, 1 mile east of Riverland school, at corner of L road west and north, on east side of road, in line with fence	920.31
on north side of road west and east side of road north; iron post stamped "933". Petrolia, 12 miles southeast of, 3.6 miles southeast of Riverland school, 100 feet southwest of small earthen tank or reservoir, fourth fence post south of	933.195
gate in fence between Stanfield's pastures, in top of post; copper nail painted "941". Petrolia, 12.5 miles east of, 3.5 miles south of, 0.75 mile southwest of Stanfield's ranch house, 420 feet south of gate to second-class road leading from Stanfield's ranch to Riverland school, 45 feet north of corner to fence	941.07
west, in line of north and south fence; iron post stamped "879". Stanfield's ranch house, 1.25 miles southwest of, near corner post to fence east, in brace to east gate post to second-class road south; copper nail	878.968
painted "931". Stanfield's ranch, 2.25 miles southwest of, 50 feet east of road, on southeast	931.57
root of oak tree; copper nail painted "945". Stanfield's ranch, 4 miles southwest of, 6.7 miles north of Rosson siding, on Missouri, Kansas & Texas Ry., 550 feet northeast of "Rock Crossing" of Little Witchita River, 125 feet northeast of crossing of small stream, north side of second-class road leading through Stanfield's pasture, 4 feet above	944. 79
elevation of road bed, in sandstone ledge; bronze tablet stamped "827" Stanfield's ranch, 5.2 miles southwest of, 5.5 miles north of Rosson siding, 0.87 mile south of Little Witchita River, 350 feet south of small stream, on knot in first fence post east of gate in wire fence; copper nail painted	827.104
"809". Rosson siding, 3.2 miles due north of, 250 feet south of T road forks south, in yard of the Bill Warren place, 15 feet south of yard gate; iron post	809.33
stamped "910"	910. 322 913. 62
Rosson siding, 1 mile north of, on north gate post to second-class road leading east to G. Elwert's house; head of railroad spike painted "943"	943. 64
Ringgold, 5.1 miles west of, 800 feet east of Rosson siding, 40 feet south of railroad crossing, head of spike in base of telegraph pole painted "922"	921.971
MONTAGUE QUADRANGLE.	
[Latitude 33° 30′-34°; longitude 97° 30′-98°.]	
Near Ringgold.	
Ringgold, 3 miles south of, at intersection of public road and railroad, 50 feet northeast of center of crossing; iron post stamped "Gainv. 897" (B.	000 100
468 value -0.24 foot) Ringgold, 1.5 miles south of, at road crossing; west rail. Ringgold, 0.6 mile west of, 175 feet south of Missouri, Kansas & Texas Ry., 100 feet west of Chicago, Rock Island & Pacific Ry.; top of small rock	896. 461 933. 09
painted "864"	864.47

 Ringgold, Missouri, Kansas & Texas Ry. station, 180 feet east of, at end of the platform, between the main tracks and the switch; iron post marked "894 Gainv." (B. 468 value -0.28 foot). Ringgold, 1.1 miles west of, west end of bridge 757.2, north end of head block; copper nail painted "844". Ringgold, 2.1 miles west of, north end of west head block of small wooden trestle 758.5; copper nail painted "850.5". Henrietta, 7.5 miles southeast of, 1 mile east of Worsham's ranch, 125 feet west of creek, in top of north gate post of gate to farm road; copper nail painted "876". Ringgold, 6 miles south of, 4 miles west of, 0.5 mile south of schoolhouse, northwest corner T road west, 5 feet west of corner fence post; iron post stamped "1001". 	Feet. 894. 368 843. 87 850. 51 877. 29 1, 001. 624
WALTER QUADRANGLE.	
[Latitude 34°-34° 30'; longitude 98°-98° 30',]	SHE V
Near Petrolia.	
Petrolia, 1.9 miles southwest of, 225 feet northeast of cattle guards in fence line, in south end of east supporting block of small wooden bridge;	
copper nail painted "983". Petrolia, 0.9 mile southwest of, in south end of seat supporting block of small wooden bridge; copper nail painted "968".	982. 84 967. 80
Petrolia, on west side of station, 2 feet west of center of building; iron post stamped "993". Petrolia, 0.7 mile southeast of, at forks of road, 90 feet south of corner fence	993. 339
post, west side of road, in base of telegraph pole; railroad spike	996.49
painted "964". Petrolia, 0.9 mile south of, 2.1 miles east of, in northwest corner of T road forks north, 15 feet north of corner fence post, in line of fence; iron post	963.91
stamped "986" Petrolia, 0.9 mile south of, 3.3 miles east of, 1,800 feet west of T road south, 400 feet east of second-class road north to farmhouse, in south end of east	985. 920
supporting block of wooden bridge; copper nail painted "948"	947.97
cross painted "905". Petrolia, 0.8 mile south by 5 miles east of, 100 feet east of corner of south and east L road, north side of road in line of fence, 800 feet northeast of	905.14
J. A. Burrus's house; iron post stamped "909"	908. 603
From Petrolia via Charlie to Burkburnett.	
Petrolia, 0.5 mile north of, 0.7 mile west of, on brace to corner fence post, south side of road, in front of farmhouse; copper nail painted "967.5" Petrolia, 0.5 mile north of, 2 miles west of, at T road forks east, 15 feet east	967. 60
of corner fence post, on south side of road; iron post stamped "965". Petrolia, 1.5 miles north of, 2 miles west of, in front of farmhouse, on east	965. 302
side of road, on brace to corner fence post; copper nail painted "955" Petrolia, 2.5 miles north of, 2 miles west of, 120 feet southeast of farmhouse and 300 feet south of right-hand turn in road, in brace to corner fence post;	954.86
copper nail painted "931"	930.96

Petrolia, 3.5 miles north of, 2 miles west of, on west concrete pillar supporting south end of bridge over Big Witchita River; bronze tablet stamped "905".	Feet.
Petrolia, 6 miles northwest of, 0.8 mile north of bridge over Big Witchita	904. 670
River, in southwest corner of crossroads, in knot in gate post 2 feet above ground; copper nail painted "901.5".	901. 46
Petrolia, 7 miles northwest of, 1.7 miles north of bridge over "Big Witchita" River, at T road west and lane east, on property corner in middle of cross-roads; on nearby fence post; painted circle, "984"	984. 08
Charlie, 250 feet southeast of Baptist Church, in southeast corner of cross-	001.00
roads, 40 feet east of corner fence post, in line of fence; iron post stamped "937".	937. 346
Charlie, 0. 6 mile west of, in front of farm house, on north side of road, in root of cedar tree; copper nail painted "958"	957. 73
Charlie, 2 miles west of, at crossroads, in northeast corner, on brace to corner fence post; copper nail painted "980"	979. 72
Charlie, 3 miles west of, at T road forks west, opposite Linville schoolhouse, on north side of road west, 40 feet west of corner fence post; iron post	
stamped "992". Charlie, 4.35 miles west of, 1.5 miles west of Linville school, at T forks east, on brace to telephone pole in northeast corner of road forks; copper	991. 819
nail painted "992"	992. 05
corner fence post; copper nail painted "1030"	1, 029. 74
Thornberry, opposite Baptist Church, on west side of north and south road, in line with fence north side of road east; iron post stamped "1005".	1, 004. 686
Thornberry, 1 mile west of, in northeast corner of crossroads, in top of corner fence post; copper nail painted "1049"	1, 048. 93
Thornberry, 2.1 miles west of, at T road forks east, in short post at foot of brace to corner fence post in southeast corner of road forks; copper nail	
painted "1033"	
feet south of corner fence post; iron post stamped "1001"	1, 000. 887
copper nail painted "991"	991. 10
Thornberry, 5.8 miles west of, 1.5 miles west of Cooper School, at T road forks south, on north side of road; in knot at base of east post of gate; copper nail painted "991"	990. 68
Thornberry, 6.2 miles west of, 2 miles west of Cooper School, at T road forks north, in line with fence on west side of road north, and on south	990. 08
side of road east; iron post stamped "983". Thornberry, 7.3 miles west of, 3.1 miles west of Cooper School, 1,300 feet east	983. 545
of T road forks south, in top of post at end of small wooden culvert, on south side of road; copper nail painted "1001"	1, 000. 71
Burkburnett, 3 miles south of, 2.5 miles east of, in southeast corner of T road forks east, on brace to corner fence post; copper nail painted "1004".	1, 004. 08

south from this point.

Bobbin, Conroe, Houston, and Rosenberg 30' quadrangles (including Addicks, Aldine, Alief, Almeda, Ashford, Bellaire, Burnett, Clodine, Cypress, Deepwater, Fauna, Hillendahl, Hockley, Holik, Houston Heights, Humble, Katy, La Porte, Louetta, Mykawa, Park Place, Rosehill, Settegast, Spring, Waller, and Weeden 7½' quadrangles).

FORT BEND AND HARRIS COUNTIES.

The elevations in the following list were determined by primary

leveling and accord with the 1912 adjustment.

The leveling was done in 1915 by R. R. Monbeck in cooperation with Harris County. Leveling in Harris County was completed in 1916 by D. S. Birkett; for his results see Bulletin 644—P, pages 020–077.

BOBBIN QUADRANGLE (including Hockley, Louetta, Rosehill, and Waller $7\frac{1}{2}$ quadrangles).

[Latitude 30°-30° 30'; longitude 95° 30'-96°.]

From point near Hockley northwest along Houston & Texas Central R. R. to Waller, thence along highways northeast and south to point near Hockley.	
Hockley, 1.8 miles northwest of, 15 feet south and 30 feet west of crossroads,	Feet.
by telephone pole; copper nail in hub (t. b. m. 180)	238. 65
Hockley, 2.7 miles northwest of, at concrete culvert, 15 feet south of road,	
4 feet from west end of south abutment wall; in horizontal surface; bronze tablet stamped "Prim Trav. Sta. No. 79, 1915, 246" (p. b. m. 79)	246, 121
Waller, 1.8 miles southeast of, 100 feet west and 65 feet south of road cross-	240. 121
ing, 30 feet south of gravel road, in root of sycamore tree; copper nail	
(t. b. m. 181)	262. 58
Waller, 0.8 mile southeast of, 25 feet south of road, one foot from telephone	
pole; copper nail in hub (t. b. m. 182)	264. 54
Waller, 1,900 feet southeast of depot, 47 feet south of Houston & Texas	
Central R. R. track, 23 feet south 40° east of Harris-Waller county bound-	
ary post, 2½ feet north of fence line; iron post stamped "Prim. Trav. Sta. No. 80, 1915, 242" (p. b. m. 80)	241. 632
Waller, 0.6 mile north of, 20 feet east of road, 300 feet northeast of white	211. 002
house, at fence corner where lane turns east, by corner post; copper	
nail in hub (t. b. m. 192)	266. 29
T road west, 200 feet north of; top of east end of small wooden culvert	265. 10
Waller, 1.6 miles north of, at T road east, 25 feet south and 25 feet east of	and the second
intersection, by corner fence post; copper nail in hub (t. b. m. 193)	274. 06
Waller, 2.4 miles north of, at right angle turn of road, in line with road north at east end of 300 foot jog, 3 feet north of wire fence, 8 feet west of	
telephone pole; iron post stamped "Prim. Trav. Sta. No. 85, 1915, 272"	
(p. b. m. 85)	271. 605
Waller, 3.4 miles north of, 20 feet east of road at fence corner on fence line	
east; copper nail in hub (t. b. m. 194).	276.83
T road north (dim), in base of post, 30 feet northeast of intersection; copper	
nail	283. 58
Waller, 3.9 miles north and 0.5 mile east of, 920 feet north of T road east, 960	
feet north of T road west, 20 feet east of road, 1 foot from corner post on fence line east; copper nail in hub (t. b. m. 195)	286. 72
Waller, 4.7 miles north and 0.5 mile east of, about 0.5 mile south of Harris-	200. 12
Montgomery county line, at T road, in line with road south, 2 feet south	
of fence; iron post stamped "Prim. Trav. Sta. No. 86, 1915, 273" (p. b.	
m. 86)	273. 244
NoteLine was rerun back to temporary bench mark 195 and continued east and	

Waller, 3.7 miles north and 1.6 miles east of, 100 feet west of point opposite Bentford schoolhouse, 25 feet south of road, by east gatepost; copper nail in hub (t. b. m. 196)	Feet. 271. 04
Waller, 3.7 miles north and 2.5 miles east of, 25 feet north of road, 400 feet north of old two-story house, by fence post, copper nail in hub (t. b. m. 197)	268. 49
Waller, 3.7 miles north and 2.7 miles east of, at T road west, 100 feet north and 300 feet east of yellow house, in line with road west, 3 feet west of fence; iron post stamped "Prim. Trav. Sta. No. 87, 1915, 267" (p. b. m.	
Hockley, 4.7 miles north and 1.7 miles west of, at road west, 60 feet north of bridge, 25 feet west of road, at corner fence post; copper nail in hub	266. 894
(t. b. m. 198)	242.74
box, by fence post; copper nail in hub (t. b. m. 199)	274. 12
stamped "Prim. Trav. Sta. No. 88, 1915, 275" (p. b. m. 88)	274. 862
marked 270.2. Hockley, 1.5 miles west by 2.2 miles north of, 1.7 miles north of Houston & Texas Central R. R. track, 30 feet east of public road east, 6 inches north-	270. 25
west of corner fence post; copper nail in hub marked 264.8	264. 84
of corner fence post; copper nail in hub marked 249.6	249. 64
thence south to point near Cypress (line leveled twice). Hocklev. 3.7 miles north and 0.2 mile west of, 30 feet north of road, 150 feet	
west of T road south, on summit of ridge, by fence post and witness stake; copper nail in hub (t. b. m. 200). Hockley, 3.7 miles north and 0.3 mile east of, 170 feet south of T road west,	273. 49
25 feet west of road, in root of oak tree; copper nail (t. b. m. 201)	224. 47
Trav. Sta. No. 89, 1915, 264" (p. b. m. 89)	263. 880
nail in hub (t. b. m. 202)	241. 74
hub (t. b. m. 203)	236. 96
east; iron post stamped "Prim. Trav. Sta. No. 90, 1915, 228" (p. b.m. 90). Hockley, 2.7 miles north and 3.8 miles east of, 0.3 mile northwest of white schoolhouse, 700 feet west of T road west, 20 feet south of road, at corner	227. 768
post on fence line south; copper nail in hub (t. b. m. 204)	216. 46
east gatepost and corner post on fence line south; copper nail in hub (t. b. m. 205)	230. 80

Develil 2 miles weet of an Harling wood 20 feet north of wood where dim		
Rosehill, 3 miles west of, on Hockley road, 20 feet north of road where dim north and south road crosses, 750 feet southwest of fence corner; iron post	Feet.	
stamped "Prim. Trav. Sta. No. 91, 1915, 231" (p. b. m. 91)	230. 894	
Rosehill, 2.1 miles west of, 20 feet south of road, 1 foot from corner post on		
fence line south; copper nail in hub (t. b. m. 206)	231. 09	
Rosehill, 1.2 miles west of, 30 feet north of road, 1 foot south of fence post	007 00	
opposite white house; copper nail in hub (t. b. m. 207)	225. 20	
Rosehill, 0.7 mile west of crossroads, 500 feet southwest of yellow house, 35 feet north of road, 6 feet from corner fence post; iron post stamped "Prim.		
Trav. Sta. No. 92, 1915, 220" (p. b. m. 92)	219. 825	
Rosehill, 0.7 mile north of church, 25 feet southeast of crossroads, 1 foot		
from corner fence post; copper nail in hub (t. b. m. 208)	215. 72	
Rosehill School, 50 feet north of, 25 feet south of road, in root of chinaberry	222 05	
tree; copper nail in hub (t. b. m. 218)	222. 95	
Rosehill School, 1,200 feet west of, at forks of road, 900 feet northeast of residence of Mr. Hirsch, at northwest corner of small bridge; copper nail in		
hub.	219. 60	
Rosehill Church, 0.5 mile east of, 25 feet southwest of T road west, at south-		
east corner of bridge on road west, 1 foot east of railing post, in bridge		
timber; copper nail (t. b. m. 209)	197. 60	
Note.—A new bridge has been built and the prim. trav. hub destroyed.		
This new bench mark is probably within one foot of the original. Rosehill Church, 0.7 mile south and 0.7 mile east of, 2,350 feet south of T		
road fork south, on summit of low ridge, 20 feet east of road, 2 feet west of		
fence; iron post stamped "Prim. Trav. Sta. No. 93, 1915, 189" (p. b. m.		
93)	188. 444	
Cypress, 5.1 miles north of, 20 feet west of road, opposite gate in east fence		
line, 20 feet north of corner post on fence line west, top of 6-inch iron	100 04	
casting; copper nail (t. b. m. 210)	169. 24	
fence line east; copper nail in hub (t. b. m. 211)	165. 60	
Cypress, 3.2 miles north of, 700 feet north of bridge over creek, 20 feet west		
of road, in group of oak trees; iron post stamped "Prim. Trav. Sta. No. 94,		
1915, 161" (p. b. m. 94)	161. 270	
Cypress, 2.4 miles north of, 520 feet north of culvert, 25 feet west of road, 1	100.00	
foot east of fence post; copper nail in hub (t. b. m. 212)	162. 63	
road, 1 foot east of fence post; copper nail in hub (t. b. m. 213)	153. 36	
From Cypress Creek Bridge northwest along Airline road 3.2 miles, thence southwest along road to point near Cypress.		
Cypress Creek Bridge, on Airline road, 40 feet southwest of north end of		
bridge, in root of magnolia tree (t. b. m. 270)	108. 27	
Cypress Creek Bridge, on Airline road, 0.9 mile north of, 100 feet southeast of	-	
bend in road, 30 feet east of road, in root of oak tree; copper nail (t. b. m.	110 00	
269)	118. 82	
road, 5 feet east of large pine tree; iron post stamped "Prim. Trav. Sta.		
No. 121, 1915, 124" (p. b. m. 121)	124. 014	
Cypress Creek Bridge, on Airline road, 2.7 miles north of, 0.5 mile south of		
Cypress-Klein road, 25 feet west of road, 12 feet east of corner post on fence	105 50	
line, in root of large pine tree (t. b. m. 268)	135. 52	
Louetta, 2.2 miles northeast of, on Cypress-Xlein road, 2,350 feet west of Airline road, at west end of north railing on bridge over creek; copper nail in		
hub (t. b. m. 267)	139. 11	

Louetta, 1.5 miles northeast of, on Cypress-Klein road, 30 feet south of road,	
25 feet east of corner post on fence line south; iron post stamped "Prim.	Feet.
Trav. Sta. No. 120, 1915, 144"	144. 007
Louetta, 0.7 mile northeast of, 40 feet north of Cypress-Klein road, in root	
of pine tree; copper nail (p. b. m. 266)	141. 30
Louetta, 0.3 mile north of, 90 feet south and 45 feet west of Trinity &	
Brazos Valley Ry. crossing, in root of oak tree; copper nail (t. b. m. 259)	141. 31
Kohrville, 0.5 mile north of, 300 feet north of old church, 25 feet west of	
road, 25 feet south of road west; iron post stamped "Prim. Trav. Sta.	
No. 117, 1915, 142" (p. b. m. 117)	142. 128
Culvert, 30 feet south of crossroads, on West Montgomery road; top of	(Cast)
painted bolt at northeast corner of culvert, marked	144. 1
Cypress, 6.9 miles northeast of, 0.5 mile west of West Montgomery road, at	744.00
north side of road, in root of lone oak tree; copper nail (t. b. m. 258)	144. 63
Cypress, 6.2 miles northeast of, 55 feet north of road, 30 feet northwest of	140.01
corner post on fence line north, in root of pine; copper nail (t. b. m. 257).	148. 01
Cypress, 5.2 miles northeast of, at bend of road, 700 feet south or cabin, 15	
feet southwest of road forks, 30 feet west of culvert; iron post stamped	145 000
"Prim. Trav. Sta. No. 116, 1915, 145" (p. b. m. 116)	145. 277
Cypress, 4.6 miles northeast of, 110 feet north, 38° east of crossroads, in	140 10
root of large oak; copper nail (t. b. m. 256)	148. 12
Cypress, 3.6 miles northeast of, 300 feet southwest of small bridge, 10 feet north of road, in root of water-oak tree; copper nail (t. b. m. 255)	140 00
north of road, in root of water-oak tree, copper half (t. b. in. 200)	146. 62
From Airline road east along Cypress-Klein road 1.5 miles.	
The state of the s	
Intersection of Airline and Cypress-Klein roads, 0.8 mile east of; 7.7 miles	
southwest of Spring, 300 feet southeast of white house, 25 feet north of road, 6 feet west of corner fence post; iron post stamped "Prim. Trav.	
Sta. No. 199, 1915, 139" (p. b. m. 199)	139. 348
Intersection of Airline and Cypress-Klein roads, 1.5 miles east of Spring,	100. 040
7 miles southwest of, 450 feet south of T road northwest at northeast edge	
of pine woods, in root of pine; copper nail (t. b. m. 478)	132. 94
	102. 01
From Rosehill east along highway to Tom Ball, thence northeast to Hufsmith, thence	
east along International & Great Northern Ry. to Rotherwood spur.	
Rosehill School, 0.9 mile east of, 30 feet northeast of crossroads, 6 inches	
from corner fence post; copper nail in hub (t. b. m. 219)	220. 51
Rosehill School, 1.4 miles east of, 30 feet southeast of T road south, 76 feet	
east of T road north, 3 feet west of corner fence post; iron post stamped	
"Prim. Trav. Sta. No. 97, 1915, 191" (p. b. m. 97)	191. 215
Rosehill School, 2.2 miles east of, 75 feet north of road, 6 inches from corner	
post on fence line north; copper nail in hub (t. b. m. 220)	177. 83
Tom Ball, 2.2 miles southwest of, on Rosehill road, 25 feet west of road at	
bend, 2 feet east of corner fence post, 6 inches from telephone pole; cop-	
per nail in hub (t. b. m. 221)	174, 52
Tom Ball, 1.7 miles southwest of, on Rosehill road, 25 feet south of south-	
west corner of schoolhouse, 30 feet north of road, 2 feet south of wire	
fence; iron post stamped "Prim. Trav. Sta. No. 98, 1915, 180" (p. b.	400 44-
m. 98)	180. 446
Tom Ball, 1 mile southwest of, 100 feet east of road forks, 8 feet southwest of	
corner fence post, 6 inches from telephone pole, pole incorrectly painted	TOP OF
221; copper nail in hub (t. b. m. 222)	187. 07
25286°—Bull, 637—16——11	or T. io

m D H 2076 / /1 fm: it & D W-ller Dr. station 20 fact most	
Tom Ball, 165 feet north of Trinity & Brazos Valley Ry. station, 30 feet west of track, southwest corner of southeast concrete pier of water tank; bronze	There
tablet stamped "Prim. Trav. Sta. No. 99, 1915, 188" (p. b. m. 99)	Feet. 188. 396
Tom Ball, 0.7 mile east of, 90 feet north of crossroads (private road south), 20	100. 000
feet east of road, 5 feet west of wire fence, in root of wild cherry tree; cop-	
per nail (t. b. m. 223)	183. 64
Hufsmith, 0.5 mile southwest of, at angle of road, 900 feet south of church,	
25 feet northwest of road, 6 inches from corner fence post; copper nail in	
hub (t. b. m. 224)	173. 40
Hufsmith, 1,400 feet east of, along International & Great Northern Ry.	
track, 550 feet south of track, 0.2 mile east of church, 40 feet southwest of	
right angle turn of road, 4 feet south of corner fence post; iron post	
stamped "Prim. Trav. Sta. No. 100, 1915, 175" (p. b. m. 100)	174. 796
Hufsmith, 1.3 miles east of, 35 feet south of International & Great Northern	
Ry. track, 125 feet west of road crossing, 1 foot from milepost 10, copper	150.00
nail in hub (t. b. m. 224)	150. 22
Hufsmith, 2.3 miles east of, 35 feet south of International & Great Northern Ry. track, 6 inches from milepost 9; copper nail in hub (t. b. m. 226)	152. 48
Hufsmith, 2.6 miles east of, 0.3 mile east of milepost 9, 30 feet south of	104. 40
track, 850 feet east of private road crossing, 2½ feet north of telephone pole;	
iron post stamped "Prim. Trav. Sta. No. 101, 1915, 151" (p. b. m. 101).	150. 938
Hufsmith, 3.4 miles east of, 625 feet east of milepost 8, 32 feet southeast of	Section 1
public-road crossing, 1½ feet northeast of crossing signpost; copper nail	
in hub (t. b. m. 227)	137. 82
Willow, opposite store; top of rail	148. 0
Hufsmith, 4.3 miles east of, 0.5 mile east of Willow, 280 feet east of road	
crossing, 32 feet south of track, 6 inches from milepost 7; copper nail in	
hub (t. b. m. 228)	145. 92
Hufsmith, 5.4 miles east of, 45 feet south of track, 10 feet south of milepost	
6, 65 feet east of east end of Avonak siding, 5 feet north of fence; iron post	140 055
stamped "Prim. Trav. Sta. No. 102, 1915, 144" (p. b. m. 102)	143. 855
crossing at Rotherwood Spur, 1 foot from crossing signpost; copper nail	
in hub (t. b. m. 229)	143. 78
Same Property and the passesses and the passesses and the passes a	210.10
From Hufsmith along highways north, east, and south via Stubner to point 3.4 miles east of Hufsmith.	
Hufsmith, International & Great Northern Ry. road crossing in; top of rail.	170. 0
Hufsmith, 0.8 mile north of, 400 feet south of bridge over Spring Creek, 100	170.0
feet west of road, in root of gum tree; copper nail (t. b. m. 260)	151. 09
Hufsmith, 0.8 mile north and 0.7 mile east of, on road in timber near Spring	101.00
Creek, 20 feet south of road, 120 feet west of small bridge, in root of oak	
tree; copper nail (t. b. m. 261)	150. 93
Hufsmith, 1 mile north and 1.1 miles east of, 0.7 mile northwest of Stubner,	
20 feet north of road, 250 feet southwest of cabin, 12 feet west of oak tree, 3	
feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 118,	
1915, 178" (p. b. m. 118)	177. 882
Stubner (formerly a post office) 250 feet east of, 30 feet north of road, between	
painted pine trees; iron bar 1½ inch square standing 1 foot above ground;	700 05
top of bar (t. b. m. 262)	182. 35
Stubner, 0.7 mile east of, 20 feet south of road, in root of pine tree (t. b. m.	172. 28
263)	114.40
of T road west; iron post stamped "Prim. Trav. Sta. No. 119, 1915, 168"	
(p. b. m. 119)	165, 409

Stubner, 1 mile east and 0.8 mile south of, 0.9 mile south of T road west, 40 feet east of road; in root of oak tree; copper nail (t. b. m. 264)	Feet. 146. 37
From Rotherwood spur north along highway to Spring Creek (leveled twice).	
Rotherwood spur, 0.9 mile north of, on point of sandy ridge 800 feet south of Willow Creek, 10 feet west of road, in root of sweet-gum tree (4 feet	
north of trunk) (t. b. m. 299)	122. 62
15 feet east of road, in root of red-oak tree; copper nail (t. b. m. 300) Rotherwood spur, 2 miles north and 0.5 mile west of, 1,200 feet west of	124, 64
house, on old wood road, 10 feet south of road, in top of stump; copper nail (marked 127.6) (37 feet southwest of original position of t. b. m. 301, destroyed by storm).	127. 71
CONROE QUADRANGLE (including Spring 72' quadrangle).	
[Latitude 30°-30° 30'; longitude 95°-95° 30'.]	
From point near Rotherwood spur along International & Great Northern Ry. southeast to Spring, thence south to point 1.1 miles south of Westfield.	
Road crossing; top of rail.	141.5
Spring, 3.8 miles west of, 500 feet east of milepost 4, 18 feet south of track, at private-road crossing, 1 foot north of crossing signboard; copper nail in	141.0
hub (t. b. m. 230)	136. 38
stamped "Prim. Trav. Sta. No. 103, 1915, 140" (p. b. m. 103)	140.603
track, 1 foot from telegraph pole; copper nail in hub (t. b. m. 231)	135.08
Spring, 1.4 miles west of, 2,300 feet east of milepost 2, 970 feet west of road crossing, 30 feet south of track, 6 inches from telegraph pole; copper	
nail in hub (t. b. m. 232)	131.17
at private road crossing, 4 feet from post at west end of gate; iron post stamped "Prim. Trav. Sta. No. 104, 1915, 129" (p. b. m. 104)	128. 903
Spring, 100 feet north of International & Great Northern Ry. depot, 50 feet west of main track, 1 foot west of telegraph pole; copper nail in hub	
(t. b. m. 233)	120.63
west of center post under red shanty; copper nail in hub (t. b. m. 234) Spring, 2 miles south of, 52 feet west of track at road crossing, 30 feet east of road, 2 feet west of wire fence, 25 feet south of oak tree; iron post	118. 40
stamped "Prim. Trav. Sta. No. 105, 1915, 110" (p. b. m. 105)	109.802
Spring, 2.9 miles south of, 55 feet west of road crossing, 30 feet east of road, 1 foot from corner fence post; copper nail in hub (t. b. m. 235)	92.44
International & Great Northern Ry. bridge 275; top of rail directly above	02.1
Cypress Creek Westfield, 1,200 feet north of depot, 30 feet west of road, at corner post on	92.1
fence line west; copper nail in hub (t. b. m. 236)	106. 19
road crossing, 4 feet north of corner post on right of way fence; iron post stamped "Prim. Trav. Sta. No. 106, 1915, 108" (p. b. m. 106)	108.090

Westfield, 1.1 miles south of, 250 feet southeast of International & Great	
Northern Ry. bridge 277, 50 feet east of track, 30 feet west of road, by witness stake; copper nail in hub (t. b. m. 237)	Feet. 100.99
From point 1.5 miles east of Airline road northeast along Klein road, near Spring.	
Spring, 6 miles southwest of, 0.2 mile west of white church, 25 feet south of road, 6 inches from large corner fence post; copper nail in hub (t. b. m.	
Spring, 5 miles southwest of, 0.7 mile northwest of white church, 10 feet north and 25 feet west of crossroads; iron post stamped "Prim. Trav. Sta.	128. 93
No. 198, 1915, 134" (p. b. m. 198). Spring, 4.3 miles southwest of, 40 feet south of road on north bank of small	133, 855
creek, 60 feet east of bridge, in root of gum tree; copper nail (t. b. m. 476) Spring, 3.5 miles southwest of, 80 feet south of road, in open prairie, 150 feet east of bend in road, in root of small gum tree; copper nail (t. b. m.	122. 15
475)	129.88
Spring, 2.6 miles southwest of, 25 feet south of road, 1,000 feet east of grove of trees on south side of road, 30 feet southwest of road forks (dim road southwest); iron post stamped "Prim. Trav. Sta. No. 197, 1915, 130"	
(p. b. m. 197)	130. 216
Spring, 1.6 miles southwest of, 25 feet north of road, 1 foot south of west gate post and corner post on fence line north; copper nail in hub (t. b. m.	
474)	122.88
house, in base of large leaning oak tree; copper nail (t. b. m. 473)	124.70
At and near Pemble's store.	
Pemble's store, at intersection of west fork of East Montgomery road and	
Ehrhardt Settlement road, 10 feet east and 20 feet north of crossroads, 6 inches from corner fence post; copper nail in hub (t. b. m. 274)	117.84
Pemble's store, 0.7 mile southwest of, 20 feet southeast of Ehrhardt Settlement road, at east end of pond, in root of gum tree; copper nail (t. b. m.	
273)	118. 22
HOUSTON QUADRANGLE (including Aldine, Burnet, Fauna, Humble, and Settegast	110. 22
7½' quadrangles.)	110. 22
	110.22
7½' quadrangles.)	110. 22
7½' quadrangles.) [Latitude 29° 30'-30°; longitude 95°-95° 30'.] From point 1.1 miles south of Westfield south along International & Great Northern	110. 22
7½' quadrangles.) [Latitude 29° 30'-30°; longitude 95°-95° 30'.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101.18
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101. 18 102. 747
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101. 18
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101. 18 102. 747 103. 5
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101. 18 102. 747
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101. 18 102. 747 103. 5 97. 217 96. 1
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub Westfield, 2.7 miles south of, 650 feet south of milepost 134, 108 feet east of track, 25 feet east of road, 4 feet west from corner post on fence line east; iron post stamped "Prim. Trav. Sta. No. 107, 1915, 102" (p. b. m. 107) Road crossing; top of rail	101. 18 102. 747 103. 5 97. 217
7½ quadrangles.) [Latitude 29° 30′-30°; longitude 95°-95° 30′.] From point 1.1 miles south of Westfield south along International & Great Northern Ry. to Houston (leveled twice). Westfield, 2 miles south of, 1,000 feet south of International & Great Northern Ry. bridge 278, 30 feet west of road, 1 foot east of right-of-way fence, by witness stake; copper nail in hub	101. 18 102. 747 103. 5 97. 217 96. 1

Aldine, 1.1 miles north of, 240 feet south of south end of highway bridge	
over Greens Bayou, 60 feet east of track, 25 feet west of road, 8 feet east	
of telegraph pole; iron post stamped "Prim. Trav. Sta. No. 108, 1915, 82" (p. b. m. 108)	Feet. 82.465
Aldine, 1,400 feet north of depot, 25 feet west of road, 60 feet southeast of	02. 100
road crossing, 120 feet southwest of store, 1 foot from telegraph pole;	
copper nail in hub (t. b. m. 241)	81. 59
Aldine, 100 feet southeast of depot, shell road crossing, top of rail	85.7
Aldine, 0.7 mile south of, 30 feet west of road, 50 feet east of track, 50 feet	
north of steps over right-of-way fence, 2 feet east of telegraph pole; copper	
nail in hub (t. b. m. 242)	81.56
Aldine, 1.2 miles south of, 55 feet east of track, 30 feet west of road, 300 feet	
south of small wooden bridge, 200 feet northwest of wood-colored house, 3	
feet east of right-of-way fence; iron post stamped "Prim. Trav. Sta. No.	
109, 1915, 81" (p. b. m. 109)	81. 122
Aldine, 2.1 miles south of, 50 feet east and 5 feet south of road crossing, 1	
foot east of corner fence post; copper nail in hub (t. b. m. 243)	76. 77
International & Great Northern Ry. bridge 284; top of rail	79.0
Aldine, 3.1 miles south of, 1,500 feet south of bridge over creek, 30 feet west	
of road, 1 foot east of right-of-way fence, 15 feet east of painted telephone	74 77
pole; copper nail in hub (t. b. m. 244)	74.77
Aldine, 3.7 miles south of, 55 feet east of track, 25 feet west of road, at gate in right-of-way fence, 4 feet east of north gate post; iron post stamped	
"Prim. Trav. Sta. No. 110, 1915, 78" (p. b. m. 110)	77. 935
Road crossing, 100 feet west of crossroads; top of rail	79.3
Aldine, 4.6 miles south of, 100 feet east of track, 25 feet east of road, 2 feet	3
southwest of corner post on fence line east; copper nail in hub (t. b. m.	
245)	74. 775
Aldine, 5.5 miles south of, 30 feet east of International & Great Northern	
Ry. track, 40 feet west of road, 350 feet north of International & Great	
Northern Ry. trestle, 2½ feet east of telegraph pole; copper nail in hub,	
(t. b. m. 246)	72. 26
Houston, 3.8 miles north of city limit, 60 feet east and 20 feet south of road	
crossing International & Great Northern Ry. track, 2½ feet east of corner	
post on right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 111,	
1915, 75" (p. b. m. 111)	74. 796
Road crossing, International & Great Northern Ry. main track, 80 feet	Manual Transport
west of crossroads; top of rail	77.5
Houston, 2.8 miles north of city limit, 125 feet east of International & Great	
Northern Ry. track, 80 feet east and 140 feet north of road crossing, 30	69. 73
feet east of road, in root of pine tree; copper nail (t. b. m. 247)	09. 75
national & Great Northern Ry. and Houston Belt & Terminal Ry. tracks,	
25 feet north of Houston Belt & Terminal Ry. track, 15 feet west of road,	
1 foot from crossing sign post; copper nail in hub (t. b. m. 248)	63. 73
Houston, 1.6 miles north of city limit, on International & Great Northern	
Ry. right of way 60 feet east of road crossing, 20 feet south of road, 3 feet	
east of corner fence post; iron post stamped "Prim. Trav. Sta. No 112,	
1915 60" (p. h. m. 112)	59. 485
Houston, 0.6 mile north of city limit, 25 feet west of International & Great	
Northern Ry, track, 40 feet north of corner post on right-of-way fence, 21	
feet north of telegraph pole, in top of sawed-off telegraph pole; copper nail	I delicated
(t. b. m. 249)	53. 92

Houston city limit monument, 250 feet west of Clark Street, in Taylor Park;	
bronze tablet set in top of concrete monument, stamped "Prim. Trav.	Feet.
Sta. No. 96, 1915, 53" (p. b. m. 96)	53. 382
Houston, 30 feet east of Clark Street at point 200 feet north of end of car	
line, 6 inches west of telephone pole; copper nail in hub (t. b. m. 217)	52.01
Houston, intersection of San Antonio & Aransas Pass Ry. transfer and Texas	
& New Orleans R. R. tracks, 50 feet south of Texas & New Orleans R. R.	
main track, 15 feet east of line of tangent south on San Antonio & Aransas	
Pass Ry. track, 8 feet east of pine tree; iron post stamped "Prim. Trav. Sta. No. 95, 1915, 51" (p. b. m. 95)	FO 000
Houston, concrete post on old city limit boundary, 300 feet south of Lyons	50. 999
Avenue, 700 feet east of San Antonio & Aransas Pass Ry. track; paint	
mark on top surface	50.58
Intersection of San Antonio & Aransas Pass Ry. transfer and Lyons Avenue	00.00
car line; top of rail.	51.6
Houston, 600 feet north of intersection of San Antonio & Aransas Pass Ry.	01.0
transfer and Southern Pacific Co. tracks, 40 feet east of San Antonio &	
Aransas Pass Ry. tracks, 40 feet north of road, in root of oak; copper nail	
(t. b. m. 216)	47.07
Intersection of San Antonio & Aransas Pass Ry. transfer and Southern	
Pacific Co. tracks; top of rail.	46.0
Center of San Antonio & Aransas Pass Ry. transfer drawbridge over Buffalo	
Bayou; top of rail	41.2
Houston, 1,000 feet northwest of Houston packing plant, 30 feet northwest of	
track, 10 feet southeast of road, 100 feet southwest of road crossing, in root	
of oak tree; copper nail (t. b. m. 215)	39. 66
Intersection of Englke Street car line and San Antonio & Aransas Pass Ry.	rillaria
transfer tracks; top of rail	46. 9
In Houston from permanent bench mark 96 to permanent bench mark 113.	
Houston, 250 feet east of intersection of Hayes Street and East Montgomery	
road at city limit, 50 feet south of Hayes Street, in root of pine; copper	
nail (t. b. m. 250)	51. 92
From point 4.6 miles south of Aldine, west along highways to point 1.2 miles north by 2.7 miles east of Fairbanks.	
Durkee School, 3,600 feet east of, 0.4 mile east of East Montgomery road, 40	
feet north of road, in root of small oak tree (t. b. m. 278)	83. 15
Durkee School, 500 feet west of, 30 feet north and 40 feet east of crossroads,	100 - 1011
in root of poplar tree; copper nail (t. b. m. 279)	83. 20
Durkee School, 1.2 miles west of, 30 feet west of Airline road, 15 feet	
south of T road east; iron post stamped "Prim. Trav. Sta. No. 126, 1915, 89" (p. b. m. 126)	00 110
Durkee School, about 1.7 miles west of, between Airline and West Mont-	88. 413
gomery roads, in open prairie, in root of lone persimmon tree; copper	
nail (t. b. m. 280)	85. 42
West Montgomery road, 0.4 mile west of, at point 1.5 miles north of junction	00.44
of West Montgomery and Airline roads, 30 feet south of road, 4 feet north	
of fence line; iron post stamped "Prim. Trav. Sta. No. 127, 1915, 92"	
(p. b. m. 127)	91. 885
West Montgomery road, 1.2 miles west of, on Fairbanks-Montgomery link	in/-
road, 1.8 miles east of Trinity & Brazos Valley Ry., 40 feet south of road.	
in root of pine tree; copper nail (t. b. m. 281)	89. 18

West Montgomery road, 2 miles west of Fairbanks-Montgomery link road, 1 mile east of Trinity & Brazos Valley Ry. track, 25 feet south of road at bend, in root of tree; copper nail (t. b. m. 282) Fairbanks, 1.2 miles north and 2.7 miles east of, 120 feet east of Trinity & Brazos Valley Ry. track, northeast side of road at right angle turn, 2 feet from fence corner; iron post stamped "Prim. Trav. Sta. No. 128, 1915, 87" (p. b. m. 128)	Feet. 82. 02
From point 2.6 miles north of Aldine west along highways to point 2.4 miles southwest of Pemble's store.	a visalii.
Aldine, 2.2 miles north and 1 mile west of, 135 feet north of road, in root of gum tree; copper nail (t. b. m. 277)	101. 38
	100 500
125, 1915, 100" (p. b. m. 125). Forks of East Montgomery road, 1.2 miles northwest of, 20 feet east of road, 150 feet south of small house, 6 inches from corner fence post; copper nail	100. 508
in hub (t. b. m. 276). Pemble's store, 1.8 miles southeast of, 2.2 miles northwest of East Montgomery road forks, 25 feet west of road, 110 feet south of gateway to small house, 6 inches from fence corner; copper nail in hub by witness stake	102. 82
(t. b. m. 275)	105. 48
Pemble's store, 0.9 mile southeast of, 3 miles northwest of East Montgomery road forks, 25 feet west of road at bend; iron post stamped "Prim.	
Trav. Sta. No. 124, 1915, 113" (p. b. m. 124)	112. 919
"Prim. Trav. Sta. No. 123, 1915, 122" (p. b. m. 123)	122. 366
25 feet southeast of road, in root of oak; copper nail (t. b. m. 272) Pemble's store, 2.4 miles southwest of, in group of trees 1,900 feet northeast	120. 16
of Airline road, 60 feet northwest of Ehrhardt Settlement road, in root of gum tree; copper nail.	118. 28
the second section with the state of the second section of the se	220, 20
From Houston southeast along Clinton road to Fidelity Addition (leveled twice), thence south to permanent bench mark 3.	T WELL
Houston, on Clinton road, 1.1 miles west of Galveston, Harrisburg & San Antonio Ry., and Houston, Belt & Terminal Ry. crossing, 30 feet south of road, 150 feet west of corner post, on fence south, on fence line in root	
of pine tree; copper nail (t. b. m. 402)	48. 42
1915, 45"	45. 277
Houston, on Clinton road, 1,800 feet east of Galveston, Harrisburg & San Antonio Ry., and Houston, Belt & Terminal Ry. crossing, 110 feet north of track, 35 feet north and 40 feet east of road forks at sign "Houston	managrafia pan labar 7
Harbor Add," in root of oak tree; copper nail (t. b. m. 401)	40. 10
ing, opposite forks of shell road; metal tablet set in top of concrete monu-	
ment (painted 134+418.5) (U. S. E. D. b. m.).	42. 005

Houston Harbor, 555 feet S. 47° W. of city limit post, at bend of Clinton road, 900 feet southeast of road crossing at Galveston, Harrisburg &	
San Antonio Ry. track; metal tablet set in top of concrete monument	Feet.
(painted 132+291.9) Houston, on Clinton road, 1.9 miles southeast of Galveston, Harrisburg &	37. 425
San Antonio Ry., and Houston Belt & Terminal Ry. crossing, 25 feet	
northeast of road, 10 feet north of crossroads; iron post stamped "Prim.	
Trav. Sta. No. 172, 1915, 38" (p. b. m. 172)	37. 762
Fidelity Addition, 0.8 mile northwest of, 30 feet southwest of Clinton road,	
500 feet southwest of road crossing, root of pine tree; copper nail (t. b. m.	
400)	35. 12
Fidelity Addition, 435 feet east of road crossing, 30 feet north of Clinton	
road, 15 feet east of graded street north, southwest corner of base of con-	OF OF
crete monument (3 feet square); chiseled and painted mark (t. b. m. 399).	37. 87
From Fidelity Addition along highways north and east to Carpenter's Bayou (leveled twice).	Ins.
Fidelity Addition, 1.1 miles north of Clinton road, 20 feet east of main	
north and south street, 20 feet north of graded street east, 800 feet south-	
west of white cabin; iron post stamped "Prim. Trav. Sta. No. 171, 1915,	THE
36" (p. b. m. 171)	35. 614
Fidelity Addition, 1.6 miles north of Clinton road, 0.3 mile east of graded	
road north, in group of oak trees, open prairie west and north; copper nail in root of oak.	36. 54
Greens Bayou, Lower Ferry, 3.5 miles west of, 30 feet west and 20 feet south	30. 34
of T road north, 18 inches west of corner post on old picket fence; copper	
nail in hub (t. b. m. 397)	38. 42
Greens Bayou, Lower Ferry, 2.7 miles west of, 25 feet north of road, 6 feet	
east of corner post on fence line north; iron post stamped "Prim. Trav.	
Sta. 170, 1915, 37" (p. b. m. 170)	36. 297
Greens Bayou, Lower Ferry, 2.3 miles west of, 45 feet south of road, at edge	
of timber, in root of small oak tree; copper nail (t. b. m. 396)	33. 63
Greens Bayou, Lower Ferry, 1.9 miles west of, 400 feet east of bridge over	
creek, 35 feet south of road at bend, in root of pine; copper nail (t. b. m.	00 40
395)	28. 49
due to intermittent lake, 15 feet north of road, in root of pine tree; copper	
nail (t. b. m. 394).	36.00
Greens Bayou, Lower Ferry, 600 feet west of, 20 feet south of road, 40	00.00
feet west of fence corner; iron post stamped "Prim. Trav. Sta. No. 169,	THE REAL PROPERTY.
1915, 27" (p. b. m. 169)	26. 888
Greens Bayou, Lower Ferry, 0.7 mile east of, 25 feet north of road, oppo-	
site cabin, in root of oak; copper nail (t. b. m. 393)	32, 58
Greens Bayou, Lower Ferry, 1.5 miles east of, 4,100 feet west of T road	
south, 20 feet south of road, in root of oak; copper hail (t. b. m. 392)	34. 03
Carpenters Bayou Bridge, 0.7 mile west of, 650 feet east of T road south, 25	
feet north of road; iron post stamped "Prim. Trav. Sta. No. 168, 1915, 26" (p. b. m. 168)	95 915
20 (p. b. m. 108)	25. 315
From Deepwater north along highways to Carpenters Bayou.	
Deepwater, 0.9 mile north of, 45 feet west of road, in pasture, in root of	
cottonwood tree, (t. b. m. 414)	34. 64
Deepwater, 1.8 miles north of, 40 feet west of road, north end of gateway	
to old pump house, 500 feet north of T road east; copper nail in hub	00.00
(t. b. m. 415)	26. 90

Penn City Ferry, 1,200 feet south of, 500 feet south of bridge, 20 feet east	-independ
of road at bend, 400 feet northeast of white house; in root of oak (t. b. m. 416)	Feet. 5. 50
Penn City Ferry, 575 feet west of, 75 feet north of north bank of Ship Channel;	0.00
metal tablet set in top of concrete monument (U. S. E. D. b. m.)	16.950
Penn City Ferry, 0.7 mile north of, at northwest corner of fence enclosing	
brick schoolhouse, in top of concrete monument; chiseled square (t. b. m.	
417)	35. 49
Penn City Ferry, 1.7 miles north of, 0.5 mile south along T road south, 30 feet west of road, in root of oak; copper nail (t. b. m. 418)	95 09
	35. 92
From Carpenters Bayou along highways east to San Jacinto battle field, thence southwest to Deer Park.	
Carpenters Bayou Bridge; floor of	20.3
Carpenters Bayou Bridge, 1,000 feet east of, 20 feet, north of road, in root	
of oak; copper nail (t. b. m. 391)	28.00
Bridge over small creek; center of floor	20.6
Carpenters Bayou Bridge, 1.1 miles east of, 280 feet west of T road north,	
25 feet north of road, in root of oak; copper nail (t. b. m. 390)	33. 02
Carpenters Bayou Bridge, 1.8 miles east of, 480 feet west of bridge over ravine, 20 feet south of road, at edge of pine woods; iron post stamped	
"Prim. Trav. Sta. No. 167, 1915, 33" (p. b. m. 167)	32. 804
Bridge over drain; floor of	7. 2
San Jacinto battle ground, 0.6 mile northwest of ferry (Ship Channel) 25	
feet northeast of road, on bluff at west side of old river channel, in root	
of elm; copper nail (t. b. m. 389)	26. 72
San Jacinto battle ground, about 1,500 feet north of, 200 feet north of school-	
house, 70 feet north of road to ferry, 140 feet west of shell road, in root of cottonwood tree; copper nail	5, 90
San Jacinto battle ground, 2,000 feet south of, 22 feet east of shell road, in	0. 90
root of hackberry tree; copper nail	25, 13
San Jacinto battle ground, 1.4 miles south of, 25 feet east and 10 feet south	
of T road west, 6 feet north of telephone pole; iron post stamped "Prim.	
Trav. Sta. No. 174, 1915, 34" (p. b. m. 174)	33. 833
Deer Park, 2.2 miles northeast of, 60 feet southeast of road, 1,100 feet	
northeast of fence corner, in root of one of seven oak trees; copper nail	32, 31
(t. b. m. 404)	32. 31
drain, 25 feet southeast of shell road, in root of oak tree; copper nail	
(t. b, m. 405)	30.68
HOUSTON QUADRANGLE (including Almeda, Bellaire, Deepwater, La Porte, Park	
Place, and Mykawa 7½ quadrangles).	
[Latitude 29° 30′-30°; longitude 95°-95° 30′.]	
From Houston southeast along Galveston, Houston & Henderson R. R. to Harrisburg.	production .
Houston, Gabel Street, on west wing of south abutment of steel highway	10 700
bridge over Buffalo Bayou; red-metal disk (C. & G. S. b. m. "L") Houston, International & Great Northern Ry. drawbridge over Buffalo	43. 599
Bayou; top of rail	44. 2
Houston, Commerce Street crossing; top of rail between car tracks	52. 9
Houston, International & Great Northern Ry. station; top of rail on south-	1 6 6 6 1
west side of building	51.7

Houston, about 0.75 mile east of International & Great Northern Ry. station, in line with long tangent east on Galveston, Houston & Henderson R. R., 48 feet S. 17° 20′ E. of intersection of Galveston, Houston &	
Henderson R. R. and San Antonio & Aransas Pass Ry. freight spur to packing house; iron post stamped "Prim. Trav. Sta. No. 5, 1915"	Feet. 48. 631
Houston, Milby Street crossing, 300 feet northeast of Houston Belt & . Terminal Ry, round house; top of rail.	48. 6
Houston, 250 feet east of city limit signboard, 80 feet southwest of Dumble Street road crossing, 20 feet south of Galveston, Houston & Henderson R. R. track, 40 feet west of road, in hub by telegraph pole; copper nail	
(t. b. m. 8)	43. 07
tery; top of rail	45. 0
Houston & Henderson R. R. tracks; top of rail. Houston, Second Street crossing, in line with Fifteenth Street through Magnolia Park, 50 feet west of road, 30 feet south of track, in hub by	42. 2
telegraph pole; copper nail (t. b. m. 7)	39. 61
stamped "Prim. Trav. Sta. No. 4, 1915, 39". Harrisburg, 0.6 mile north of Galveston, Houston & Henderson R. R. station, 5½ telegraph poles south of milepost 5, 25 feet east of track, center of top surface of concrete culvert, in lead; copper bolt, Coast and Geo-	39. 215
detic survey bench mark (C. & G. S. value used)	23. 359
rail. Harrisburg, on Galveston, Houston & Henderson R. R. right of way, 80 feet south of intersection of Galveston, Harrisburg & San Antonio Ry. and Galveston, Houston & Henderson R. R. tracks, 40 feet west of track, at fence corner, on end of section of rail; cross, Coast and Geodetic Survey bench mark "R M" (C. & G. S. value discarded equals 38.271 feet)	27. 9 38. 400
From Houston south-southwest along International & Great Northern Ry. to Pierce Junction, thence east-northeast along Southern Pacific "Cut-off" R. R. to Harrisburg.	
Houston, intersection of International & Great Northern and San Antonio & Aransas Pass Ry. transfer tracks; top of rail	49. 4
nail (t. b. m. 9). Houston, intersection of San Antonio & Aransas Pass and Galveston-	46. 97
Houston Interurban Ry. tracks; top of rail	51.1
phone pole; copper nail (t. b. m. 10). Blodgett, 320 feet southeast of intersection of Southern Pacific and San Antonio & Aransas Pass tracks, 30 feet south of Fannin Street, 50 feet southeast of intersection of Fannin car line and San Antonio & Aransas	47.11
Pass Ry. tracks; iron post stamped "Prim. Trav. Sta. No. 6, 1915, 54" Blodgett, intersection of Southern Pacific and San Antonio & Aransas Pass	53. 693
Ry. tracks near; top of rail.	56. 9

Blodgett, 1 mile south of, 500 feet south of road crossing, 50 feet west of	
road, southeast corner of Southern Pacific bridge 5 C, in end of timber;	Feet.
copper nail (t. b. m. 66)	52.94
Brays Bayou, Southern Pacific Bridge 6 A over; top of east rail directly	
over stream	51.4
Blodgett, 2 miles south of, 50 feet north of T road west, 30 feet west of	
Almeda road, 1 foot from fence line, in hub by telegraph pole; copper	
nail (t. b. m. 67)	48. 37
Blodgett, 2.6 miles south of, 450 feet west of house, 35 feet northeast of T	10.01
road east to house; iron post stamped "Prim. Trav. Sta. No. 33, 1915, 51".	50. 934
	50. 934
Stella, 1.7 miles northeast of, 100 feet southeast of block signal, 40 feet east	
of track, 30 feet west of Almeda road, in hub by telephone pole; copper	
nail (t. b. m. 68)	50. 59
Pierce Junction, intersection of International & Great Northern and Gal-	
veston, Harrisburg & San Antonio Ry. tracks; top of rail	55. 2
Pierce Junction, 1,200 feet northeast of Stella, 330 feet south of insection	
of International & Great Northern and Galveston, Harrisburg & San	
Antonio Ry. tracks, 35 feet east of International & Great Northern Ry.	
track, 30 feet west of Almeda road, in hub beside telephone pole; cop-	
per nail (t. b. m. 38)	52. 45
Pierce Junction, 1 mile northeast of, 80 feet south of signboard "R. R.	
Crossing 1 M.," 2 feet inside right of way fence; iron post stamped "Prim.	
Trav. Sta. No. 34, 1915, 52"	52. 612
Pierce Junction, 1.9 miles north east of, 60 feet west of crossroads, 25 feet	02. 012
south of milepost 2, at corner of fence, in hub; copper nail (t. b. m. 69)	48.72
Pierce Junction, 2.8 miles northeast of, 800 feet northeast of road crossing,	40.14
	40.00
50 feet south of track, in hub by fence post; copper nail (t. b. m. 10)	46.06
Pierce Junction, 3.3 miles northeast of, 50 feet south of track 1.3 miles	
southwest of Santa Fe crossing; iron post stamped "Prim. Trav. Sta.	The second
No. 35, 1915, 45"	45. 412
Harrisburg, 3.4 miles southwest of, 0.3 mile southwest of Santa Fe cross-	
ing, 40 feet southwest of double gate, 50 feet southeast of track, in hub	
by fence post; copper nail (t. b. m. 71)	42.08
Harrisburg, 3.1 miles southwest of, intersection of Santa Fe and Southern	
Pacific cut-off tracks; top of rail	44.3
Harrisburg, 2.4 miles southwest of station, 0.7 mile northeast of switch	
tower (Santa Fe crossing), 10 feet west of track, on corner of concrete foun-	
dation to block signal; chiseled square (t. b. m. 72)	44. 13
Harrisburg, 1.7 miles southwest of station, 0.25 mile southwest of Galves-	
ton-Houston Interurban Ry. crossing at Brookline, 40 feet southeast of	
road crossing, at corner of G. C. Street's yard fence; iron post stamped	
"Prim. Trav. Sta. No. 36, 1915, 42"	40 100
Brookline, intersection of Galveston-Houston Interurban and Southern	42. 193
	10.7
Pacific Ry. tracks; top of rail	43. 1
Harrisburg, 0.8 mile southwest of station, 0.6 mile northeast of Brookline,	
30 feet northwest of road, in hub at fence corner; copper nail (t. b. m. 73)	40. 14
From Brookline along highways south to point near Mykawa, thence east to Genoa.	
Brookline, 0.9 mile south of, 280 feet south of wooden bridge, 100 feet east	
of house, 4 feet south of mail box 117, 12 feet west of road, in hub; copper	
nail (t. b, m. 75)	37. 64
Brookline, 1.9 miles south of, 40 feet southeast of road forks, in hub at fence	
corner; copper nail (t, b, m, 76)	40. 20

Brookline, 2.8 miles south of, 420 feet south of bridge over Simms Bayou, 15 feet west of road, opposite private road east; iron post stamped "Prim.	Feet.
Trav. Sta. No. 37, 1915, 34" Brookline, 3.8 miles south of, 5,800 feet south of Simms Bayou, 25 feet	34. 270
east of road, at corner post on fence line east, in hub; copper nail (t. b. m. 77)	43. 82
of road, in hub by fence post; copper nail (t. b. m. 78)	47. 21
corner on fence line east, 600 feet north of T road east to house; iron post stamped "Prim. Trav. Sta. No. 38, 1915, 49"	49. 121
Mykawa, 1 mile east of, 300 feet north of old barn, 500 feet south of T road east, 20 feet northeast of culvert, on Alvin road, in hub beside fence	
post; copper nail (t. b. m. 51)	53. 20
culvert over drainage ditch	53. 6
m. 52)	50. 65
tery, 35 feet north of road, by fence corner; iron post stamped "Prim. Trav. Sta. No. 26, 1915, 52)	51. 727
Genoa, 0.4 mile north by 1.7 miles west of station on Galveston-Houston Interurban Ry., 80 feet west of house, 30 feet north of road, in hub	45.00
beside gatepost; copper nail (t. b. m. 53)	47. 82
m. 54)	42.77
Interurban Ry. track; top of rail. Genoa, 150 feet southeast of Galveston-Houston Interurban Ry. station, 100 feet southeast of road crossing, 40 feet south of road, at corner of	50. 0
fence; iron post stamped "Prim. Trav. Sta. No. 27, 1915, 49"	49. 112
red-metal disk (C. & G. S. b. m. R8)	49. 846
From Genoa along highways east and north to Deer Park, thence west along Galveston, Harrisburg & San Antonio Ry. to Harrisburg.	
Genoa, 0.8 mile east of, 25 feet south of road, 1,200 feet west of right-angle turn of road, in hub beside witness stake; copper nail (t. b. m. 56)	46. 03
Sta. No. 28, 1915, 44". Genoa, 2.3 miles east by 0.3 mile north of, 25 feet north of road on knoll, in	43. 479
hub beside witness stake; copper nail (t. b. m. 57)	41. 60
of road, 25 feet north of old road, in hub beside witness stake; copper nall (t. b. m. 58)	38. 80
Genoa, 4 miles east by 0.4 mile north of, 1 mile west of Middle Bayou, 3,600 feet east of fence corner, 25 feet north of road (not used); iron post stamped	
"Prim. Trav. Sta. No. 29, 1915, 30"	30. 419

Genoa, 5 miles east by 0.4 mile north of, at corner post on fence line north,	
600 feet west of Middle Bayou, 600 feet south of house, 40 feet north of	Feet.
road (not used), in hub; copper nail (t. b. m. 59)	23. 18
Genoa, 5.5 miles east by 0.4 mile north of, 2,000 feet east of point where old	
road crosses Middle Bayou, 30 feet east of Red Bluff road, 4 feet east of	
fence line, in hub beside witness stake; copper nail (t.b. m. 60)	25. 05
Deer Park, 4.5 miles south of, 100 feet north of fence corner and lane south-	
west, 30 feet west of Red Bluff road, in hub by fence post; copper nail	
(t. b. m. 61)	25. 93
Deer Park, 4 miles south of, 20 feet west of Red Bluff road, at T road east,	
150 feet north of Mr. English's residence; iron post stamped "Prim. Trav.	
Sta. No. 30, 1915, 31"	31. 411
Deer Park, 3 miles south by 0.3 mile west of, 40 feet northwest of inter-	mider on
section of Pasadena-Red Bluff and Main Street-La Porte roads, at corner	
post of fence, in hub; copper nail (t. b. m. 62)	33. 73
Deer Park, 3 miles south by 0.3 mile east of, 0.9 mile east of crossroads, 25	
feet south of road, on fence line, in hub beside witness stake; copper	
nail (t. b. m. 63)	36. 54
Deer Park, 2.3 miles south of, 1,400 feet south of drainage ditch, 10 feet east	
of old trail in open prairie; iron post beside witness stake stamped "Prim.	
Tray. Sta. No. 31, 1915, 41"	41. 162
Deer Park, 1.5 miles south of, 10 feet west of dim roadway, in hub beside	
witness stake; copper nail (t. b. m. 64)	39. 70
Deer Park, 0.7 mile south of, 10 feet west of old road, at edge of embank-	
ment, in hub beside witness stake; copper nail (t. b. m. 65)	37. 47
Deer Park, 0.4 mile south of, southeast corner of culvert over drainage	
ditch, in timber; copper nail	36. 95
Deer Park, 180 feet north of station, 40 feet northwest of crossroads, 150 feet	
southwest of house, by railing to culvert; iron post stamped "Prim.	
Trav. Sta., No. 32, 1915, 36"	36. 332
Deer Park, 0.9 mile west of, 200 feet southeast of bungalow 30 feet north of	
road, in hub by fence post; copper nail (t. b. m. B)	36. 18
Deepwater, 0.9 mile east of, 400 feet east of two story house, 30 feet north of	
road, in hub by fence post; copper nail (t. b. m. C)	37. 49
Deepwater, 350 feet west of station, 50 feet north of track, 25 feet southwest	
of crossroads; iron post stamped "Prim. Trav. Sta. No. 1, 1915, 39"	38. 967
Deepwater, 0.7 mile west of, 150 feet west of T road north, 30 feet south of	de la
shell road, in hub by telephone pole; copper nail (t. b. m. 1)	36. 01
Pasadena, 0.7 mile east of, 70 feet northwest of road crossing, 30 feet south	
of shell road, 4 feet northwest of fence corner, in hub; copper nail (t. b.	00.00
m. 2)	33. 25
Pasadena, 300 feet west of station, 30 feet south of road, 60 feet west of fence	
corner; iron post stamped "Prim. Trav. Sta. No. 2, 1915, 31"	31. 489
Pasadena, 1.1 miles west of, 30 feet southeast of crossroads, 60 feet northeast	00.04
of road crossing, in hub by telephone pole; copper nail (t. b. m. 3)	32. 81
Pasadena, 2.2 miles west of, 60 feet northeast of El Buey flag station, 350 feet	
east of road crossing, 30 feet south of road, in hub by telephone pole; cop-	00 00
per nail (t. b. m. 4).	33. 07
Pasadena, 3 miles west of, 125 feet west of highway bridge over Simms	
Bayou, 20 feet north of road, 100 feet south of Galveston, Harrisburg &	
San Antonio Ry. track; iron post stamped "Prim. Trav. Sta. No. 3,	10 000
1915, 20"	19. 827
main road, 150 feet south of track, in hub by telephone pole, copper nail	25 97
(t. b. m. 5)	35. 27

From Pierce Junction south-southwest along International & Great Northern Ry. to Almeda, thence east along highways to Mykawa.

and the state of t	
Pierce Junction, 0.9 mile south of, 150 feet south of signboard "R. R. Cross-	
ing 1 M.," 40 feet east of track, 280 feet north of fence corner, in hub	Feet.
beside telephone pole; copper nail (t. b. m. 39)	59. 28
Pierce Junction, 1.8 miles south of, 900 feet south of switch, 30 feet east of	
track, in hub beside telegraph pole; copper nail (t. b. m. 40)	56. 92
Almeda, 2.7 miles north of, opposite milepost 9, 40 feet east of track; iron	
post stamped "Prim. Trav. Sta. No. 20, 1915, 56"	56. 100
Almeda, 2.1 miles north of, International & Great Northern Ry. bridge 17;	
top of rail	55. 9
Almeda, 1.8 miles north of, 35 feet east of track, 450 feet north of T road west	
to white house, in hub beside telegraph pole; copper nail (t. b. m. 41)	55. 46
Almeda, 0.8 mile north of, International & Great Northern Ry. bridge 18,	and the same
top of rail above d ainage ditch	56.4
Almeda, 0.9 mile north of, 900 feet south of bridge over drainage ditch, 40	
feet east of track, in hub beside telegraph pole; copper nail (t. b. m. 42).	53. 44
Almeda, 150 feet southeast of station, 100 feet east of track, 30 feet north of	
public road, 2 feet east of fence corner; iron post stamped "Prim. Trav.	
Sta. No. 21, 1915, 62"	61.962
Almeda, 0.6 mile east by 0.3 mile south of, 40 feet northeast of crossroads,	
100 feet southeast of bungalow, at corner of yard fence, in hub beside cor-	
ner post; copper nail (t. b. m. 43)	63. 29
Almeda, 1.5 miles east by 0.3 mile south of, 30 feet north of road, 100 feet	
northwest of fence corner on fence line south, in hub beside telephone	
pole; copper nail (t. b. m. 44)	63. 41
Almeda, 2.4 miles east by 0.3 mile south of, 40 feet southwest of culvert over	
drainage ditch, 30 feet south of road, 10 feet west of ditch, 1,300 feet east	
of fence line south; iron post stamped "Prim. Trav. Sta. No. 22, 1915, 61"	60. 991
Almeda, 2.9 miles east by 0.6 mile south of, 900 feet east of right angle turn	
in road, 20 feet south of road, in hub beside telephone pole; copper nail	
(t. b. m. 45)	58. 18
Almeda, 3.7 miles east by 0.7 mile south of, southwest corner of T road south,	
1,500 feet east of right angle turn in road, in hub at fence corner; copper	
nail (t. b. m. 46)	56. 59
Minnetax schoolhouse, 1 mile south by 0.2 mile east of, on Chocolate road,	
500 feet north of east-west road, 25 feet east of road, 30 feet south of small	
drain; iron post stamped "Prim. Trav. Sta. No. 23, 1915, 56"	55. 560
Minnetax School, 0.6 mile south by 0.2 mile east of, at right angle turn of	
road, 30 feet east of culvert over drainage ditch, 10 feet north of road, on	FO 00
south bank of ditch, in hub; copper nail (t. b. m. 47)	58. 93
Minnetax School, 0.9 mile east of, 2,100 feet east of primary traverse bench mark 48 (not painted), 900 feet west of Minnetax farmhouse, 40 feet north	
of culvert over drainage ditch, by fence post with two braces, in hub at	
	ET 00
foot of east brace; spike (t. b. m. 48 A)	51. 96
northeast corner of Minnetax fig orchard, in line with T road south, 20 feet	
north of road; iron post stamped "Prim. Trav. Sta. No. 24, 1915, 51"	E0 700
Mykawa, 1.2 miles west of, 400 feet southeast of house, 20 feet north of road,	50. 729
in hub by telephone pole; copper nail (t. b. m. 49)	53. 44
Mykawa, 0.2 mile west of, 400 feet southwest of brick schoolhouse, 20 feet	00. 41
north of road, in hub by telephone pole; copper nail (t. b. m. 50)	56. 04
Mykawa, road crossing, Santa Fe track, 150 feet northwest of station; top of	00.04
rail	57. 5
	01.0

Mykawa, 1,250 feet east of station, 200 feet southeast of white house, 30 feet south of road, 15 feet east of fence corner; iron post stamped "Prim. Trav. Sta. No. 25, 1915, 57"	Feet. 56. 672
From Blodgett west along Westheimer road to point near Jeanetta.	
Montrose, northeast corner of intersection of Mount Vernon Avenue and Richmond road, in hub beside telephone pole; copper nail (t. b. m. 11) Houston city limit on Richmond road, 30 feet north of road at bend, in hub	56. 10
at fence corner; copper nail (t. b. m. 12)	56. 56
shop; iron post stamped "Prim. Trav. Sta. No. 7, 1915, 60"	60. 211 64. 49
Stella cut-off, railroad crossing; top of rail. Houston, 2.1 miles west of city limit, 80 feet west of railroad crossing, 20 feet north of road, in hub beside telephone pole; copper nail (t. b. m. 14)	67. 4 64. 75
Houston, 3 miles west of city limit, 200 feet west of Post Oak School, 30 feet south of road, opposite Fairview store, 1 foot from fence; iron post	
stamped "Prim. Trav. Sta. No. 8, 1915, 66"	65. 862
east of house, in hub beside telephone pole; copper nail (t. b. m. 15) Houston, 5.2 miles west of city limit, wooden culvert over drainage ditch,	65. 10
south side of road, east end of railing, in hub; copper nail (t. b. m. 16) Jeanetta, 1.5 miles east of, 2,100 feet north of San Antonio & Aransas Pass Ry. track, 50 feet west of drainage ditch, by witness stake, in hub; copper	70. 43
nail (t. b. m. 84)	69. 95
R. R. to Pierce Junction.	
Missouri City, 3.4 miles northeast of, 200 feet northeast of gate in right-of-way fence, 100 feet south of block signals, between road and Southern Pacific	
R. R. track, in hub beside telephone pole; copper nail (t. b. m. 33) Missouri City, 4.3 miles northeast of, 400 feet west of house, 300 feet north-	70. 30
east of block signals, between road and Southern Pacific R. R. track, in hub beside telepone pole; copper nail (t. b. m. 34)	69. 60
tion 1 Mi.," 0.6 mile southwest of point where shell road crosses Southern Pacific R. R. track, between road and track on fence line; iron post	
stamped "Prim. Trav. Sta. No. 18, 1915, 69"	69. 056
forks, 3 feet south of telephone pole, in hub; copper nail (t. b. m. 35) Stella, 2.4 miles southwest of, 2,000 feet southwest of section house, 350 feet southwest of whistle post, 50 feet south of track, in hub beside telephone	66. 49
pole; copper nai! (t. b. m. 36) Stella, 1.5 miles southwest of, opposite signboard "Station 1 Mile," 40 feet south of track, in line with telegraph poles; iron post stamped "Prim.	65, 56
Trav. Sta. No. 19, 1915, 60"	60. 251
south of main track, 1 foot north of right-of-way fence, in hub; copper nail (t. b. m. 37)	54. 04 56. 7

ROSENBERG QUADRANGLE (Addicks, Alief, Ashford, Clodine, Cypress, Hillendahl, Holik, Katy, Swanson, and Waller 7½' quadrangles).

[Latitude 29° 30'-30°; longitude 95° 30'-96°.]

From Westheimer road north along highways to Hillendahl, thence northeast 2 miles.	
Hillendahl, 1 mile east and 3.2 miles south of; 1,700 feet north of Westheimer road, 25 feet north and 25 feet east of right-angled turn of road (road north and east), at corner fence post; copper nail in hub (t. b. m. 149) Buffalo Bayou, bridge over; center of floor	Feet. 72. 22 64. 8
Hillendahl, 1 mile east and 2.2 miles south of, at right-angled turn of road, 60 feet east of road, in root of oak tree; copper nail (t. b. m. 150)	71. 59
fence post; iron post stamped "Prim. Trav. Sta. No. 70, 915, 81" Hillendahl, 1 mile east and 0.9 mile north of, by corner fence post; copper nail in hub (t. b. m. 160)	80. 655 83. 62
Hillendahl, 1.6 miles east and 1.3 miles north of, 950 feet east of wooden highway bridge, 100 feet northeast of pasture gate, 30 feet north of road, in root of oak tree; copper nail (t. b. m. 161)	83. 99
From Alief west along San Antonio & Aransas Pass Ry. to Clodine, thence north along highway to Barker, thence along Missouri, Kansas & Texas Ry.	STATE OF THE PARTY
Alief, 120 feet southeast of station, 180 feet southwest of road crossing, 40 feet south of track, 150 feet northeast of post office by telephone pole;	
copper nail in hub (t. b. m. 21)	79. 53 85. 2
85)	81. 97 86. 2
milepost 17, by telephone pole; copper nail in hub (t. b. m. 86)	83. 52
stamped "Prim. Trav. Sta. No. 40, 1915, 85)". San Antonio & Aransas Pass Ry. bridge 18.5; top of rail	85. 498 89. 1
Clodine, 1.7 miles east of, 50 feet northeast of T road north, 40 feet southeast of road crossing, 250 feet northeast of house, at fence corner; copper nail in	
hub (t. b. m. 87)	89. 850
nail in hub (t. b. m. 88). Clodine, 240 feet south of road crossing, 140 feet west of station, 3 feet north	93. 53
of fence corner; iron post stamped "Prim. Trav. Sta. No. 41, 1915, 95" Clodine, 1 mile north of, 25 feet west of road, at corner of fence on line west	95. 202
(t. b. m. 89)	93. 24
copper nail in hub (t. b. m. 90)	92. 12
Sta. No. 42, 1915, 88"	87. 716
feet west of road, in root of oak tree; copper nail (t. b. m. 91)	85. 94
at corner post on fence line east; copper nail in hub (t. b. m. 92)	90.11

Barker, 115 feet south of Missouri, Kansas & Texas Ry. track, 35 feet west	E
and 25 feet south of T road south, at corner post of fence, 3-inch metal cap	
on iron pipe (C. & G. S. b. m. "B8")	
Barker, 0.85 mile east of, 25 feet south of public road, 6 inches from telephon	
pole; copper nail in hub (t. b. m. 151)	
Barker, 1.7 miles east of, 30 feet north of road, 50 feet south of track, 6	
inches from telephone pole; copper nail in hub (t. b. m. 152)	
Addicks, 200 feet east of station, 100 feet south and 25 feet east of public-	
road crossing, by post on right-of-way fence; iron post (C. & G. S. b. m.	
"C8"; Prim. Trav. Sta. No. 72)	
Private-road crossing; top of rail.	
Addicks, 0.8 mile east of, 35 feet north of road, in root of lone tree; copper	
nail (t. b. m. 153)	
Addicks, 1 mile east of, in northwest corner of 200-foot wooden bridge	
over creek; floor of bridge	
Addicks, 1.5 miles east of, 150 feet east of T road north, 350 feet west of house	allen sen
20 feet south of road, 100 feet north of Missouri, Kansas & Texas Ry.	
track; iron post stamped "Prim. Trav. Sta. No. 73, 1915, 92"	
Addicks, 2 miles east of, 20 feet north of road, 60 feet east of corner post on	
fence line north, in root of oak tree near fence line; copper nail (t. b. m.	
154)	
Addicks, 2.8 miles east of, 25 feet south of road, by telephone pole; copper	Manadinasi
nail in hub (t. b. m. 155)	
Addicks, 3.7 miles east of, 25 feet south of road, by telephone pole; copper	
nail in hub (t. b. m. 156)	
Hillendahl, 2.2 miles west of, 820 feet east of mile board 1071, 75 feet	See See See See
west of small bridge, 2.5 feet south of telephone pole; copper nail in	
hub (t. b. m. 157).	
Hillendahl, 1.3 miles west of, 25 feet south of road, 400 feet east of mile	ament work
board 1072, by telephone pole; copper nail in hub (t. b. m. 158)	
Hillendahl, 0.7 mile west of, at T road north, center of north end of Mis-	
souri, Kansas & Texas Ry. concrete culvert, 2 inches from edge; chiseled	
square (C. & G. S. b. m. "E8")	87.073
Hillendahl, 0.3 mile east of, 30 feet south of road, 60 feet north of track,	
320 feet west of private-road crossing, by telephone pole; copper nail in	
hub (t. b. m. 159)	83.02
Road crossing, at T road south; top of rail	82.7
Hillendahl, 1 mile east of, 65 feet northeast of shell-road crossing, on right-	
of-way fence line, by corner post; iron post (C. & G. S. b. m. "F8"; Prim.	
Trav. Sta. No. 71)	78. 628
From Addicks along highways north and east to point 2.1 miles southeast of Satsuma.	
Addicks along nighways north and east to point 2.1 miles southeast of Satsuma.	
Addicks, 0.8 mile north of, 120 feet south of bridge over creek, 480 feet north	
of bridge over south fork of creek, 10 feet east of road, in root of oak tree;	N. ST. ST. ST.
copper nail (t. b. m. 164)	90.23
Addicks, 1.7 miles north of, 1,200 feet south of church, 30 feet east of road,	
at corner post on fence line east; copper nail in hub (t. b. m. 165)	
Addicks, 2.3 miles north of, 2,000 feet north of white church, 40 feet west of	
road, 3 feet from corner post on fence line west; iron post stamped "Prim.	
Trav. Sta. No. 74, 1915, 105"	104.707
Addicks, 3.2 miles north of, 30 feet south and 25 feet east of T road west,	
4 feet from corner post on fence line east, by telephone pole; copper nail	
(t. b. m. 166)	106.96
25286°—Bull. 637—16——12	

Addicks, 4 miles north of, 25 feet east of road, 950 feet north of corner post on fence line east, by telephone pole; copper nail in hub (t. b. m.	Feet.
Addicks, 4.4 miles north and 0.4 mile east of, 150 feet south and 200 feet east of Griggsby schoolhouse, 4 feet west of corner fence post, 30 feet southeast of bend in road; iron post stamped "Prim. Trav. Sta. No. 75,	115. 28
- 1915, 119". Griggsby schoolhouse, 0.5 mile north and 0.5 mile east of, 800 feet north of small wooden bridge at bend of road, 200 feet north of corner post on	119.170
fence line west, 20 feet west of road, in root of oak tree; copper nail (t. b. m. 168)	109.67
pole; copper nail in hub (t. b. m. 169) T road south, 200 feet east of, 1 foot from west gate post, south side of road,	124. 23
opposite yellow house; 1-inch iron rod in ground. Brink schoolhouse, 2.6 miles east of, 2,300 feet west of T road south, 20 feet	123.96
south of road, by telephone pole; copper nail in hub (t. b. m. 174) Brink schoolhouse, 3.2 miles east of, 180 feet west of wooden bridge over creek, 25 feet south of road, 9 feet north of fence line; iron post stamped	127. 23
"Prim. Trav. Sta. No. 76, 1915, 119". Brink schoolhouse, 4.3 miles east of, 2.5 miles west of Houston & Texas Central Ry. crossing, 15 feet south of road in open prairie, by witness	119.162
stake; copper nail in hub (t. b. m. 175) Brink schoolhouse, 5.3 miles east of, 1.4 miles west of Houston & Texas Central Ry. crossing, 15 feet south of rod, in open prairie, by witness	123.94
stake; copper nail in hub (t. b. m. 176) From Barker west along Missouri, Kansas & Texas Ry. to Katy, thence north along	120. 24
highway to point near Hockley.	
Barker, 0.8 mile west of, 250 feet southeast of "Yard Limit" signboard, 125 feet south of track, 30 feet south of gravel road, by telephone pole; copper	Extended.
nail in hub (t. b. m. 93). Barker, 1.7 miles west of, 900 feet east of road crossing, 20 feet north of road, 60 feet south of track, by telephone pole; copper nail in hub (t. b. m. 94).	111.15
Road crossing; top of rail. Barker, 2.5 miles west of, 980 feet east of switch stand, 60 feet south of	119.0
track, 4 feet east of telephone pole; iron post stamped "Prim. Trav. Sta. No. 44, 1915, 124".	
	124.051
Katy, 4.7 miles east of, at Delhi Siding, 155 feet south of track at point 50 feet west of signboard, 30 feet south of public road, 2 feet north of corner post on fence line south; stone post, bottom of square hole (C. & G. S. b. m.	124.051
feet west of signboard, 30 feet south of public road, 2 feet north of corner post on fence line south; stone post, bottom of square hole (C. & G. S. b. m. A8; Prim Trav. Sta. 45)	124. 051 124. 816
feet west of signboard, 30 feet south of public road, 2 feet north of corner post on fence line south; stone post, bottom of square hole (C. & G. S. b. m. A8; Prim Trav. Sta. 45). Katy, 3.7 miles east of, 50 feet south of Missouri, Kansas & Texas Ry. track, 30 feet north of road, 6 inches from telephone pole; copper nail in hub (t. b. m. 95). Katy, 2.7 miles east of, 50 feet south of track, 15 telegraph poles east of	
feet west of signboard, 30 feet south of public road, 2 feet north of corner post on fence line south; stone post, bottom of square hole (C. & G. S. b. m. A8; Prim Trav. Sta. 45). Katy, 3.7 miles east of, 50 feet south of Missouri, Kansas & Texas Ry. track, 30 feet north of road, 6 inches from telephone pole; copper nail in hub (t. b. m. 95). Katy, 2.7 miles east of, 50 feet south of track, 15 telegraph poles east of mile board 1058, beside right-of-way fence; bottom of hole in top of stone post (C. & G. S. b. m. Z7; Prim. Trav. Sta. No. 46). Concrete culvert, northeast corner of, 70 feet southwest of private-road	124. 816
feet west of signboard, 30 feet south of public road, 2 feet north of corner post on fence line south; stone post, bottom of square hole (C. & G. S. b. m. A8; Prim Trav. Sta. 45). Katy, 3.7 miles east of, 50 feet south of Missouri, Kansas & Texas Ry. track, 30 feet north of road, 6 inches from telephone pole; copper nail in hub (t. b. m. 95). Katy, 2.7 miles east of, 50 feet south of track, 15 telegraph poles east of mile board 1058, beside right-of-way fence; bottom of hole in top of stone post (C. & G. S. b. m. Z7; Prim. Trav. Sta. No. 46). Concrete culvert, northeast corner of, 70 feet southwest of private-road crossing. Katy, 1.9 miles east of, 900 feet northwest of house, on fence line between	124. 816 130. 36 134. 488 137. 53
feet west of signboard, 30 feet south of public road, 2 feet north of corner post on fence line south; stone post, bottom of square hole (C. & G. S. b. m. A8; Prim Trav. Sta. 45). Katy, 3.7 miles east of, 50 feet south of Missouri, Kansas & Texas Ry. track, 30 feet north of road, 6 inches from telephone pole; copper nail in hub (t. b. m. 95). Katy, 2.7 miles east of, 50 feet south of track, 15 telegraph poles east of mile board 1058, beside right-of-way fence; bottom of hole in top of stone post (C. & G. S. b. m. Z7; Prim. Trav. Sta. No. 46). Concrete culvert, northeast corner of, 70 feet southwest of private-road crossing.	124. 816 130. 36 134. 488

Katy, 520 feet west of station, 40 feet south of track, 4 feet east and 2 feet	
south of telephone pole; iron post stamped "Prim. Trav. Sta. No. 47, 1915, 141"	Feet. 140.984
Katy, 550 feet west and 310 feet south of station, in southwest foundation of water tank of Katy Rice Milling Co.; copper bolt set in lead (C. & G. S.	140.001
b. m. X7)	141. 355
Katy, 0.8 mile northwest of, 100 feet north of road forks, 140 feet south of corner post on fence line west, 20 feet south of road, by telephone pole;	
copper nail in hub (t. b. m. 98)	145. 41
Katy, 1.7 miles north of, 20 feet west of road, opposite small house on west	110.11
side of road, by telephone pole; copper nail in hub (t. b. m. 99)	149.77
Katy, 2.8 miles north of, 20 feet east of road, opposite wood-colored house,	
900 feet north of red barn, by wire fence; iron post stamped "Prim. Trav. Sta. No. 48, 1915, 157"	150 000
Katy, 3.7 miles north of, 3,160 feet north of crossroads, 20 feet west of road,	156. 620
6 inches from telephone pole; copper nail in hub (t. b. m. 100)	156. 47
Katy, 4.6 miles north of, 100 feet southwest of yellow and green house, 25	
feet east of road, 6 inches from gate post; copper nail in hub (t. b. m. 101).	160. 04
Katy, 5.6 miles north of, 2,500 feet south of white schoolhouse, opposite private lane west, 30 feet east of road; iron post stamped "Prim. Trav.	
Sta. No. 49, 1915, 160"	160. 140
Schoolhouse, 300 feet north of, at crossroads; center of wooden culvert	160. 18
Katy, 6.6 miles north of, 0.5 mile north of white schoolhouse, at corner post	
on fence line east, 10 feet east of road; copper nail in hub (t. b. m. 102).	163, 46
Katy, 7.5 miles north of, 20 feet east of road, at gate post, and corner post on fence line east; copper nail in hub (t. b. m. 103)	171. 64
Katy, 8.1 miles north and 0.2 mile east of, 20 feet south of road, in line with	171.00
private road north, near corner post on fence line south; iron post stamped	
"Prim. Trav. Sta. No. 50, 1915, 165"	165. 046
Katy, 8.1 miles north and 1 mile east of, 30 feet southwest of post at inter-	750 10
section of roads, by corner post; copper nail in hub (t. b. m. 104) Katy, 9 miles north and 1 mile east of, on west side of dim road, 6 inches	159. 42
from fence post; copper nail in hub (t. b. m. 105)	162. 21
Katy, 9.9 miles north and 1 mile east of, 815 feet north of fence corner, 3	
feet west of fence, 20 feet east of dim road; iron post stamped "Prim.	A PONTER
Trav. Sta. No. 51, 1915, 164"	164. 283
1,400 feet north of summit of ridge, 30 feet west of road, 6 inches from	
fence post; copper nail in hub (t. b. m. 106)	160. 93
Katy, 11.3 miles north and 1 mile east of, 100 feet north of Cypress Creek,	
25 feet north of end of bridge, 20 feet west of road, in root of water oak;	755 01
copper nail (t. b. m. 107)	157. 24
bridge, 30 feet east of road, 2 feet from tall fence post; iron post stamped	
"Prim. Trav. Sta. No. 52, 1915, 168"	168.080
Katy, 13.4 miles north and 1 mile east of, 2.1 miles north of Cypress Creek	
bridge, 30 feet east of road, at gate post and corner post on fence line east;	100.00
copper nail in hub (t. b.m. 108)	180. 23
From point near Swanson southeast along Houston & Texas Central R. R. to point 1.6 miles southeast of Fairbanks.	
Hockley, 4.5 miles southeast of, 1,200 feet northwest of road crossing, oppo-	
site milepost 31, 55 feet north of track, 25 feet south of shell road, 2.5 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 54,	
1915, 194"	194. 546

Swanson, 150 feet east of signboard, 600 feet west of milepost 30, 50 feet north of track, 25 feet south of road, 6 inches from telephone pole; copper nail in hub (t. b. m. 113).	Feet. 187. 62
Cypress, 3.3 miles northwest of, 800 feet east of signboard "1 M. Swanson," 50 feet north of track, 25 feet south of road, 6 inches from telephone pole;	
copper nail in hub (t. b. m. 114)	157. 83
pole; iron post stamped "Prim. Trav. Sta. No. 55, 1915, 156"	155. 826
1 foot from telephone pole; copper nail in hub (t. b. m. 115)	154. 13
in hub (t. b. m. 116)	152. 14
60 feet southwest of Jurgen's saloon, 3 feet north of fence line, 3 feet west of telephone pole; iron post stamped "Prim. Trav. Sta. No. 56, 1915, 150" Cypress, 0.9 mile southeast of, 30 feet south of road, 40 feet north of track,	150. 275
6 inches from telephone pole; copper nail in hub (t. b. m. 129)	142. 58
1.5 feet from telephone pole; copper nail in hub (t. b. m. 130)	145. 27
4 feet east of corner post on fence line north; iron post stamped "Prim. Trav. Sta. No. 62, 1915, 143" Road crossing; top of rail	143. 018 144. 3
Cypress, 3.7 miles southeast of, 30 feet south of road, 70 feet north of track, 10 feet south of T road north, 1 foot from telephone pole; copper nail in hub (t. b. m. 131)	140. 35
Cypress, 4.4 miles southeast of, 100 feet east of road crossing, 25 feet south of road, 60 feet north of track, 1 foot from telephone pole; copper nail in	
hub (t.b.m. 132) Satsuma, 2.6 miles northwest of, 400 feet east of milepost 21, 30 feet north of road, 5 feet west of corner post on fence line north; iron post stamped	136. 37
"Prim. Trav. Sta. No. 63, 1915, 134"	134. 619
of road, 1.5 feet south of fence corner; copper nail in hub (t.b.m. 133) Satsuma, 0.8 mile northwest of, 800 feet northwest of milepost 19, 30 feet south of road, 50 feet north of track, 1 foot from telephone pole; copper	130. 54
nail in hub (t.b.m. 134). Satsuma, 75 feet south of store and post office, 150 feet northwest of station signboard, 30 feet north of road, 80 feet north of track, 6 feet west of tele-	124. 81
phone pole; iron post stamped "Prim. Trav. Sta. No. 64, 1915, 120"	120. 704 121. 6
Satsuma, 1 mile southeast of, 50 feet west of T road north, 30 feet south of road, 60 feet north of track, 1 foot from telephone pole; copper nail in	121.0
hub (t.b.m. 135)	117. 22
(t.b.m. 136)	112.95
Satsuma, 2.7 miles southeast of, 35 feet north of road, 4 feet east of tele-	
phone pole; iron post stamped "Prim. Trav. Sta. No. 65, 1915, 112"	112. 020
Fairbanks, 2.1 miles northwest of, 25 feet south of road, 65 feet east of road crossing, 2 feet from corner fence post; copper nail in hub (t.b.m. 137)	103. 16

Fairbanks, 1.2 miles northwest of, 100 feet southeast of concrete culvert, 230 feet east of milepost 14, 20 feet south of road, 60 feet north of track, 1 foot from telephone pole; copper nail in hub (t.b.m. 138)	Feet. 99. 51 99. 8
feet south of store and post office, 2 feet northwest of telephone pole; iron post stamped "Prim. Trav. Sta. No. 66, 1915, 96"	96. 113
of road, 6 inches from telephone pole; copper nail in hub (t.b.m. 139) Fairbanks, 1.6 miles southeast of, 150 feet northwest of milepost 11, 65 feet east of road crossing, 25 feet south of road, 6 inches from telephone	92. 86
pole; copper nail in hub (t.b.m. 140)	87. 00
From point 6.5 miles south by 2.2 miles east of Hockley, thence northwest along highway to county line, thence north to point 2.3 miles south by 2.5 miles west of county line.	
Hockley, 6.5 miles south and 1.3 miles east of, 4,500 feet west of Katy-Hockley road, in open prairie, by witness stake; copper nail in hub (t.b.m.	169 90
Hockley, 6.5 miles south and 0.7 mile east of, at gateway on private road across prairie, at north end of land, near head of timber, on Cypress Creek,	163. 30
6 feet west of gate post; copper nail in hub (t.b.m. 184)	166. 02
Cypress Creek, at double gateway, 2 feet south of fence line; iron post stamped "Prim. Trav. Sta. No. 81, 1915, 170"	169. 512
north (50-foot jog to south on east-and-west fence line), 5 feet east of corner post; copper nail in hub (t.b.m. 185)	171. 78
on fence line along Harris-Waller county line, by west gate post; copper nail in hub (t.b.m. 186).	173. 69
Hockley, 4.8 miles south and 2.7 miles west of, on Harris-Waller county line, 2 feet east of wire fence; iron post stamped "Prim. Trav. Sta. No. 82, 1915, 182".	181. 951
Hockley, 4.5 miles south and 3 miles west of, on county-line fence, 500 feet east of house, at south gate post; copper nail in hub (t.b.m. 187)	191. 53
house in trees, 1 foot from fifteenth fence post northwest of bend in fence line; copper nail in hub (t.b.m. 188)	203. 85
From point 1.6 miles east of Brink schoolhouse west along highway to point 3.7 miles north of Katy.	
Brink schoolhouse, 1.6 miles east of, 15 feet south of road, by witness stake; copper nail in hub (t.b.m. 173)	127. 26
(incorrectly painted 171); copper nail in hub (t.b.m. 172)	130. 58
corner of bridge over Langham Creek, 40 feet west of pine tree 3 feet in diameter; iron post stamped "Prim. Trav. Sta. No. 17, 1915, 128" Brink schoolhouse, 0.2 mile south by 0.9 mile west of, 20 feet north of road,	128. 303
by witness stake (incorrectly painted 170); copper nail in hub (t.b.m. 171). Brink schoolhouse, 0.2 mile south by 1.8 miles west of, 15 feet south of road,	135. 08
by witness stake (incorrectly painted 169); copper nail in hub (t.b.m. 170).	137. 21

Brink schoolhouse, 0.5 mile south of and 2.8 miles west of, 6 feet south of	Feet.
northwest corner of fence around house; wire nail in hub (t. b. m. 123) Katy, 5.4 miles north by 4.6 miles east of, 35 feet north of road, 10 feet north	140.82
of corner post on fence line north; iron post stamped "Prim. Trav. Sta.	
No. 59, 1915, 144"	143.839
Katy, 5.4 miles north by 3.9 miles east of, 30 feet northeast of T road east,	145.76
by corner post of fence; wire nail in hub (t. b. m. 124)	145.70
feet west of road, 6 inches from fence post; wire nail in hub (t. b. m. 125)	144.61
Katy, 4.1 miles north by 3.5 miles east of, 0.5 mile east of Stockdick school-	
house, 25 feet south of road, 3 feet from corner post on fence line south; iron post stamped "Prim. Trav. Sta. No. 60, 1915, 143"	142.479
Katy, 4.1 miles north by 2.6 miles east of, 1,950 feet west of cross roads, 30	
feet north of road, 1 foot from telephone pole; copper nail in hub (t. b. m.	145 01
Katy, 4.1 miles north by 1.7 miles east of, 30 feet north of road, 600 feet	145.81
northwest of wood-colored house, I foot from telephone pole, by witness	
stake; copper nail in hub (t. b. m. 127)	149.86
Katy, 4.1 miles north by 1 mile east of, 25 feet south by 25 feet east of center of cross roads, 2.5 feet from corner fence post; iron post stamped "Prim.	
Trav. Sta. No. 61, 1915, 154"	154.086
Katy, 4.1 miles north of, 630 feet east of cross roads, 30 feet north of road, 1	
foot from corner post on fence line north, by witness stake; copper nail in hub (t. b. m. 128).	157.45
From Cypress southwest along highway to point 0.5 mile south by 2.8 miles west of	107.40
Brink schoolhouse.	
Cypress, 1.1 miles southwest of, on road to Baine's Ranch, by north gate	000000
post; copper nail in hub (old t. b. m. not found)	145.89
ranch, 400 feet south of corner of barbed and woven wire fence, in root of	
water-oak tree; wire nail (t. b. m. 118)	143.68
Cypress, 2.4 miles southwest of, 0.8 mile south of Baine's ranch house, 20 feet south of wooden gate in east and west fence line; iron post stamped	
"Prim. Trav. Sta. No. 57, 1915, 153"	153. 279
Baine's ranch, 1.7 miles south of house, in open pasture, 60 feet west of dim	
roadway, on slight knoll, by witness stake; wire nail in hub (t. b. m. 119).	149.82
Baine's ranch, 2.4 miles south of, wire gate on east and west fence, 2 feet east of east gate post; wire nail in hub, (t. b. m. 120)	147.78
Baine's ranch house, 4.1 miles south of, 3 feet south of wire fence, 25 feet	
west of wooden gate in east and west fence; iron post stamped "Prim.	744 050
Trav. Sta. No. 58, 1915, 145" (traverse t. b. m. 121 not found)	144. 653
west of house, by witness stake; wire nail in hub (t. b. m. 122)	140.16
BOBBIN QUADRANGLE (Hockley and Waller 7½' quadrangles).	
[Latitude 30°-30° 30′; longitude 95° 30′-96°.]	TO THE REAL PROPERTY.
From point 2.1 miles north of Cypress Creek Bridge north along highway to point 1.9 miles southeast of Hockley, thence southeast 2 miles along Houston & Texas Cen-	BOURSE .
tral R. R.	
Katy, 14.4 miles north and 1 mile east of, 30 feet south and 25 feet east	
of T road south, 1 foot from corner fence post; copper nail in hub (t. b. m.	100 00
Hockley, 1.9 miles south of station, thence 1 mile south of, 2,400 feet north	198.36
of right angle turn of road, 30 feet east of road, 2 feet from fence post;	
iron post stamped "Prim. Trav. Sta. No. 53, 1915, 204"	203.814

Hockley, 1.9 miles southeast of, 120 feet north and 20 feet west of road crossing Houston & Texas Central R. R., 25 feet north of shell road, 1 foot from telephone pole; copper nail in hub (t. b. m. 110)	Feet. 207. 91 202. 94 203. 05
From point 1.9 miles southeast of Hockley, along Houston & Texas Central R. R. to point 1.8 miles northwest of Hockley, thence south 3.6 miles along highway.	
Hockley, 1 mile southeast of, 900 feet southeast of road crossing, 25 feet south of road, opposite sign board "1 M. to Hockley" by telephone pole;	213.99
copper nail in hub (t. b. m. 178). Hockley, at Houston & Texas Central R. R. station, opposite semaphore; top of rail.	223.0
Hockley, 600 feet west of station, opposite milepost 36, 105 feet south of main track, 30 feet south of shell road; iron post stamped "Prim. Trav. Sta. No. 78, 1915, 221"	221, 210
Hockley, 1 mile northwest of, 120 feet south of Houston & Texas Central R. R. track, 25 feet south of road, at corner post on fence line south;	
copper nail in hub (t. b. m. 179)	227. 68 238. 65
Hockley, 2 miles west and 0.2 mile south of, 1.1 miles south of Houston & Texas Central R. R. crossing, 150 feet southwest of white house, 20 feet north and 25 feet west of T road north, 8 inches from corner fence post;	
copper nail in hub (t. b. m. 191)	233.05
stamped "Prim. Trav. Sta. No. 84, 1915, 235"	235.066
corner, at post on fence line east; copper nail in hub (t. b. m. 190) Hockley, 2.3 miles south and 2.5 miles west of, at south end of lane where road turns east, 2 feet north and 1 foot west of gate post in east and west	230. 83
fence; copper nail in hub (t. b. m. 189)	231. 66
stamped "Prim. Trav. Sta. No. 83, 1914, 245"	244. 869
HOUSTON QUADRANGLE (Houston Heights and Settegast 7½' quadrangles). [Latitude 29° 30'-30°; longitude 95°-95° 30'.]	
From point 1.6 miles south of Fairbanks southeast along Houston & Texas Central Ry. to Houston.	th not
Fairbanks, 2.4 miles southeast of, 1,000 feet northwest of milepost 10, 40 feet north of road; 5 feet south of fence corner, 2 feet from telephone pole;	Hanging and Total
iron post stamped "Prim. Trav. Sta. No. 67, 1915, 81"	81. 077
(t. b. m. 141)	82. 54
feet south of road, 6 inches from telephone pole; copper nail in hub (t. b. m. 142)	77. 80
T road west, road crossing; top of rail	78.4

Eureka, 1.7 miles northwest of, halfway between mileposts 7 and 8, 60 feet north and 30 feet west of road forks, 300 feet northwest of private road	
crossing, 5 feet from fence corner; iron post stamped "Prim. Trav. Sta. No. 68, 1915, 76"	Feet. 76. 615
culvert "6 C," 20 feet south of road, 1 foot from telephone pole; copper nail in hub (t. b. m. 143).	72. 01
Eureka, 85 feet east of intersection of Missouri, Kansas & Texas and Houston & Texas Central railroad tracks, 15 feet north of Missouri, Kansas &	12.01
Texas Ry. track, 6 feet east of cattle guard at road crossing, in top of 3 by 4 inch post; copper nail (t. b. m. 144)	68. 82
Eureka, 480 feet east of intersection of Missouri, Kansas & Texas and Houston & Texas Central railroad tracks, block signal on north side of Missouri, Kansas & Texas Ry. track; bottom of square hole in concrete	
foundation (C. & G. S. b. m. " H_8 "). Eureka, 0.9 mile southeast of, on Washington Avenue, 25 feet south of	65. 595
road, 6 inches from telephone pole; copper nail in hub (t. b. m. 145) Houston, 0.5 mile west of city limit, on Washington Avenue, 530 feet west of Birdsall Avenue, 30 feet north of road, 5 feet east of corner fence post, 8 feet from telephone pole; iron post stamped "Prim. Trav. Sta. No. 69,	62. 23
1915, 60" Houston, corner Washington Avenue and Roy Street, on concrete culvert;	60. 259
painted circle	60.05
R. R. track; top of rail. Houston, 0.2 mile north of city limit, on Bruner Avenue, 140 feet south and 50 feet west of intersection with Missouri, Kansas & Texas Ry. track,	63. 2
in root of oak tree; copper nail (t. b. m. 252)	58. 34
1 inch above ground (C. & G. S. b. m. "I ₈ "; Prim. Trav. Sta. No. 114) Houston, on Spring Street, 600 feet west of car line on Taylor Street, 32 feet north of Missouri, Kansas & Texas Ry. track, in root of pecan tree; copper	61. 017
nail (t. b. m. 251)	56. 92
White Oak Bayou, Missouri, Kansas & Texas Ry. trestle over; top of rail Houston, at west end of Hogan Street, 280 feet northeast of south end of Missouri, Kansas & Texas Ry. trestle over White Oak Bayou; iron post	32. 4
stamped "Prim. Trav. Sta. No. 113, 1915, 44"	44, 341
red metal disk (C. & G. S. b. m. J ₈)	45. 006
heimer road 1,800 feet west of city limit.	
Houston, 270 feet east of city limit, 20 feet west of Roy Street, 0.4 mile south of Washington Avenue, in root of oak tree; copper nail (t. b. m. 146) Buffalo Bayou, 150 feet south of south end of bridge over, in east end of	61. 28
concrete spillway; chiseled square	46. 14
right-angle turn of road, 120 feet west of yellow house, 20 feet south of fence corner, in hub of fence post; copper nail (t. b. m. 147)	60. 07
north and 35 feet west of, 6 inches from corner fence post; copper nail (t. b. m. 148)	58. 63

From point 1.6 miles east by 1.3 miles north of east along highway to point 1.7 miles northwest of Eureka.	
Hillendahl, 1.6 miles north and 2.3 miles east of, 30 feet north of road, 151 feet south of house, 30 feet east of lane north, in root of oak tree; copper nail (t. b. m. 162)	Feet. 76. 94 76. 42
ROSENBERG QUADRANGLE (including Ashford, Cypress, and Hillendahl 7½' quadrangles).	
[Latitude 29° 30′-30°; longitude 95° 30′-96°.]	
Near Cypress.	
Cypress, 2.7 miles northeast of, 35 feet south and 10 feet west of crossroads,	
in open prairie, 1,000 feet southwest of house; iron post stamped "Prim. Trav. Sta. No. 115, 1915, 148" (p. b. m. 115)	148. 215
Cypress, 2.1 miles northeast of, near center of public road, in root of oak; copper nail (t. b. m. 254)	148. 72
Cypress, 1 mile northeast of, 1,200 feet northeast of crossroads, 45 feet north	110.12
of road, in root of lone oak tree; copper nail (t. b. m. 253)	148. 82
Cypress, 0.7 mile north of, 30 feet west of shell road, 6 inches south of corner post on fence line west; copper nail in hub (t. b. m. 214)	151 69
	151. 62
Near Cypress Bridge.	
Cypress Creek Bridge on Airline road, 0.7 mile south of, 20 feet west of road, 3 feet east of corner post on fence line west; iron post stamped "Prim. Trav. Sta. No. 122, 1915, 120)"	190 491
	120. 421
From point near Pemble's store along highways southwest and south to Fairbanks.	
Pemble's store, 3.4 miles southwest of, on Ehrhardt Settlement road, 0.6 mile southwest of Airline road, 35 feet northwest of road, on small knoll;	***
iron post stamped "Prim. Trav. Sta. No. 132, 1915, 118" (p. b. m. 132) Pemble's store, 4.3 miles southwest of, 1.5 miles southwest of Airline road, 100 feet southeast of Mr. Haygraves's house, in root of mulberry tree;	117. 915
copper nail (t. b. m. 293)	118. 36
Pemble's store, 5.3 miles southwest of, 2.5 miles southwest of Airline road,	
0.8 mile northeast of crossing of West Montgomery road and Trinity & Brazos Valley Ry. track, 15 feet northwest of fence line, in root of oak;	
copper nail (t. b. m. 292)	121. 15
North Houston, 1.3 miles north of, 215 feet southeast of Trinity & Brazos	111.10
Valley Ry. and West Montgomery road crossing, 55 feet east of track, 30	
feet west of road, 6 feet from corner post on right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 131, 1915, 122" (p. b. m. 131)	121. 672
North Houston, 0.8 mile north of, 30 feet northeast of West Montgomery	121.072
road, 6 inches from corner post at junction of wire and board fences;	
copper nail in hub (t. b. m. 294).	117. 90
North Houston, 0.5 mile N. 60° E. from, 950 feet northwest of road forks, 25 feet southwest of gravel road, 6 inches from corner post on fence line	
west; copper nail in hub (t. b. m. 295)	111.51
North Houston, 1 mile east of, 25 feet southwest of West Montgomery road	
at bend, 25 feet west of dim roadway south, 3 feet east of corner fence post; iron post stamped "Prim. Trav. Sta. No. 133, 1915, 110" (p. b. m.	
133)	110. 001
North Houston, 1.5 miles S. 60° E. of, 30 feet east of dim road, at corner	- diene
fence post, by witness stake; copper nail in hub (t. b. m. 296)	106. 47

North Houston, 1.5 miles south and 1 mile east of, 30 feet east of road, 1	
foot west of corner post on fence line east, at north end of wooden gate;	Feet.
copper nail in hub (t. b. m. 297)	105. 93
North Houston, 2.1 miles south and 1 mile east of, 60 feet northeast of	
Trinity & Brazos Valley Ry. track, 170 feet north and 25 feet east of	
road crossing, 2½ feet east of corner post on right-of-way fence; iron post	1-0-1-190
stamped "Prim. Trav. Sta. No. 134, 1915, 98" (p. b. m. 134)	97. 873
North Houston, 3 miles south and 1 mile east of, 520 feet south of bridge,	0= 0=
30 feet east of road, in root of ash tree; copper nail (t. b. m 298)	87. 25
Fairbanks, 1.2 miles north and 1.9 miles east of, 0.6 mile west of Trinity & Brazos Valley Ry track, 25 feet south of road, opposite small house at	
corner post on fence line south; copper nail in hub (t. b. m. 283)	90. 56
Fairbanks, 1.2 miles north and 1 mile east of, 20 feet north of east and west	30. 30
road, 25 feet east of T road north, 6 inches from corner fence post; copper	
nail in hub (t. b. m. 284)	94. 13
Fairbanks, 4,500 feet north, 30° east (magnetic) from Houston & Texas	01120
Central R. R. water tank, 1.25 feet southwest of creek, in open prairie	
by witness stake; copper nail in hub (t. b. m. 285)	92. 55
From point 1.7 miles northwest of Satsuma north and east along highways to Trinity & Brazos Valley Ry., 1.3 miles north of North Houston.	
Satsuma, 1.5 miles N. 30° W. of, 4,800 feet northeast of Houston & Texas	
Central R. R. track at point 1.7 miles northwest of Satsuma, 15 feet	
south of road, in open prairie, by witness stake; copper nail in hub (t.	
b. m. 286)	128.06
Satsuma, 1.7 miles north of, 50 feet south of road, 80 feet southeast of small	
bridge over creek, in root of ash tree; copper nail (t. b. m. 287)	122. 46
Satsuma, 2.7 miles northeast of, 35 feet north and 20 feet east of crossroads,	
in open prairie; iron post stamped "Prim. Trav. Sta. No. 129, 1915, 128"	10- 000
(p. b. m. 129)	127. 880
Satsuma, 3.2 miles northeast of, 0.5 mile northeast of crossroads, in line with	100 74
road, in root of oak; copper nail (t. b. m. 288)	128. 74
large oak; copper nail (t. b. m. 289)	129. 71
Satsuma, 5.1 miles northeast of, 2 miles west of Trinity & Brazos Valley	120.11
track, 25 feet north and 25 feet east of crossroads; in open prairie; iron	
post stamped "Prim. Trav. Sta. No. 130, 1915, 129" (p. b. m. 130)	128. 763
North Houston, 1.8 miles north and 0.5 mile west of, 25 feet north of Rose-	
hill road, by witness stake; copper nail in hub (t. b. m. 290)	124. 31
North Houston, 1.5 miles north and 0.3 mile west of, 20 feet north and 5 feet	
east of crossroads, 1 foot from northeast corner of small bridge; copper nail	
in hub (t. b. m. 291)	123. 26
From point north of Jeanetta west along Westheimer road and San Antonio & Aransas	
Pass Ry. to Alief, thence along highways south 2.6 miles, thence east and north to	
point near Jeanetta.	
Houston, 6.3 miles west of city limit, on Westheimer road, 250 feet south-	
west of white house, 25 feet south by 20 feet east of T road corner, beside	
corner fence post; iron post stamped "Prim. Trav. Sta. No. 9, 1915, 73".	72.583
Houston, 7.4 miles west of city limit, 2,100 feet west of drain, 30 feet north	
of road, on fence line north, in hub beside corner post; copper nail (t. b. m.	-1 -5
Houston, 8.3 miles west of city limit, 25 feet north of road, on fence line	74.53
north, in hub beside corner post; copper nail (t. b. m. 18)	79.36
norm, in hub beside corner post, copper nair (t. b. m. 10)	10.00

PRIMARY LEVELING.

Alief, 2 miles east by 1.3 miles north of, 350 feet north of large house, fence	
corner at T road south; iron post stamped "Prim. Trav. Sta. No. 10, 1915, 81"	Feet. 81.030
Alief, 2 miles east by 0.5 mile north of, 1,240 feet south of culvert over drainage ditch, 20 feet west of road, corner post on fence line west, in hub; cop-	
per nail (t. b. m. 19)	80.48
Alief, 1.6 miles east of, 30 feet west of wire gate, 150 feet north of house, 30	TO 00
feet north of road, in hub beside telegraph pole; copper nail (t. b. m. 20). Akief, 1.1 miles east of, 150 feet north of house, 30 feet south of road, 125 feet south of San Antonio & Aransas Pass Ry. track and station post; iron post	79.80
stamped "Prim. Trav. Sta. No. 11, 1915, 81"	80.667
Brays Bayou, San Antonio & Aransas Pass Ry. bridge over; top of rail	83.5
Alief, 120 feet southeast of station, 180 feet southwest of road crossing, 40 feet south of track, 150 feet northeast of post office, in hub beside tele-	
phone pole; copper nail (t. b. m. 21)	79.53
(t. b, m, 22)	82. 09
Alief, 1.7 miles south by 0.2 mile west of, at wire gate to old road west, southwest corner of wooden culvert over ditch, 20 feet west of road; iron post	
stamped "Prim. Trav. Sta. No. 12, 1915, 82". Alief, 2.6 miles south by 0.2 mile west of, at Richmond road crossing, 20 feet	82. 533
south of crossroads, at west gatepost, in hub; copper nail (t. b. m. 23)	87.09
Alief, 2.6 miles south by 0.8 mile east of; floor of wooden culvert	86.4
Alief, 2.6 miles south by 1.1 miles east of, 25 feet north of Richmond road, 1,200 feet S. 26° W. of white house, corner post on fence line, in hub;	00.05
copper nail (t. b. m. 24)	83.95
post stamped "Prim. Trav. Sta. No 13, 1915, 82"	81.593
Alief, 2.6 miles south by 2.4 miles east of, 50 feet north of road, in base of	
lone wesatch tree; copper nail (t. b. m. 25)	75.05
Alief, 2.6 miles south by 3.5 miles east of, 30 feet south of road, 50 feet north of house, 400 feet west of T road south and private road north, in hub	
beside fence post; copper nail (t. b. m. 26)	72.48
Missouri City, about 4.2 miles north of, 60 feet east of Richmond road at	
forks, 250 feet southwest of wooden bridge over Brays Bayou; iron post stamped "Prim. Trav. Sta. No. 14, 1915, 67"	66, 899
Bellaire, about 3 miles west of, on Richmond road, 10 feet north of road, 20	Daniel Control
feet south of fence, in base of we atch tree; copper nail (t. b. m. 79)	67.89
Bellaire, about 2.2 miles west of, 45 feet south of Richmond road, 10 feet	
east of gatepost, at corner post on fence line south; iron post stamped	
"Prim. Trav. Sta. No. 39, 1915, 67"	66.650
Bellaire, about 2.2 miles west of, 0.4 mile north of Richmond road, at fence corner on open prairie, in hub; copper nail (t. b. m. 80)	68. 37
Jeanetta, 1 mile S. 70° E. of, 150 feet southwest of old ditching machine, in	00.01
open prairie by witness stake, in hub; copper nail (t. b. m. 81)	72.18
Jeanetta, 1 mile southeast of, 1,200 feet north of old ditching machine, 300	
feet west of ditch, in base of lone elm tree; copper nail (t. b. m. 82)	72.14
Jeanetta, 1 mile east of, on San Antonio & Aransas Pass Ry. track, between signboards "Tank 1 Mi." and "Jeanetta 1 Mi.," 50 feet north of track,	i islaw
by telephone pole, in hub; copper nail	70.43

From point 4.2 miles north of Missouri City south along highways to Missouri City, thence east-northeast along Southern Pacific R. R. to Pierce Junction.

Missouri City, about 3.4 miles north of, 40 feet east of road, at corner post on fence line east, in hub; copper nail (t. b. m. 27)	Feet. 71.43
Missouri City, 2.6 miles north of, 50 feet northwest of right angle turn in	
road, 150 feet southwest of large barn, in hub at fence corner; copper nail (t. b. m. 28).	73. 29
Missouri City, 1.7 miles north of, at angle of road, 30 feet south of bridge over	
drainage ditch; iron post stamped "Prim. Trav. Sta. No. 15, 1915, 73".	72.764
Missouri City, 1.2 miles N. 20° W. of, 30 feet southeast of road, at corner post	
on fence line southeast, in hub; copper nail (t. b. m. 29)	74. 66
Missouri City, 0.9 mile northwest of, 60 feet south of road forks, 600 feet	
north of house, in hub at corner post; copper nail (t. b. m. 30)	78. 38
Missouri City, 70 feet south of station, 90 feet southeast of road crossing, 8	
feet east of stile over fence, 20 feet north of Houston road; iron post	00 000
stamped "Prim. Trav. Sta. No. 16, 1915, 80"	80. 250
Missouri City, 0.8 mile northeast of, 300 feet east of private-road crossing,	
40 feet northwest of Houston road, in hub beside telephone pole; copper	77 00
nail (t. b. m. 31)	71. 98
whistle post for road crossing, between road and Southern Pacific R. R.	
track, in hub beside telephone pole; copper nail (t. b. m. 32)	70, 27
Missouri City, 2 miles northeast of, road crossing, 60 feet north of Houston	10. 41
road; top of rail	74. 2
Missouri City, 2.6 miles northeast of, on Houston road, 50 feet southeast of	11.2
Southern Pacific R. R. track, 30 feet north of road, 2 feet outside right of	
way fence; iron post stamped "Prim. Trav. Sta. No. 17, 1915, 70"	70, 391
The state of the s	

Bobbin, Brenham, and Rosenberg 30' quadrangles.

WALLER COUNTY.

The elevations in the following list were determined by primary leveling by D. S. Birkett in 1916. The lines were run in order to connect Harris County leveling of 1915 with elevations along Brazos River, established in 1909–10.

Additional elevations in the vicinity will be found on pages 158–183, also in Bulletin 644–P.

BOBBIN QUADRANGLE.

[Latitude 30°-30° 30'; longitude 95° 30'-96°.]

From Waller west along Houston & Texas Central R. R. to Prairie View.

Waller station, about 1,900 feet east of, 47 feet south of Houston & Texas	
Central R. R., 23 feet southeast of county-line post, 2.5 feet north of	
fence line; iron post stamped "Prim. Trav. Sta. No. 80, 1915, 242"	Feet.
(Monbeck's line, 1915)	241.632
Waller, 0.4 mile west of, Houston & Texas Central R. R. bridge 41 A, on	
top of south end of east abutment; chiseled square	239.88
Waller, 1.5 miles west of, Houston & Texas Central R. R. bridge 42 C,	
southeast corner of east abutment; chiseled square	245.58
Prairie View, 2 miles east of, 800 feet east of Pennington's store, on south	
side of public road, at top of hill, in telephone pole; railroad spike	
painted "U. S. 278 B. M."	278.40

Prairie View, 0.6 mile east of, Houston & Texas Central R. R. bridge 45 C, in top of southeast corner of east abutment; chiseled square	Feet. 241. 49 253. 1
BRENHAM QUADRANGLE.	STATE OF
[Latitude 30°-30° 30': longitude 96°-96° 30'.]	in their
From Prairie View west along Houston & Texas Central R. R. to Brazos River.	
Prairie View, 0.7 mile west of, 7 telegraph poles east of milepost 47, 20 feet south of Houston & Texas Central R. R. track, in top of west concrete	
emergency rail stand; chiseled square	245. 14
Trav. Sta. No. 4, 1916, 208''	207.463
Hempstead, 0.25 mile east of road crossing at cattle guard 49 B; top of rail.	240.2
Hempstead, Waller County courthouse, top of limestone balustrade, east side of steps, at south entrance; bronze tablet stamped "Prim. Trav. Sta.	242.004
No. 5, 1916, 249''. Hempstead, 1 mile west of, on Brenham branch of, Houston & Texas Central R. R., opposite milepost 1, top of vertical iron section rail 18 inches	248. 604
above ground; chiseled cross. Hempstead, 1.9 miles northwest of, 330 feet east of milepost 2, on Brenham	241.75
branch of Houston & Texas Central R. R., top of east end of south head	000 00
wall of concrete culvert 1 D; chiseled square. Pointer, 0.5 mile east of, 60 feet south of Houston & Texas Central R. R., 30 feet north of public road, 5 feet north of wire fence, opposite mile-	230.60
post 3, on top of section rail; chiseled cross	212. 51
Pointer, opposite signpost; top of nearest rail.	216. 9
Pointer, 0.2 mile west of, on Brenham branch of Houston & Texas Central R. R., 150 feet south of track, 25 feet south of public road; iron post stamped "Prim. Trav. Sta. No. 25, 1909, Texas, No. 16" (+ 0.428 closure).	213. 568
Pointer, 0.5 mile west of, 800 feet west of road crossing Houston & Texas Central R. R., 50 feet south of track, opposite milepost 4, on top of section	213. 500
rail; chiseled cross	202. 11
track, 5 feet north of wire fence, on top of section rail; chiseled cross Harmon, 175 feet west of, 2 feet south of milepost 6, 50 feet south of Houston	158. 69
& Texas Central R. R. track, on top of section rail; chiseled cross Harmon, 0.8 mile west of, Houston & Texas Central R. R. bridge over Brazos River, in top of south end of east pier; aluminum tablet stamped	163. 67
"Prim. Trav. Sta. No. 26, 1909, Texas"	171. 804
(U. S. Army Engineers elevation 196.01)	171. 54
ROSENBERG QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 95° 30′-96°.]	
From McDowell east along Missouri, Kansas & Texas Ry. to Katy. (Along U. S. C. & G. S. precise level route.)	
McDowell, 0.5 mile east of, Missouri, Kansas & Texas Ry. bridge over Brazos River, south side, top of east abutment; aluminum tablet stamped "129 1 Prim Tray Sta. 10" 2	129 255
"Prim. Trav. Sta. No. 26, 1909, Texas" Harnson, 0.8 mile west of, Brazos River bridge, top of west pier, no mark (U. S. Army Engineers elevation 196.01) ROSENBERG QUADRANGLE. [Latitude 29° 30′-30°; longitude 95° 30′-96°.] From McDowell east along Missouri, Kansas & Texas Ry. to Katy. (Along U. S. C. & G. S. precise level route.) McDowell, 0.5 mile east of, Missouri, Kansas & Texas Ry. bridge over	

Rogersville, 0.15 mile east of, opposite railroad trestle 1043.6, in southwest corner of small wooden wagon bridge; wire nail, painted "U. S. 116 B. M.".	Feet. 115. 92
McDowell, 2.5 miles east of, 2 miles east of Missouri, Kansas & Texas Ry. bridge over Brazos River, 6 telegraph poles west of milepost 1045, 50	
feet north of track; iron post (C. & G. S. b. m. T ₇). Brookshire, 1.75 miles west of, 170 feet south of railroad trestle 1045.6, on east side of wagon road, in root of pecan tree; spike, painted "U. S.	120. 095
125 B. M.". Brookshire, 0.8 mile west of, small wooden bridge on wagon road to river.	124. 98
in southwest corner; wire nail "U. S. 146 B. M." Brookshire High School, north entrance of building, in top of west side of	146. 28
concrete steps; chiseled square. Brookshire, opposite station; top of rail. Brookshire, 0.9 mile east of, opposite Missouri, Kansas & Texas Ry. trestle	164. 78 164. 0
10481, southwest corner of wooden bridge on wagon road; wire nail in post painted "U. S. 155 B. M."	154. 64
Brookshire, 3 miles east of, 45 feet north of Missouri, Kansas & Texas Ry. track at milepost 1051; iron post (C. & G. S. b. m. V ₇)	157, 158
Dorson, opposite signpost; top of nearest rail	157. 44
B. M.". Katy, 1 mile west of, 12 feet north of Missouri, Kansas & Texas Ry. track, opposite 2-story white house, on north end of concrete culvert; chiseled	151, 82
Katy, 520 feet west of station, on Missouri, Kansas & Texas Ry., 42 feet south of center of track, 4 feet east by 2 feet south of telephone pole; iron	143. 15
post stamped "Prim. Trav. Sta. No. 47, 1915, 141". Katy, about 574 feet west by 328 feet south of station, water tank of Katy Rice Milling Co., in southwest corner of foundation; copper bolt (U. S. C.	140. 984
& G. S. b. m. X ₇)	141. 355

APPENDIX A.

ELEVATIONS ADJUSTED BY THE UNITED STATES COAST AND GEODETIC SURVEY FROM PRECISE LEVELING.

Abilene, Agua Negra, Amarillo, Anapra, Angleton, Austin, Baird, Barstow, Bastrop, Big Spring, Breckinridge, Claude, Cleburne, Colorado, Daingerfield, Dallas, Denton, Dimmitt, Eastland, El Paso, Farmersville, Flatonia, Fort Hancock, Fort Worth, Friona, Galveston, Gatesville, Gilmer, Granberry, Halstead, Houston, Jefferson, Kaufmann, Kent, Lampasas, Lefors, Midland, Mineola, Monahans, Montague, Mount Pleasant, Mount Vernon, New Braunfels, Odessa, Palo Pinto, Pyote, Rio Grande, Roby, Rosenberg, San Marcos, Sealy, Sierra Blanca, Slaughter, Sulphur Springs, Sunset, Sweetwater, Taylor, Temple, Toyah, Van Horn, Waco, Weatherford, and Wheeler quadrangles.

AUSTIN, BASTROP, BELL, CALDWELL, CALLAHAN, CAMP, CASS, COMAL, CORYELL, DALLAS, EASTLAND, ECTOR, EL PASO, FAYETTE, GALVESTON, HARRIS, HARRISON, HAYS, HILL, HOPKINS, HOWARD, HUNT, JOHNSON, LAMPASAS, MCLENNAN, MARION, MARTIN, MIDLAND, MITCHELL, MONTAGUE, MORRIS, NOLAN, PALO PINTO, PARKER, REEVES, ROCKWALL, STEPHENS, TARRANT, TAYLOR, TRAVIS, WALLER, WARD, WILLIAMSON, AND WISE COUNTIES.

The following descriptions and elevations are taken from reports of the Coast and Geodetic Survey and are published by permission of the superintendent of that bureau. The bench marks were established by the Coast and Geodetic Survey and the United States Geological Survey from precise leveling and were included in the 1912 adjustment by the Coast and Geodetic Survey. The elevations are likely to be changed but little by any future adjustment.

ABILENE QUADRANGLE.

[Latitude 32°-32° 30'; longitude 99° 30'-100°.]

From Clyde west along Texas & Pacific Ry. to Merkel.

Clyde, about 3 miles west of, 11 meters south of the center of the railway	
track, and just west of the county road that crosses the track at this point;	Feet.
3-inch red metal cap on iron pipe (C. & G. S. b. m. V ₁₂)	2, 008. 852
Elmdale, 15 meters north of the center of the railway track, on the west	
line of the county road running north, and 1 meter from the right-of-way	
fence; bottom of hole in top of stone post (C. & G. S. b. m. W ₁₂)	1, 782. 815
Abilene, on the south end of the east abutment of the overhead crossing of	
the railway over the Wichita Valley R. R., 36 meters from the center of	
the track, and 1 meter below the rail; copper bolt (C. & G. S. b. m. X12).	1, 712. 598
Abilene, near the southwest corner of the south steps of the United States	
Weather Bureau building; bottom of hole in top of stone post (C. & G.	
S. b. m. Y ₁₂)	1, 725. 617
Abilene, on the main building of Christian College, on the top course of	
stone of the masonry of the porch, east of the steps, and 0.87 meter above	
the ground; copper bolt (C. & G. S. b. m. Z ₁₂)	1, 724. 702
Abilene, 1.1 miles west of the railway depot, 12 meters south of the track;	
3-inch red metal cap on iron pipe (C. & G. S. b. m. A ₁₃)	1, 719. 508

Abilene, about 5 miles west of, on the north side of the railway track and west of the county road that crosses the railroad at this point; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₃)	0
[Latitude 34°-34° 30'; longitude 102° 30'-103°.]	
From Bovina to Wilsey.	
Bovina, about 1.5 miles west of, on the Atchison, Topeka & Santa Fe Ry. bridge 635B, which is a 48-inch cast-iron pipe culvert, on top of the north concrete head wall 10 inches from the west end; red metal disk (C. & G. S.	
b. m, C ₂₁)	2
Bovina, about 4 miles west of, on the railway right of way, 15 meters north	
of the center of the track and 4 poles west of the pole marked 638; 3-inch	0
red metal cap on iron pipe (C. & G. S. b. m. D ₂₁)	0
main-line track, 20 meters east of the station sign, and 2 meters west of the	
pole marked 641; 3-inch red metal cap on iron pipe (C. & G. S. b. m. E ₂₁). 4, 168. 59	7
Wilsey, about 2 miles west of, 18 meters south of the center of the railway	
track, at pole marked 743, 9 meters west of a rail marking the exact mile,	
1 meter off the right of way, and 20 meters north of a wagon road; bottom	1
of hole in top of stone post (C. & G. S. b. m. F ₂₁)	3
AMARILLO QUADRANGLE.	
[Latitude 35°-35° 30'; longitude 101° 30'-102°.]	
From Yarnall west along Chicago, Rock Island & Gulf Ry. to Amarillo, thence southwest along Atchison, Topeka & Santa Fe Ry. to Canyon.	
Yarnall, across the track from the section house, near the corner of the	
fence, 50 meters south of the center of the track; bottom of hole in top of	
stone post (C. & G. S. b. m. R ₁₉)	0
Yarnall, about 4 miles west of, on the railway right of way, at the west end	
of a long fill and near the east end of a cut, just east of a wagon trail cross-	
ing, 29 meters north of the center of the track, and 1.5 meters from the	5
fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. S ₁₉)	.0
track, in front of and across the track from the section house and in range	
with the west end, 5 meters from the fence on the bank of a ditch	
- bordered with locust bushes; 3-inch red metal cap on iron pipe (C. & G. S.	
b. m. T ₁₀)	4
Amarillo, about 6.5 kilometers east of, on the railway right of way, 28.7	
meters north of the center of the track at the point of tangent of the first	
curve out of Amarillo, at the point where the Chicago, Rock Island & Gulf Ry., and the Atchison, Topeka & Santa Fe Ry. tracks begin to	
diverge, 35.2 meters from the center of the latter track, on the curve 1½	
poles east of pole 756/30, and 96 meters east of bridge 7569; 3-inch red	
metal cap on iron pipe (C. & G. S. b. m. U ₁₉))3

Amarillo, about 2 kilometers east of the Atchison, Topeka & Santa Fe Ry. depot, on the Chicago, Rock Island & Gulf Ry. right of way, 3 meters west of the center of the track on the concrete foundation of the east	
semaphore for crossing the tracks of the other railway; red metal disk	Feet.
(C. & G. S. b. m. V ₁₉)	3, 654. 123
depot, directly south of the west end of the signal tower at the crossing of this railway, the Chicago, Rock Island & Gulf Ry., and the Fort	
Worth & Denver City Ry., 18 paces from the tracks of the first, 63 paces	
from the tracks of the second, and 18 paces from the tracks of the last	0 000 011
mentioned railway; 3-inch red metal cap on iron pipe (C. & G. S. b. m. W_{10}). Amarillo, on the front face of the north pillar supporting the center arch	3, 655. 741
of the porch of the Atchison, Topeka & Santa Fe Ry. depot, 20 meters	
west of the center of the main-line track, and 1.44 meters above the brick	11111111
paving; red metal disk (C. & G. S. b. m. X ₁₉)	3, 667. 447
the southwest corner, at the elevation of the corner stone, and 0.4 meter	
distant; red metal disk (C. & G. S. b. m. Y ₁₉)	3, 663. 713
Zita, just west of the south end of the Atchison, Topeka & Santa Fe Ry. station, 29.8 meters west of the center of the main-line track, near	
the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S.	SERVICE STATE
b. m. Z ₁₉)	3, 651. 338
Zita, south of, opposite the iron rail marking mile 560, in line with the tele- graph poles, 15 meters south of pole 560, 21.8 meters west of the center	all miles
of the track, and 9 meters from the fence; 3-inch red metal cap on iron	
pipe (C. & G. S. b. m. A ₂₀)	3, 653. 516
Haney, on the right of way of the railway, 34 meters west of the center of the main-line track at the station sign, 1.2 meters from the right of way	
fence; bottom of hole in top of stone post (C. & G. S. b. m. B ₂₀)	3, 641. 203
Canyon, about 4.7 miles east of, at the east end of Haney Pit, on top of the	
west end of the south abutment of the railway bridge 565A; red metal disk (C. & G. S. b. m. C ₂₀)	3, 592, 686
ANGLETON QUADRANGLE.	training.
[Latitude 29°-29° 30'; longitude 95°-95° 30'.]	
Near Dickinson.	m state of
League City, 2 miles southeast of, on the public highway, 11½ telegraph	
poles southeast of mile board 26, in the east corner of a grade crossing,	
two-thirds meter from the corner of the right of way fence; 3-inch red metal cap set in clay (C. & G. S. b. m. W ₈)	22. 949
Dickinson, one-third mile northwest of, on the right of way of the Galves-	
ton, Houston & Henderson R. R., 9½ telegraph poles southeast of mile	
board 28, in the center of the top surface of a concrete culvert, 6½ meters southwest of the tracks; red metal disk (C. & G. S. b. m. X ₈)	21. 303
Dickinson, in the park owned by the Galveston, Houston & Henderson	
R. R. Co., 5 telegraph poles southeast of the station, 35 meters northeast of the Galveston, Houston & Henderson R. R. tracks, in the corner of a	
fence; bottom of hole in top of stone post (C. & G. S. b. m. Y ₈)	18.632
Dickinson, one-half mile southeast of, 11 telegraph poles southeast of mile	
board 29, in the southwest corner of a grade crossing, 13 meters south- west of the Galveston, Houston & Henderson tracks, on land owned by	
west of the Gaiveston, Houston & Hendelson tracks, on faint owner by C. Nolan; 3-inch red metal cap set in clay (C. & G. S. b. m. \mathbb{Z}_8)	19. 337
25286°—Bull. 637—16——13	

AUSTIN QUADRANGLE.

[Latitude 30°-30° 30'; longitude 97° 30'-98°.]

From Manor west along Houston & Texas Central R. R. to Austin.

From Manor West along Houston & Texas Central R. R. to Austin.	3 -0
Manor, in the front wall of the brick building facing on the main street of the town, owned by Mr. Harris and occupied by W. H. Richardson, hard-	
ware and general merchandise, in the street facing of the west wall of the building, about 1.4 meters above the sidewalk and about 0.6 meter west	
of the show window; the center of a cross cut in the face of a copper bolt (C. & G. S. b. m. L ₅)	Feet. 534. 783
Daffan, about 445 meters west of the railroad depot, about 56 meters west of the first cattle guard west of the station, about 1 meter south of the line	
of telegraph poles and about 7 meters north of the main track; bottom of hole in top of stone post (C. & G. S. b. m. M ₅)	608, 440
Austin, about 5½ miles east of the railroad passenger depot, on the west stone abutment of the railway bridge over Walnut Creek, in the top	000.110
layer of the backing, 1.35 meters north of the main track, in the top of	
the stone, 0.18 meter west of the east edge and roughly lettered "U. S. B. M."; top of copper bolt (C. & G. S. b. m. N ₅)	449. 950
Austin, in the Driskill Hotel building, corner of Brazos and Sixth streets, in the top of the limestone step to the first door west of the entrance to	
the American National Bank; about 1.2 meters from the door and 0.5 meter from the wall; the top of a copper bolt (C. & G. S. b. m. O ₅)	490, 314
Austin, in the passenger depot of the Houston & Texas Central R. R., corner of Congress Avenue and East Third Street, in the south wall, bay	
projection, just west of the large door of the general truck or baggage room, in the face of the wall about 1.75 meters from the ground and 0.2	No.
meter from the inside corner; copper bolt (C. & G. S. b. m. P ₅)	479. 304
of the freight depot, close to a telegraph pole and 5 meters north of the northernmost track; iron post (Geol. Austin) (U. S. G. S. b. m.).	105 515
Austin, on Capitol Hill; in the center of the top of the square stone pillar	465. 541
marking the north end of the meridian line established in 1872; a cross on the copper bolt (north meridian mark).	544. 947
Austin, on the southwest corner of the post office, facing Colorado Street; 3-inch metal disk (508 Austin) (U. S. G. S. b. m.)	502. 109
Austin, on the highway bridge over Colorado River, in the west end of the south rock pier; a copper bolt, marked "476 feet" (476 Austin) (U. S.	
G. S. b. m.)	69. 956
Bee Caves road, on very rough ground, upon a prominent wooded hill, abreast and north of the 8-mile post from Austin; the station mark is 2-	
inch iron pipe embedded in and filled with concrete, with a nail projecting from the concrete; the bench mark is a chisel mark on the rim of the	
iron pipe (Barton Triangulation Station)	035. 759
BAIRD QUADRANGLE.	

BAIRD QUADRANGLE.

[Latitude 32°-32° 30'; longitude 99°-99° 30'.]

From Cisco west along Texas & Pacific Ry. to Clyde.

Cisco, about 4.4 miles west of, on the south side of the track, 10 meters	west
of bridge 366A over by-road, 14 meters from the center of the track as	
line with the right of way fence; 3-inch red metal cap on iron pipe (C. &
G, S, b, m. I ₁₂)	1 656 070

가 그들이 아니라 내가 있다면 그렇게 보고 있는데 그렇게 하면 하는데 그렇게 되었다면 하다.
Dothan, about 2 miles east of, 2 miles south and 5 miles west of Cisco, 1 mile
south of the old base line public road, on one of the highest points of an
extensive plateau, on the property of J. J. Livingston in a grove of low
oak trees, just to the east of a north and south road; the south gable of
J. F. Lamb's house is distant about 120 meters in azimuth 158° 12′, and
the east chimney of Livingston's house 78 meters in azimuth 356° 28';
the bench mark is the surface mark of a Coast and Geodetic Survey tri-
angulation station and is marked by the point of a fortypenny nail pro-
jecting ½ inch above the concrete that fills an iron pipe 1½ inches in diam-
eter, which in turn is embedded in a cylinder of concrete 20 inches in Feet.
diameter (Lamb Triangulation Station)
Dothan, about 2 miles east of, 21.1 meters in azimuth 105° 24′ from Lamb Triangulation Station, described above, and 0.40 meter east of the fence line
on the east side of the road; the point of a fortypenny nail projecting ‡
inch above the concrete that fills an iron pipe 1½ inches in diameter,
which in turn is embedded in a cylinder of concrete 12 inches in diam-
eter (Lamb Ref. Mark)
Dothan, 180 meters west of the depot on the north side of the railway track
and 1 meter from the fence between the railroad right of way and the
county road; bottom of hole in top of stone post (C. & G. S. b. m. J ₁₂) 1, 618. 451
Putnam, about 3.3 miles east of, on the railway right of way, 15 meters north
of the center of the track on the east side of the county road that crosses
the track at this point; 3-inch red metal cap on iron pipe (C. & G. S.
b. m. K ₁₂)
Putnam, 3 meters from the southwest corner of the square containing the
mineral wells of the Putnam Mineral Water Co., 46 meters from the main
line of the railway, 26.95 meters from southwest corner of the Farmers'
State Bank Building; bottom of hole in top of stone post (C. & G. S.
b. m. L ₁₂)
Putnam, on the Farmers' State Bank, 1.70 meters west of the southeast cor-
ner, and 0.55 meter above the sidewalk; copper bolt (C. & G. S. b. m. M_{12}). 1, 607. 920 Putnam, about 2.5 miles west of, on the railway right of way, 15 meters south
from the center of the track, and west of the county road that crosses the
track at this point; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N_{12}). 1, 506, 129
Chautauqua, on the railway right of way, 19 meters south of the center of
the main-line track at the station, and 1 meter from the fence; bottom of
hole in top of stone post (C. & G. S. b. m. O ₁₂)
Chautauqua, about 2.9 miles west of, on the railway bridge 384A, over Mexia
Creek, 0.25 meter from north end and 0.20 meter from east side of east
abutment; bottom of hole in horizontal surface (C. & G. S.b. m. P ₁₂). 1,591.910
Baird, about 1.8 miles east of, on the railway bridge 385A, over Mexia Creek,
on top of the north end of the east abutment; copper bolt (C. & G. S.
b. m. Q ₁₂)
Baird, near the southwest corner of the station park east of the depot; bot-
tom of hole in top of stone post (C. & G. S. b. m. R ₁₂)
Baird, on the south face of the southeast corner stone of the Callahan County
courthouse, 3 feet from the ground; red metal disk (C. & G. S. b. m. S ₁₂). 1,724.852
Baird, about 3 miles west of, on the railway right of way, 9 meters north of
the track, 2 meters east of the line fence running north and 18 meters from
a double oak tree in the county road; 3-inch red metal cap on iron pipe
(C. & G. S. b. m. T ₁₂)
Clyde, on the railway right of way, 15 meters north of the center of the track and 97 meters east of the depot; bottom of hole in top of stone post
(C. & G. S. b. m. U ₁₂)
1,987,000

BARSTOW QUADRANGLE.

[Latitude 31°-31° 30'; longitude 103°-103° 30'.]

From Pyote southwest along Texas & Pacific Ry. to Pecos.

Pyoto abou	t 6.6 kilometers west of, on the right of way, opposite a bunga-	
	nt 175 meters to the south, 13.4 meters south of the center of	
	and 1.8 meters from the right-of-way fence; 3-inch red metal	Treat
cap on iro	on pipe (C. & G. S. b. m. X_{15}).	Feet. 2 608 429
Quito, on th	he railway right of way, 13.5 meters south of the track, and 0.25	2, 000. 120
mile west	of the section foreman's dwelling house, stone post; bottom	
of hole in	top of (C. & G. S. b. m. Y ₁₅)	2, 686, 507
Quito, abou	t 1.7 miles west of, on railway bridge 635A, on the main line	
50 meters	east of the quarry spur, on top of the south end of the coping	
stone of the	he east abutment, 0.15 meter from the west side of the stone	HARVE.
	meter from the south end, 2.20 meters from the center of the	
	l 1 meter below the rail; bottom of hole in horizontal surface	
(C. & G. S	S. b. m. Z ₁₅)	2, 664. 181
Quito, about	t 2 miles west of, on railway bridge 635D, on top of the north	
	e coping stone of the west abutment, 0.66 meter from the east	
	0.80 meter from the north end of the stone, 0.90 meter below	
	and 2.10 meters north of the center of the track; copper bolt	000 000
Quito about	b. m. A ₁₆)	, 659. 355
quarry, on	top of the north end of the west abutment, 1.15 meters from	
the north	end and 0.14 meter from east edge of the coping stone, 1.5	
	m the center of the track and 0.9 meter below the rail; bottom	
of hole in l	horizontal surface (C. & G. S. b. m. B ₁₆)	, 655. 461
Barstow, abo	out 5 kilometers east of, on the south end of the east abutment	
of a railway	y culvert, 0.30 meter from the west side and 0.55 meter from the	
south end	of the coping stone, 2.23 meters south of the center of the	
track, and	0.9 meter below the rail; bottom of hole in horizontal surface	
Devetor also	. b. m. C ₁₆)	, 651. 343
bighost po	out 4½ miles northeasterly from, on the northwest corner and	
miles north	int of the first very prominent hill northeast of Barstow, 13 a 28° W. from Rogers's rock quarry, and in the pasture of N. L.	
Havs, who	se ranch house is 1 mile S. 55° E. from station; the surface	
mark of a	Coast and Geodetic Survey triangulation station, a standard	
cap station	mark screwed to the top of a 3-inch iron pipe which is em-	
bedded in	concrete (C. & G. S. b. m. Hays Triangulation Station) 2,	798.748
Barstow, abou	ut 1 kilometer east of, 3.35 feet east of the house near the track	
	th side, 12.6 meters north of the center of the track, 2.7 meters	
	he right-of-way fence, and 25.4 meters north of section post	
	inch red metal cap on iron pipe (C. & G. S. b. m. D ₁₆)	564. 647
	the Ward County courthouse yard, 31.2 meters south and 4.7	
west of the	t of the center of the main entrance to the building, 4.7 meters front gateway, and 2.3 meters north of the south yard fence;	
bottom of h	note in top of stone post (C. & G. S. b. m. E_{16})	567 000
Barstow, abou	ut 1.6 miles west of, on the railway right of way, 4.3 meters	507.029
west of brid	lge 641A, which is an inverted siphon for an irrigation ditch,	
	rs south of the center of the track, and 1.88 meters from the	A STATE OF
right-of-way	yfence; 3-inchred metal cap on iron pipe (C. & G. S. b. m. F16). 2,	565. 913
Pecos, about	4.9 kilometers east of, on the railway right of way, 20.9 meters	
west of brid	ge 643A over an irrigation ditch, 13.5 meters south of the cen-	
ter of the tr	rack, and 1.75 meters from the fence; 3-inch red metal cap on	
iron pipe (C	C. & G. S. b. m. G ₁₆)	567.439

	- 4
Pecos, about 2.1 miles east of, on railway bridge 644B over the Pecos River,	Carre Co
on top of the north end of the west abutment, 0.33 meter from the east	
side of the coping stone, 0.54 meter south of the center of the north truss,	
1.75 meters from the north end of the abutment, 2 meters north of the	
center of the track, and 0.8 meter below the rail; copper bolt (C. & G. S.	Feet.
b. m. H ₁₆)	2, 571. 783
Pecos, across the street from the Texas & Pacific Ry. passenger station,	
on the north wall of the annex to the Orient Hotel, 0.8 meter from the	
northeast corner, 0.3 meter from the east side of a window, and 1.10 meters	0 500 045
above the sidewalk; red metal disk (C. & G. S. b. m. I ₁₆)	2, 586. 947
Pecos, in the northeast corner of the yard of the section foreman's dwelling	
house, 9 meters south of the center of the main line of the railway; bot-	0 504 100
tom of hole in top of stone post (C. & G. S. b.m. J ₁₆)	2, 584. 129
Pecos, about 6.5 kilometers west of, on the railway right of way, 2.4	
meters from the south fence, 13.1 meters south of the center of the	
track, and 10.4 meters south by west of section post 178-179; 3-inch red	0 044 004
metal cap on iron pipe (C. & G. S. b. m. K ₁₆)	2, 644. 224
BIG SPRING QUADRANGLE.	
[Latitude 32°-32° 30'; longitude 101°-101° 30'.]	
From Westbrook west along Texas & Pacific Ry. to Big Spring.	
Westbrook, about 4.6 miles west of, on the railway right of way at milepost	
490, 13 meters north of the center of the track and 1 meter from the fence	
between the right of way and the county road; 3-inch red metal cap on	
iron pipe (C. & G. S. b. m. E ₁₄)	2, 220. 239
Iatan, 9 meters east of the depot, on the railway right of way, 7 meters south	
of the center of the main-line track, and 4.3 meters N. 15° E. of a large	
cottonwood tree; bottom of hole in top of stone post (C. & G. S. b. m. F ₁₄)	2, 211. 154
Iatan, about 4.4 kilometers west of, on the railway right of way, and 7½ tele-	
graph poles west of milepost 497, and 12 meters north of the center of the	0 014 000
track; 3-inch red metal cap on iron pipe (C. & G. S. b. m. G ₁₄)	2, 314. 320
Coahoma, about 5.8 kilometers east of, on the railway right of way at mile-	
post 500, 12 meters south of the center of the main-line track; 3-inch red	9 960 915
metal cap on iron pipe (C. & G. S. b. m. H ₁₄).	2, 309. 819
Coahoma, at the southeast corner of the section-house yard, 81 meters west	
of the railway depot, and 31 meters south of the center of the main-line	2 406 997
track; bottom of hole in top of stone post (C. & G. S. b. m. I ₁₄)	2, 400. 331
Coahoma, about 3 kilometers west of, on the railway right of way, 10 meters west of the fourteenth telegraph pole west of milepost 504, and 14 meters	
north of the center of the track; 3-inch red metal cap on iron pipe (C. &	
G. S. b. m. J ₁₄)	2 424 709
Big Spring, about 1.3 kilometers east of, on the railway right of way, at the	2, 121. 100
tenth telegraph pole east of milepost 512, just east of a road crossing which	
is at the west end of a short cut, and 10 meters north of the center of the	
track; bottom of hole in top of stone post (C. & G. S. b. m. K ₁₄)	2, 401, 203
Big Spring, at grade line on the north face of the new brick depot of the	
railway, 16.35 meters from the northeast corner of the building, 4.15	
meters west of the center of the main entrance and 13.35 meters from	
the center of the main-line track; red metal disk (C. & G. S. b. m. L ₁₄)	2, 401. 809
Big Spring, 22 meters from the center of the main-line track of the railway,	
on the west sidewalk in the front yard of the railway Y. M. C. A. Build-	
ing, 10.95 meters from the northwest corner of the building, 8.15 meters	
north of the west column of the porch, and 13.90 meters from the north-	
east corner of the porch; bettom of hole in top of stone post (C. & G. S. b.	
m. M ₁₄)	2, 401. 330

Big Spring, in the southwest corner of the courthouse yard, on top of hard limestone monument 7 inches square, projecting 6 inches above surface, which marks the south end of the meridian line establishe 1901 (the north end of the meridian line is probably destroyed by reimprovements); the center of the "G" of the inscription "U.S.C. & G. (South End meridian line).	e the ed in ecent .S." Feet.
BASTROP QUADRANGLE.	
[Latitude 30°-30° 30′; longitude 97°-97° 30′.]	
From Coupland south to Elgin, thence west to Lettig.	
Coupland, a United States Geological Survey bench mark, opposite the tion, 50 feet east of main track of Missouri, Kansas & Texas Ry. and 5 east of the southwest corner of the fence inclosing the section-house y an iron post marked "526" (526 Coupland). Coupland, about one-fourth mile south from, on the line of the Misso Kansas & Texas Ry., 9½ rails north from milepost 927, opposite the so end of the first switch west of the main track, about 35 feet west of main track and 4 feet east of the right-of-way fence; bottom of hole in of stone post (C. & G. S. b. m. G ₅). Elgin, at Union passenger station, 7 feet east of the southeast corner of a si	feet rard; 517. 030 ouri, outh i the n top 526. 111
park, 115 feet east of the crossing of the Missouri, Kansas & Texas Ry. the Houston & Texas Central R. R., 20 feet north of Houston & Texas Central R. R. main track; an iron post marked "576 S. A." (576 S. A.) S. G. S. bench mark).	and
Littig, in the southwest corner of the yard of section house 115, alr opposite the east end of the switch and about 8 meters north of the m track of the Houston & Texas Central R. R., about 1.2 meters north east, respectively, of the south and west fences bounding the yard; tom of hole in top of stone post (C. & G. S. b. m. K ₅)	nain and bot-
From Elgin south along Missouri, Kansas & Texas Ry. to Smithville.	
Elgin, on the east side of the station of the Missouri, Kansas & Texas I and the Houston & Texas Central R. R., in the brick wall of the bay jection, 4 feet above the ground, 4 inches above the base of the bay of dow toward the Missouri, Kansas & Texas Ry. track, and 2 feet sout the window along the wall; copper bolt (C. & G. S. b. m. H ₅)	pro- win- th of
Elgin, about 1½ miles south of the station, on the line of the railway, at 15 feet south from milepole 936, and 3 feet inside of the west right of	

429.166

441.000

433, 936

corner of the culvert; copper bolt (C. & G. S. b. m. Q₅).
Sayers, about 1½ miles south of, and 8¾ miles north of Bastrop, 4½ telegraph poles south of milepole 945, 5 feet east of the northwest corner of the right of way fence at the public-road crossing; iron post, marked "449 S. A." (449 S. A.) (U. S. G. S. b. m.).

Bastrop, about 4 miles north of, about 70 meters south of milepole 950, a stone post in the line of telegraph poles 8.5 meters east of the track and about 6.5 meters west of barbed-wire fence bounding the right of way; bottom of hole in top of stone post (C. & G. S. b. m. R₅).....

Bastrop, 4½ miles north of, at the crossing of the Bastrop and Elgin public road, 3 feet outside of the southeast corner of the right of way fence; iron	Feet.
post marked "460 S. A." (U. S. G. S. b. m.). Bastrop, 1.66 miles north of, at the northeast end of the east rock pier of the bridge over Piney Creek; a copper bolt, marked "365 S. A." in the top of	452, 555
the coping (U. S. G. S. b. m.). Bastrop, 100 feet southwest of the freight depot and 50 feet south of the Bastrop-Lagrange county road; an iron post, marked "372" (U. S. G. S.	357. 404
b. m.)	366, 561
pathway leading to the main entrance to the courthouse; in the top of a square stone post, which had been pulled up and reset since it was established; a bronze tablet (Geol. Bastrop) (U. S. G. S. b. m.)	367. 450
Bastrop, at the northwest side of the main entrance to the courthouse, in the brick wall; a bronze tablet marked "377" (377 Bastrop) (U. S. G. S. b. m.)	371. 545
Bastrop, on the east side of the county jail, about 1.6 meters south of the northeast corner and 1.2 meters above the ground, in the plaster-covered brick wall, 0.85 meter north of the window on the east side of the building nearest the northeast corner, about 0.1 meter below the level of the	
window sill; copper bolt (C. & G. S. b. m. S ₅)	372. 024
plaster-covered stone wall which forms the backing for the abutment; copper bolt (C. & G. S. b. m. T ₅). Hills Prairie, 28 feet east of the south head block, near the right of way fence;	358. 142
iron post, marked "359" (359 Hills Prairie) (U. S. G. S. b. m.)	353, 507
the bottom of a square hole, 1½ inches square and ½ inch deep, cut in the top stone, about 0.11 meter from the north and east edges, lettered "U. S. B. M." (C. & G. S. b. m. U ₅)	334, 061
Upton, about 45 feet east of the head block at the south end of the switch, near the right of way fence; an iron post, marked "349" (349 Upton) (U. S. G. S. b. m.).	343, 543
Upton, about 1½ miles south of, on the line of the Missouri, Kansas & Texas Ry., about 420 meters north of milepole 964, a stone post in the line of telegraph poles on the east side of the track, about midway between	010.010
the track and the right-of-way fence; bottom of hole in top of stone post (C. & G. S. b. m. V ₅). Smithville, 10 feet east of the second telegraph pole south of milepole 969, also the second telegraph pole north of the station; iron post marked "329"	360. 767
(329 Smithville) (U. S. G. S. b. m.) Smith, in the brick building on Main Street, owned by Ed. Eagleston and occupied by the American Express Co., in the partition wall between the express office and a barber shop, in a slight recess, 0.22 meter from	323. 720
either edge of the protruding wall and 1.13 meters above the pavement; copper bolt (C. & G. S. b. m. W_b)	330. 124
bolt (C. & G. S. b. m. X ₅)	330, 242

Smithville, in the Masonic Building (of brick), corner of Main and Third streets; in the concrete ledge to the window on Third Street, 0.15 meter from the edge of the corner brick pillar and 0.12 meter from the window; bottom of a square hole (C. & G. S. b. m. Y₅)

Feet. 326. 525

BRECKINRIDGE QUADRANGLE.

[Latitude 32° 30'-33°; longitude 98° 30'-99°.]

From Strawn west along Texas & Pacific Ry. to Tiffin.

surface (C. & G. S. b. m. Q _{II})	Strawn, about 2.3 miles west of, on the northeast corner of the southeas concrete footing of the railway water tank; bottom of hole in horizonta	1
east abutment in the center of the track and 1 meter below the rail; copper bolt (C. & G. S. b. m. R ₁₁)		
per bolt (C. & G. S. b. m. R ₁₁)		
Wiles, about 0.9 mile east of, on the railway bridge 333D, on top of the south end of the east abutment; copper bolt (C. & G. S. b. m. S _{II})		
south end of the east abutment; copper bolt (C. & G. S. b. m. S ₁₁)		
Wiles, north of the track at the railway station, on the railway right of way, 1 meter from the north fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. T ₁₁)		
way, 1 meter from the north fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. T ₁₁)		
(C. & G. S. b. m. T ₁₁)		
Wiles, about 0.7 mile west of, on the railway bridge 335A over north fork of Palo Pinto Creek, on the north end of the west abutment, 0.1 meter from the west end of the abutment, 0.65 meter from the north side of the abutment, and 1.6 meters below the rail; copper bolt (C. & G. S. b. m. U ₁₁)		
of Palo Pinto Creek, on the north end of the west abutment, 0.1 meter from the west end of the abutment, 0.65 meter from the north side of the abutment, and 1.6 meters below the rail; copper bolt (C. & G. S. b. m. U ₁₁)		
from the west end of the abutment, 0.65 meter from the north side of the abutment, and 1.6 meters below the rail; copper bolt (C. & G. S. b. m. U ₁₁)	Wiles, about 0.7 mile west of, on the railway bridge 335A over north fork	
abutment, and 1.6 meters below the rail; copper bolt (C. & G. S. b. m. U ₁₁)		
U ₁₁)	from the west end of the abutment, 0.65 meter from the north side of the	
Tiffin, about 2 miles east of, on the railway bridge 337D over the canyon of north fork of Palo Pinto Creek, on top of the coping of the fourth stone pier from the west end, 0.20 meter from the south end and 0.57 meter from the west side of the pier, 2 meters from the center of the track, and 2.1 meters below the rail; bottom of hole in horizontal surface (C. & G. S.		
of north fork of Palo Pinto Creek, on top of the coping of the fourth stone pier from the west end, 0.20 meter from the south end and 0.57 meter from the west side of the pier, 2 meters from the center of the track, and 2.1 meters below the rail; bottom of hole in horizontal surface (C. & G. S.	$\mathrm{U}_{11})$	1, 187. 550
pier from the west end, 0.20 meter from the south end and 0.57 meter from the west side of the pier, 2 meters from the center of the track, and 2.1 meters below the rail; bottom of hole in horizontal surface (C. & G. S.		
from the west side of the pier, 2 meters from the center of the track, and 2.1 meters below the rail; bottom of hole in horizontal surface (C. & G. S.		
2.1 meters below the rail; bottom of hole in horizontal surface (C. & G. S.		
b. m. V ₁₁)	2.1 meters below the rail; bottom of hole in horizontal surface (C. & G. S.	
	b. m. V ₁₁)	1, 314. 522

CLAUDE QUADRANGLE.

[Latitude 35°-35° 30'; longitude 101°-101° 30'.]

From Groom west along Chicago, Rock Island & Gulf Rv. to Yarnall.

	From Groom west along Unicago, Rock Island & Guil Ry. to Yarnall.	
	Groom, on the right of way, across the track from and in range with the east end of the depot, 1 meter from the fence, 48 meters south of center of main-line track; bottom of hole in top of stone post (C. & G. S. b.	
	m. K ₁₉)	3, 264. 010
١	Groom, about 1.9 miles west of, on top of the south end wall of the ballasted	N. State of State of
	concrete culvert of the railway, at a pole marked "721-05"; copper	
	bolt (C. & G. S. b. m. L ₁₉)	3, 292, 139
	Groom, about 4.1 miles west of, on the railway right of way, in line with	Paranting.
	the telegraph poles, 14 meters north of the center of the track, and just	
	east of the second pole west of the pole marked "723"; 3-inch red metal	
	cap on iron pipe (C. & G. S. b. m. M ₁₉)	3, 306. 463
	Lark, on the railway right of way, 30 meters north of the center of the track	
	at the station sign, and 0.2 mile east of the section house; bottom of hole	
	in top of stone post (C. & G. S. b. m. N ₁₉)	3, 373. 300
	Conway, about 4.3 miles east of, at a pale marked "730-20," on the rail-	
	way opposite the east whistling post for a road crossing, 12 meters north of	
	the center of the track, and 4 meters from the fence between the railroad	
	and the wagon road paralleling the right of way; 3-inch red metal cap	
	on iron pipe (C. & G. S. b. m. O ₁₉)	3, 425. 003

CLEBURNE QUADRANGLE.

[Latitude 32°-32° 30'; longitude 97°-97° 30'.]

From Egan south along Missouri, Kansas & Texas Ry. to Hillsboro.

Egan, siding at, in the Missouri, Kansas & Texas Ry. right of way a	it the
left and 7 feet below the track, 50 feet northeast of the south switch a	and 3
feet from the telegraph pole, the second one south of the station	sign;
bottom of square cut in top of limestone post. The railway com	
reported in May, 1903, that on account of grading necessary for the	
struction of new tracks the bench mark was covered 6 feet. Th	
lowing bench mark, "R. R.," was then established (C. & G. S. b. m	
Egan, in the ground in front of the ticket window, established by	
Missouri, Kansas & Texas Ry. engineers, the end of the ball of th	
of the rail is 10 feet above bench mark V ₃ ; piece of rail (C. & G. S.	
R. R.)	837. 308
Alvarado, 1 mile south of the station, in north stone abutment of	
railway iron bridge, on the lowest step west of the track and 312	
below its level, 8 inches from the south and 10 inches from the west	edge
of the stone; square cut on stone (C. & G. S. b. m. W ₃)	678. 240
Conley, 25 feet east of the railway track, in the right of way near the	first
telegraph post north of the south switch; bottom of square hole c	ut in
top of limestone post (C. & G. S. b. m. X ₃)	745. 602
Grand View, in the west wall near the northwest corner of the brick b	uild-
ing occupied by the post office, on the south side of Main Street	
across from the Missouri, Kansas & Texas Ry. tracks, about 300	vards
south of the depot, 4 feet above the sidewalk, and 10 inches from	
corner of the building; copper bolt leaded into stone or brick (C. &	
b. m. Y ₂)	
Itasca, in the brick building leased by the Itasca National Bank, in	
west front, north of large window, 4 feet from the walk, the buildi	
the second one from Main Street and on the east side of the street;	0
per bolt leaded into brick (C. & G. S. b. m. Z ₃)	
Schofield, 3 feet east of the fourth telephone pole south of the station	
in the right of way, 50 feet west of the railway track, and 1 foot from	
right of way fence; bottom of square cut in top of limestone post (C. &	
b. m. A ₄)	656. 435
Hillsboro, in white stone in the northwest corner of the Hill County c	
house, in the cornice, about 5 feet from the ground and 1½ feet nor	
the water spout; it faces west, being set in a recess of the corner; inte	
tion of two lines cut in the end of a copper bolt leaded horizon	
into stone (C. & G. S. b. m. B ₄)	633. 762



COLORADO QUADRANGLE.

[Latitude 32°-32° 30'; longitude 100° 30'-101°.]

From Roscoe west along Texas & Pacific Ry. to Westbrook.

	From Roscoe west along Texas & Pacific Ry. to Westbrook.	
	Roscoe, 125 meters northwest of the railway depot, 1 block east of the Roscoe-	
	Snyder road, 1 meter east of the east line of a street running north and	
	south, and 0.4 meter from the north end of the street; bottom of hole in	Feet.
	top of stone post (C. & G. S. b. m. S ₁₃)	2, 386. 150
	Roscoe, at the northeast corner of First and Cypress streets, 2 blocks west	
	and 1 block south of the railway depot, on the west side of Lipscomb &	
	Davis's store, 1.78 meters from the southwest corner and 0.40 meter	
	above the sidewalk; copper bolt (C. & G. S. b. m. T ₁₃)	2, 383, 670
	Roscoe, about 4 miles north of, on the farm of A. A. Patterson, who lives	Since all and
	mile north of the bench mark, 9.8 meters to the north edge of the main	
	east and west road, 700 meters east of the southwest corner of Patterson's	
	property and between two of his tenant houses; the surface mark of a	
	Coast and Geodetic Survey triangulation station and is marked by the	
	point of a fortypenny nail projecting 1 inch above the concrete that fills	
	an iron pipe 11 inches in diameter, which in turn is embedded in a	
	cylinder of concrete 20 inches in diameter (C. & G. S. b. m. Patterson	
	Triangulation Station)	2, 386. 521
	Roscoe, about 3 miles west of, on the railway right of way, 12 meters south	
	of the track at milepost 459, and 1 meter from the fence of the county	
	road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G.	
	S. b. m. U ₁₃)	2, 383. 154
	Loraine, 1 mile east of, on the railway right of way, 75 meters west of the	
	first culvert out of Loraine, 13 meters north of the center of the track,	
	and 1 meter from the fence; 3-inch red metal cap on iron pipe (C. & G.	0 000 015
	S. b. m. V_{13})	2, 309. 815
	meters north of the center of the track, and 2 meters from the corner of	
	the fence for the cattle guard; bottom of hole in top of stone post. (C.	
	& G. S. b. m. W ₁₃)	9 964 149
	Loraine, on the railway right of way, at the third telegraph pole west of	2, 201. 112
	milepost 467, 0.8 kilometer west of the depot, 10 meters south of the	
	track and just west of a road crossing; 3-inch red metal cap on iron pipe	Carrie .
	(C. & G. S. b. m. X ₁₃)	2, 257, 791
(Colorado, about 3.5 miles east of, on the railway right of way, 11 meters east	
	of the sixth telegraph pole west of milepost 472, just east of a road cross-	
	ing, and 10 meters north of the center of the track; 3-inch red metal	
	cap on iron pipe (C. & G. S. b. m. Y ₁₃)	2, 216. 836
. (Colorado, 135 meters east of the dwelling house of the railway section fore-	
	man, on top of the south retaining wall of a reinforced concrete culvert	
	over a dry ravine, 1 meter from the west end of the wall, 6 meters	
	from the center of the track, and 0.4 meter below the rail; surface within	
	an outlined square (C. & G. S. b. m. Z ₁₃)	2,067.663
(Colorado, in the northeast corner of the yard of the Mitchell County court-	
	house, 5.2 meters from the northeast corner of the courthouse, 1.26 meters	19 200
	west and 1.80 meters south of the inside of a cement walk, and 1.7 meters	
	from a poplar tree in the yard; bottom of hole in top of stone post (C. & G. S.	0.000
,	b. m. A ₁₄)	2, 071. 561
(Colorado, on the railway bridge, 476-D over the Colorado River, on top	
	of the concrete pier at the east end of the truss, 0.4 meter from the west	
	end of the pier, in the center of the track, and 0.43 meter below the rail;	0 070 001
	surface within an outlined square (C. & G. S. b. m. B ₁₄)	2,070.091

DAINGERFIELD QUADRANGLE.

[Latitude 33°-33° 15'; longitude 94° 30'-94° 45'.]

At Daingerfield.

Daingerfield, in the west side of the county courthouse, in the center of the fourth brick from the northwest corner of the building, about 4 feet from the ground and midway between the window and the northwest corner; intersection of lines in end of copper bolt (C. & G. S. b. m A₃)...

402, 775

DALLAS QUADRANGLE.

[Latitude 32° 30'-33°; longitude 96° 30'-97°.]

From Grand Prairie east to Dallas thence northeast to Rowlett.

From Grand Prairie east to Dallas thence northeast to Rowlett.	
Grand Prairie, in line with the telegraph poles, 15 feet west of the first pole west of milepole 234, about 200 feet west of and across the tracks from the	
station; bottom of square hole in top of limestone post (C. & G. S. b. m. Y). Eagle Ford, in an angle formed by a wagon road and the railroad right of	524, 733
way fence, 32 paces south of the tracks and opposite the station; bottom of square hole in top of limestone post (C. & G. S. b. m. Z)	440. 918
Dallas, in the west corner of the buttress to the county courthouse, in the second tier of stone, about $2\frac{1}{2}$ feet from the ground, the bolt points almost	
to the intersection of Houston and Main streets; intersection of lines on top of copper bolt (C. & G. S. b. m. A ₂)	433. 969
Dallas, at the east side of the doorstep to the north entrance, on Main street of the United States customhouse and post-office building, 8 inches from the eastern column of the doorway, 8 inches from the wooden doorframe,	
13 inches from the outer edge of the stone doorstep; intersection of lines on top of copper bolt (C. & G. S. b. m. B ₂)	447. 512
Akard streets, on the side facing the Oriental Hotel, 4 feet above the sidewalk, in the third tier, near the center of a stone; intersection of lines on	- LOUIS
top of copper bolt (C. & G. S. b. m. C ₂)	435. 567
about 350 feet west of the station sign; bottom of square hole in top of limestone post (C. & G. S. b. m. D ₂)	528, 529
Garland, in the stone sill of the western window on the north side of the Citizens' Bank, about 2 inches from the edge of the sill and 4 inches	020, 029
from the west frame of the window, about 4 feet from the ground; square cut on stone (C. & G. S. b. m. E ₂)	550. 927
Rowlett, in the angle formed by the right-of-way fence and the fence at a road crossing about 700 feet east of the station, 16 paces north of the center	
of the railroad track, 4 paces west from the crossing, between the fourth and fifth telegraph poles east of the station; bottom of square	
hole in top of limestone post (C. & G. S. b. m. F ₂)	504. 828

DENTON QUADRANGLE.

[Latitude 33°-33° 30" longitude 97°-97° 30'.]

At Rhome.

Rhome, in the north corner of the railroad lot (used by pumping houses and water tank), 2 feet from west fence and 3 feet from east fence, near the fourth telegraph pole north of railroad station; bottom of square hole in top of limestone post (C. & G. S. b. m. N)	Feet. 938. 089
DIMMITT QUADRANGLE.	
[Latitude 34° 30′-35°; longitude 102°-102° 30′.]	
From Canyon southwest along Atchison, Topeka & Santa Fe Ry. to Summerfield.	
Canyon, in the northwest corner of Randall County courthouse yard, at the center of the arc of the curbstone; bottom of hole in top of stone post (C. & G. S. b. m. D ₂₀)	3, 551. 306
disk (C. & G. S. b. m. E ₂₀)	
Canyon, about 1.8 miles west of, on the top of the east end of the north retaining wall of the railway concrete-arch bridge 572A; copper bolt (C. & G. S. b. m. G ₂₀).	
Lester, on the railway right of way, 25 meters north of the center of the track, at the station sign, 1.5 meters from the fence and 7 meters east of a road crossing; 3-inch red metal cap on iron pipe (C. & G. S. b. m. H ₂₀)	3, 667. 358
Umbarger, on the right of way at the railway station, 27 meters north of the center of the track and 4 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. I ₂₀)	3, 765. 881
Umbarger, about 1.7 miles west of, on top of the west end of the north head wall of cast-iron culvert 582A of the railway; red metal disk (C. & G. S. b. m. J ₂₀)	3, 754. 500
Dawn, 440 meters west of the railway station, 33 meters north of the concrete foundation of the water crane, 31 meters north of the center of the track, and 1.2 meters from the right of way fence and wagon road; 3-inch red	
metal cap on iron pipe (C. & G. S. b. m. K ₂₀)	3, 793, 043
& G. S. b. m. L_{20} . Joel, on the railway right of way, 30 meters north of the center of the track at the station sign and 1.5 meters from the fence; 3-inch red metal cap on	
iron pipe (C. & G. S. b. m. M ₂₀). Joel, about 2 miles west of, on the top of the west end of the north retaining wall of the railway double-arch bridge 595A, 12 inches from the north side and 18 inches from the west end of the wall, and 2.5 meters below the rail;	
copper bolt (C. & G. S. b. m. N ₂₀)	

	Hereford, on the south face of the concrete basement entrance to Deaf Smith County courthouse, 1.3 meters above sidewalk, and 0.3 meter from the east side of the door; red metal disk (C. & G. S. b. m. P ₂₀)	3, 819. 746 3, 863. 240
	EASTLAND QUADRANGLE.	The last
	[Latitude 32°-32° 30'; longitude 98° 30'-99°.]	
	From Tiffin west along Texas & Pacific Ry. to Cisco.	
	Tiffin, on the west side of the main line of the railway, 2 meters east of	
	the right-of-way fence; 3-inch red metal cap on iron pipe (C. & G. S.	
	b. m. W ₁₁)	1, 399. 105
	Ranger, 5.58 meters northeast of the railway depot, on the west side of the	
	main-line track, 2 meters from the right-of-way fence; bottom of hole in top of stone post (C. & G. S. b. m. X ₁₁)	1 449 443
	Ranger, on the railway depot, about 3 meters north of the southeast corner	1, 110. 110
	of the building, and 1.3 meters above the ground; red metal disk (C. & G. S.	
	b. m. Y ₁₁)	1, 443. 970
	Ranger, about 1 mile west of, on the west side of the track, 15 meters from	
	the center of the main line of the railway, and 2 meters from the county-	7 404 000
	road fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. Z ₁₁) Ranger, about 4.2 miles west of, 90 meters west of the railway culvert 346A,	1, 404. 880
	12 meters west of the center of the main track and on line with the right-	
	of-way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. A ₁₂)	1, 466. 359
	Olden, on the railway right of way, west of the road crossing at the west end	
	of the switch on the north side of the main line, 6 meters from the center	
	of the track and 3 meters west of the cattle guard; 3-inch red metal cap	1 501 000
	on iron pipe (C. & G. S. b. m. B_{12})	1, 501. 902
	meters south of the main line of the railway and 1 meter east of the west-	
	ern cattle guard; 3-inch red metal cap on iron pipe (C. & G. S. b. m. C ₁₂)	1, 493. 599
	Eastland, at the west end of the old depot in the city park north of the rail-	
	way, 33 meters from the main road at the east side of the park, 46 meters	
	from the main line of the railway, and I meter from the south fence of	1 420 970
	the park; bottom of hole in top of stone post (C. & G. S. b. m. D ₁₂) Eastland, about 2.6 miles west of, on the north side of the main-line track	1, 430. 219
	of the railway, on the railway right of way, 16 meters east of bridge 354D,	
	and 1 meter from the fence; 3-inch red metal cap (C. & G. S. b. m. E ₁₂)	1, 464. 285
	Lem. 16 meters north of the main line of the railway at the station; 3-inch	
	red metal cap on iron pipe (C. & G. S. b. m. F ₁₂)	1, 503. 389
	Cisco, on the masonry between the doors of the Cisco Banking Co.'s bank building, 20 inches above the sidewalk, and 12 inches south of the north	
	door; copper bolt (C. & G. S. b. m. G ₁₂)	1,627,096
V	Cisco, at the north end of the park east of the station, west of the Texas	_, 021.000
	Central R. R., and south of the Texas & Pacific Ry.; bottom of hole	the said
	in top of stone post (C. & G. S. b. m. H ₁₂)	1,619.829

EL PASO QUADRANGLE.

[Latitude 31° 30′-32°; longitude 106°-106° 30′.]

[Hamado of 50 52 , folighted 100 -100 50 .]
From Fabens northwest along Galveston, Harrisburg & San Antonio Ry. to El Paso.
Fabens, 65 meters east of the railway depot, 20.6 meters north of the center of the track, and 1.8 meters northeast of the right-of-way post; bottom of hole in top of stone post (C. & G. S. b. m. U ₁₈)
(C. & G. S. b. m. V ₁₈)
Fabens, about 3 kilometers west of, 9 meters west of the railway bridge 801G, 14.05 meters south of the center of the track, and 2 meters from the fence; iron pipe stamped "U. S. Reclamation Service" (U. S. R. S.
3572.14)
Clint, about 3.6 kilometers east of, at the tenth pole west of milepost 805, 400 feet west of a road crossing, 12.9 meters south of the center of the track, and 2 meters from the fence; 3-inch cap on iron pipe (U. S. R. S. (3616), later stamped 3586.94)
Clint, in the southwest corner of the section-house yard, 7.7 meters north
of the center of the main-line track of the railway; iron pipe stamped
"U. S. Reclamation Service" (U. S. R. S. 3592.95)
Clint, 400 meters west of the railway depot, on the north side of a wagon
road, 11.7 meters south of the main line of the railway, and 2.5 meters
west of bridge 807B over an irrigation ditch; bottom of hole in top of
stone post (C. & G. S. b. m. W ₁₈)
Clint, about 2.5 kilometers west of, 14 meters north of the center of the rail-
way track at milepost 809, 1.1 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. X ₁₈)
Clint, about 4.1 kilometers west of, 2.8 meters west of milepost 800 of the
railway, 14.4 meters south of the center of the track, and 0.6 meter from
the fence; iron pipe stamped "U. S. Reclamation Service" (U. S. R. S.
3600.09)
Belen, 45 meters west of the railway depot, at the east end of a passing track,
16.3 meters south of the center of the track, on the south concrete face of
the siphon wall of an irrigation ditch under the tracks, 0.15 meter from the
west edge and 0.19 meter from the top of the concrete; red metal disk (C.
& G. S. b. m. Y ₁₈)
track, and 11.0 meters east of an adobe hut, in the line of the right of way
fence and some cottonwood trees; 3-inch cap on iron pipe (C. & G. S. b. m.
U. S. G. S. (3644) later stamp 3614.68)
Belen, 130 meters west of the west end of a passing track of the railway at
milepost 813, 14.1 meters south of the center of the track, and 0.8 meter
from the fence; bottom of hole in top of stone post (C. & G. S. b. m. Z ₁₇) 3, 656. 472
Ysleta, about 200 meters west of the railway depot, 1.85 meters from the southwest corner of the section-house yard, and 8.75 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m.
A ₁₉)
Ysleta, about 5.2 kilometers west of, 0.9 meter east of milepost 820 of the railway, 14.3 meters south of the center of the track and 0.5 meter from the
fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₉) 3, 682. 958
Alfalfa, 8 meters south of the station sign, 13.9 meters south of the center of
the railway track, and 1.2 meters from the fence; 3-inch red metal cap on
iron pipe (C. & G. S. b. m. C ₁₉)

Alfalfa, about 1.2 kilometers west of, on the reinforced concrete highway	
bridge of the macadamized county road, on top of the north wing wall,	
32 meters from the center of the railway track; red metal disk (C. & G. S.	Feet.
b. m. D ₁₉)	3, 697. 870
El Paso, on top of the masonry pier at the northwest corner of the El Paso	
brewery, 1.1 meters north of the corner of the main building, and 28	
meters south of the center of the railway tracks; copper bolt (C. & G. S.	0 500 045
b. m. E ₁₉)	3, 706. 049
the El Paso & Southwestern railroad tracks, in the northeast corner of	
a grassy plot 5.6 meters south of the former railroad, 14 meters east of the	
latter railroad, and 5.7 meters east of tower 47; bottom of hole in top of	
stone post (C. & G. S. b. m. F ₁₉)	3, 704. 523
El Paso, on the west face of the south concrete pier of the viaduct over the	Street Street
Galveston, Harrisburg & San Antonio Ry. and El Paso & Southwestern	
R. R. tracks, on Austin Street, 8.5 meters south of the main line of the	
former railroad, and 1.4 meters above the ground; red metal disk (C. &	
G. S. b. m. G ₁₉)	3, 709. 454
El Paso, at the corner of Texas and Ochoa streets, in a concrete post 10	
inches below the level of the paving and covered by an iron plate set in the paving; the cross on the top of a copper bolt, stamped "U. S. B. M."	
(El Paso city monument) (C. & G. S. b. m. H ₁₉)	3 707 027
El Paso, at the west end of the lower step of the north entrance to El Paso	0, 1011 021
City Hall, (the bench mark disk is broken and half gone, but the part	
remaining contains the bench mark and appears stable); 3-inch metal	
disk (C. & G. S. b. m. U. S. G. S. 3698)	3, 710. 902
El Paso, at the east end of the lower step of the south entrance to the El Paso	
City Hall, on the sidewalk between the curb and the cement steps; 3-inch	
metal tablet stamped "365-B-1905" (U. S. G. S. 365)	3, 709. 871
El Paso, on top of the west end of the lower stone step of the south entrance to the El Paso County courthouse; 3-inch metal disk stamped "366-B-	
1905" (U. S. G. S. 366)	3, 710, 531
El Paso, on top of the pyramid stone at the west side of the north en-	0,120.002
trance to the El Paso County courthouse; cross (city bench mark)	3, 711. 407
FARMERSVILLE QUADRANGLE.	SEED THE
[Latitude 33°-33° 30'; longitude 96°-96° 30'.]	
From Caddo Mills east to Greenville.	
Caddo Mills railroad station, 8 feet west of the second telegraph pole east of,	
about 20 feet north of the track, in line with the telegraph poles; bottom	
of square cut in limestone post (C. & G. S. b. m. J ₂)	530. 458
Greenville, on the Central schoolhouse on Weslie Street, on the part of the	
building jutting out to form the main entrance, in a stone in the fifth	
tier above the ground, the course of stone which runs entirely around the	
building, about $4\frac{1}{2}$ feet from the north side of the main entrance, and 10	
inches from the edge of the stone; intersection of lines in end of copper	
bolt (C. & G. S. b. m. K ₂)	540. 931
Greenville, in the column to the right of the corner entrance to the building known as Beckham Hotel Annex, on the side facing Lee Street, in the	
center of the fourth tier of stone, and about 4 feet from the ground; inter-	
section of lines in end of copper bolt (C. & G.S. b. m. L ₂)	554, 225
Greenville, in the top step to the main (Lee Street) entrance to the county	
courthouse, near the base of the right-hand columns of two false arches	
forming part of the entrance, 5 inches from adjacent corners of the	
columns; intersection of lines in end of copper bolt (C. & G. S. b. m. M ₂)	548. 368

Greenville, 5 miles east of, 6 feet west of the telegraph pole south of an directly opposite the switch stand at the east end of the new siding (to be called Husband), near milepole 719, on a T-shaped section of iron rai 42 inches long, projecting about 10 inches above the ground; and marked by a large cross made with chisel where the base and stem of the T join, and stamped "U. X. S. B. M."	oe l, is ne Feet.
FLATONIA QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 97°-97° 30′.]	
From Smithville west along Missouri, Kansas & Texas Ry. to Bateman.	
Smithville, about 3½ miles west of, about ½ mile east of milepost 972, 2 feet northwest of a road crossing; iron post marked "433 S. A." (reporte in very poor condition in 1904) (U. S. G. S. b. m.)	ed 425. 406 of
milepole 974, 65 feet northeast of the road crossing, in a corner of th	
fence, marked "460 S. A." (U. S. G. S. b. m.)	9- h
(C. & G. S. b. m. \mathbb{Z}_5)	. 493. 792 g
(U. S. G. S. b. m.) Hemkens, ¼ mile east of the section house, 4 miles west of Rosanky and miles east of Red Rock, 45 feet southwest of the settlement road cross and about halfway between mileposts 983 and 984; iron post, market	6 sing
"451 S. A." (U. S. G. S. b. m.). Hemkens, just west of, on the red-rock base to the column at the northwest corner of the old water tank; bottom of square hole (C. & G. S. b. m.)	. 442.748
T. b. m. 117). Hemkens, about $\frac{3}{4}$ mile west of, on the railway right of way, 282 meter west of a water tank near milepost 984, in a red sandstone culvert, in the northwest corner of the side north of the track, 0.37 meter from the north	. 446. 344 rs e
and west edges; copper bolt (C. & G. S. b. m. A ₆)	rt of s;
G. S. b. m.). Bateman, on San Antonio branch of Missouri, Kansas & Texas Ry., 18.4 meters northeast of signboard "Bateman," and about 19 meters south of Red Rock-Taylorville road and railroad crossing, 4.87 meters from middle of south rail, 3.3 meters from line of telegraph poles, in an outcrop of red sandstone 1.5 meters long by 0.4 meter wide, by 0.2 meter high, with letters "U. S." cut in the stone below the bolt; top of copper bol	. 482.768 6 f e d
(C. & G. S. b. m. B ₆)	. 472. 529
From Primms Spur east along Missouri, Kansas & Texas Ry. to West Point.	
Kirtley, an iron post set near the right-of-way fence and back of the second	1
telegraph pole east of mile board 974; 3-inch cap on iron pipe, marked	
"316" (316 Primms Spur)	e -
(C. & G. S. b. m. U ₆)	

West Point, 90 feet west and 40 feet north of the junction, at the crossing of the San Antonio & Aransas Pass and Missouri, Kansas & Texas railways, in a corner of the right-of-way fence; an iron post marked "295" (292 West Point). West Point, 60 meters east of the Missouri, Kansas & Texas Ry. station, in the northeast corner of a grade crossing, \(\frac{1}{3}\) meter from the right-of-way fence, on land owned by J. L. House; bottom of hole in top of stone post (C. & G. S. b. m. V ₆).	
FORT HANCOCK QUADRANGLE.	
[Latitude 31°-31° 30'; longitude 105° 30'-106°.]	
From Lasca west along Galveston, Harrisburg & San Antonio Ry. to Polvo.	
Lasca, 7.6 meters north of the station sign, and 14.4 meters north of the center of the track, on the right of way, 0.9 meter from the fence; bottom of hole in top of stone post (C. & G. S. b. m. C ₁₈)	
b. m. D ₁₈)	
Tinaja, at the east end of a passing track, 12.3 meters southeast of the center of the track, 2.1 meters from the fence, and 120 feet west of bridge 672C of the railway; bottom of hole in top of stone post (C. & G. S. b. m. J ₁₈). 3, 864. 425 Madden, 4.6 meters from the station sign, 14.8 meters south of the center of the railway track, and 15.8 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. K ₁₈)	

	Iser, 400 feet west of the east end of a passing track of the railway, 1,000 feet east of the station sign, 25 meters west of bridge 783A, 13.7 meters	
	south of the center of the track, and 1.8 meters from the fence; bottom of	Feet.
	hole in top of stone post (C. & G. S. b. m. O ₁₈)	3, 669. 110
	Polvo, about 4 miles east of, 60 meters west of milepost 786, 11.5 meters	
	south of the center of the track, and 13.7 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. P ₁₈)	9 601 505
	Polvo, about 2 miles east of, 3.1 meters west of milepost 788, 11.8 meters	5, 091. 959
	south of the center of the track, and 3.9 meters from the fence; 3-inch	
	red metal cap on iron pipe (C. G. S. b. m. Q ₁₈)	3, 684. 484
	Polvo, in front of and across the track from the section house, 11 meters	
	west of the west end of a passing track of the railway, 15.9 meters south	
	of the center of the main track, and 1.4 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. R ₁₈)	9 651 000
	FORT WORTH QUADRANGLE.	0, 001. 092
	[Latitude 32° 30′-33°; longitude 97°-97° 30′.]	
	From Avondale south to Fort Worth, thence east to Arlington.	
	Avondale, 6 feet south of the third telegraph pole south of and across the tracks from railroad station, and 30 feet from the tracks; bottom of square	
	hole in top of limestone post (C. & G. S. b. m. O)	841. 255
	Saginaw, 11 miles north of, on an arched concrete abutment of the Chicago,	
	Rock Island & Pacific Ry., 4 telegraph poles north of milepole 10 of	
	Fort Worth & Denver City Ry., on the east side of the abutment, in the	
	northeast corner, 9 inches from either edge; intersection of lines on top of copper bolt (C. & G. S. b. m. P)	751 911
	Fort Worth, about 1.5 miles north of Trinity River crossing, in the north-	751. 311
	west corner of the west side of an arched concrete culvert at milepole 608	
	(Chicago, Rock Island & Pacific Ry. track) 8 inches from the north and	
	4 inches from the west edge; intersection of lines on top of copper bolt	
	(C. & G. S. b. m. Q).	628. 168
	Fort Worth, about 3 miles north of Union Station, on a large stone pier (the first from the north bank of Trinity River) of the Chicago, Rock Island &	
	Pacific Ry. bridge 3306, on the northwest corner of the west side, 8	
	inches from either edge; square cut on stone (C. & G. S. b. m. R)	537. 640
1	Fort Worth, about 2 miles north of Union Station, on the south end of the	
	west pier supporting the Missouri, Kansas & Texas Ry. track (over the	
	Chicago, Rock Island & Pacific Ry. track) at the north end of the freight yards of the Chicago, Rock Island & Pacific Ry., on the lower step at the	
	southeast corner, 6 inches from either edge; square cut on stone (C. & G.	
	S. b. m. S)	530. 380
	Fort Worth, a mile north of Union Station, on the northwest corner of the	
	large block forming the lowest step to the west side of the south abutment	
	supporting the Fort Worth & Denver City Ry. track (over the Chicago,	
	Rock Island & Pacific Ry. track), 4 inches from the adjacent edges of the stone and $3\frac{1}{2}$ feet from the ground; square cut on stone (C. & G. S.	
	b. m. T)	569. 467
]	Fort Worth, at the west side of the south abutment where the railroad	A CONTRACTOR OF THE PARTY OF TH
	tracks pass over the Fort Worth & Dallas Electric Line tracks, on the	
	second step from the top, 6 inches from the adjacent edges of stone;	
	square cut on stone (C. & G. S. b. m. U)	605. 865

Fort Worth, at the northeast corner of the city fire department building (central station), on Throckmorton Street between Eighth and Ninth, near the center of the east face of a block of stone in the fourth tier and	
about 4 feet from the ground, 15 inches from the corner of the building,	
13 inches from a window; intersection of lines on top of copper bolt (C. &	Feet.
G. S. b. m. V)	619. 254
Handley, in the center of the middle pilaster on the northeast side of the	
power house of the Northern Texas Traction Co., about 4 feet from the	FW0 007
ground; intersection of lines on top of copper bolt (C. & G. S. b. m. W).	578. 391
Arlington, at the east side of the north face of the Citizens' National Bank Building, in the middle brick of the eastern brick column, about 4½ feet	
above the ground; intersection of lines on top of copper bolt (C. & G. S.	
b. m. X)	617. 935
Fort Worth, on top of the stone base to one of the iron supports to the via-	011.000
duct over tracks, one-fourth mile west of Texas & Pacific Ry. station,	
on the base under the second support east in second row north of main	
track, at southeast corner, 31 inches from south and east edges; square cut	
on stone (C. & G. S. b. m. M ₃)	618.749
Belt Junction, a mile east of, 15 paces from the eighth telegraph pole west	
of milepost 3 on Fort Worth & Rio Grande Ry., on the southwest corner	
of west abutment of a culvert; square cut on stone (C. & G. S. b. m. N ₃).	654. 884
Primrose, 5 poles west of the station sign, 6 telegraph poles east of mile	
pole 12, in an angle of the right of way fence on the Fort Worth & Rio	
Grande Ry., 16 paces north of the track; bottom of square hole in top of limestone post (C. & G. S. b. m. O ₃)	770. 773
Virgile, 10 feet north of the third pole west of the station sign, in an angle	110.113
of the right-of-way fence on the Fort Worth & Rio Grande Ry., 15 paces	
north of the track; bottom of square hole in top of limestone post (C. &	
G. S. b. m. P ₃)	944. 585
From Fort Worth south along Missouri, Kansas & Texas Ry. to Burleson.	
THE PARTY OF THE P	
Bethel, one-half mile north of the siding at, 50 feet west of the railroad	
track, in the right of way of the railway, main line, 3 feet east of tele-	
graph pole opposite mile pole 764; bottom of square cut in top of lime- stone post (C. & G. S. b. m. T ₃)	000 000
Burleson, in the brick building used as the post office, in the east front,	682. 328
4½ feet above the sidewalk, in a panel north of the northernmost window;	
top of copper bolt (C. & G. S. b. m. U ₃)	715.064
	milit die
From Fort Worth west along Texas & Pacific Ry. to Benbrook.	
Fort Worth, on the Hill Street concrete viaduct over the Texas & Pacific	
and Frisco Line railway tracks, 1.1 miles west of the Union passenger	
station, on the east face of the north side of the arch over the main line	
track of the Texas & Pacific Ry., 1.45 meters above the ground and 0.36	
meter from the south edge of the face of the arch; red metal disk (C. & G.	604 900
S. b. m. C ₁₀)	624. 392
Worth and Weatherford road over Clear Fork of the Trinity River, on	
the top of the south wing wall of the east concrete abutment, about 0.20	
meter from the footplate of the truss; this bridge is about 35 meters north	
of the Texas & Pacific Ry. bridge 249-A over the same stream; red metal	
disk (C. & G. S. b. m. D ₁₀)	557. 262

FRIONA QUADRANGLE. [Latitude 34° 30′-35°; longitude 102° 30′-103°.] From Summerfield southwest along Atchison, Topeka & Santa Fe Ry. to Bovina. Summerfield, about 1.9 miles west of, on top of the east end of the south head wall of the railway cast-iron culvert 609A; red metal disk (C. & G. S. b. m. T ₂₀)	Fort Worth, about 4.5 miles west of, and midway between the Texas & Pacific Ry. track and the center of the Fort Worth and Weatherford highway, 0.5 meter inside and south of the railroad's right-of-way fence and 1.5 meters inside and east of the fence of the first byroad that crosses the track west of the siding for the Fort Worth waterworks pumping station; 3-inch red metal cap on iron pipe (C. &. G. S. b. m. E ₁₀) Benbrook, about 1.4 miles east of, on the middle pier of the Texas & Pacific Ry. plate-girder bridge 254-C over Marys Creek, on the top of the coping of the north end of the pier, and approximately in the center of the stone; bottom of hole in horizontal surface (C. & G. S. b. m. F ₁₀) Benbrook, on land belonging to Mr. C. W. Carpenter, at the turn of the Fort Worth and Weatherford highway, just across the road and south of the Texas & Pacific Ry. stock pens, about 50 meters south of the main-line track, and 0.75 meter south and 0.75 meter west of the highway fence; bottom of hole in top of stone post (C. & G. S. b. m. G ₁₀) Benbrook, about 2.8 miles west of, on the Texas & Pacific Ry. plate-girder bridge 258-B over Walnut Creek, on top of the north end of the east masonry abutment; red metal disk (C. & G. S. b. m. H ₁₀)	Feet. 576. 160 623. 290 662. 669
[Latitude 34° 30′-35°; longitude 102° 30′-103°.] From Summerfield southwest along Atchison, Topeka & Santa Fe Ry. to Bovina. Summerfield, about 1.9 miles west of, on top of the east end of the south head wall of the railway cast-iron culvert 609A; red metal disk (C. & G. S. b. m. T ₂₀)		
Summerfield, about 1.9 miles west of, on top of the east end of the south head wall of the railway cast-iron culvert 609A; red metal disk (C. & G. S. b. m. T ₂₀)	And the second s	
head wall of the railway cast-iron culvert 609A; red metal disk (C. & G. S. b. m. T ₂₀)	and the state of t	
A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	head wall of the railway cast-iron culvert 609A; red metal disk (C. & G. S. b. m. T ₂₀)	3, 933. 306 3, 994. 155 4, 004. 093 4, 005. 756 4, 109. 011

GALVESTON QUADRANGLE.

Hatitude 29°-29° 30': longitude 94° 30'-95°.]

[Latitude 29°-29° 30′; longitude 94° 30′-95°.]	
From Lamarque southeast along Galveston, Houston & Henderson R. R. to Galveston.	
Lamarque, 4 miles northwest of, on the right of way of the Galveston, Houston & Henderson R. R.; about 10 meters from mile board 32, 15 meters southwest of the tracks; cross on top of section rail (C. & G. S. b. m. M. M. 32). 'Lamarque, 2 miles northwest of, on the right of way of the Galveston, Houston & Henderson R. R., 25 meters southeast of mile board 34 and	Feet. 20. 853
15 meters southwest of the tracks; cross on top of section rail (C. & G. S. b. m. M. M. 34)	17. 995
R. R., 40 meters northwest of the station and 7½ meters southwest of the tracks, in the concrete foundation of the water tank, in the center of the east face, about 1 meter above ground; red metal disk (C. & G. S. b. m. A ₀)	18. 615
Lamarque, one-third mile southeast of, 12½ telegraph poles southeast of mile board 36, 35 meters northeast of the Galveston, Houston and Henderson tracks, in the north corner of a highway crossing, on land belonging to the Tarpey estate; 3-inch red metal cap on iron pipe (C. & G. S.	potecyles) continues station (etc.)
b. m. B ₉)	17. 307
cap on iron pipe set in clay (C. & G. S. b. m. C ₉)	8. 481 4. 327
Virginia Point, on the right of way of the Atchison, Topeka & Santa Fe Ry., 30 meters northwest of the trestle, 8 meters southwest of the tracks, on range with the telegraph poles; 3-inch red metal cap on iron pipe set in	
sand (C. & G. S. b. m. D ₉)	4. 911
post (C. & G. S. b. m. E ₉)	2. 431
metal disk (C. & G. S. b. m. F ₉) Galveston, at the northeast corner of B and Twenty-fifth streets, in a steel window sill on the west side of the Scaly Building, 1½ meters from the south side of the building, 2½ decimeters from the south edge of the sill, surface within an outlined square; on Atchison, Topeka & Santa Fe Ry.	6. 653
bench mark (C. & G. S. b. m. G ₀)	7. 795
hydrant (C. & G. S. b. m. City)	10. 161
b. m. Tidal 1)	not given

Galveston, in the pile alongside of the fixed tide staff; a horizontal mark made through the center of the head of the one of two spikes nearer the	Feet.
tide staff (C. & G. S. b. m. Tidal 2). Galveston, in the western face of the concrete foundation wall of the cable tank, near the top steps leading into the shed house; the top of a brass	5. 341
bolt, the projecting portion of which has been filed flat for the foot of the leveling rod (C. & G. S. b. m. Tidal 3=U. S. E. b. m. A.)	7. 543
head flush with the concrete wall of the cable tank, about 6 inches above Tidal 3 (C. & G. S. b. m. Tidal 4)	8. 041
the top of the northeast bolt of the northwest bearing pile of the Fort Point lighthouse (C. & G. S. b. m. Tidal 5)	3. 419
section of iron rail which reaches nearly to the surface of the tracks (C. & G. S. b. m. Tidal 6). Galveston, about 14 feet north from trestle bent marked 90; top of long	7. 906
section of iron rail (C. & G. S. b. m. Tidal 7)	8. 451 8. 537
Galveston, between 400 and 500 feet southward from the office building at Fort Point, in the center of the south jetty, immediately below the railroad trestle; the top of a brass bolt set in a box of concrete, the head of the bolt projecting about an inch. A stringer of the railroad track was directly above the bolt in 1906 (C. & G. S. b. m. Tidal 9=U. S. E.	
b. m. Fence Line)	3. 162
(C. & G. S. b. m. Tidal 10)	8. 576
long section of iron rail (C. & G. S. b. m. Tidal 11). Galveston, about 29 feet north from trestle bent marked "40"; top of long	8. 169
section of iron rail (C. & G. S. b. m. Tidal 12). Galveston, near the trestle bent marked "30"; top of long section of iron rail (C. & G. S. b. m. Tidal 13).	8. 550
Galveston, about 12 feet south from trestle bent marked "20"; top of long section of iron rail (C. & G. S. b. m. Tidal 14).	7. 805
Galveston, about 10 feet south from trestle bent marked "10"; top of long section of iron rail (C. & G. S. b. m. Tidal 15).	6. 312
Galveston, in the concrete walk at the northwest corner of the hospital grounds on Ninth Street, about 28 inches from a telegraph pole and about 4 inches from the northwest corner of the walk; the top of a wire nail (C.	0.407
& G. S. b. m. Tidal 16)	6. 175
of the south and west concrete walls about the hospital grounds, corner of Ninth and Strand streets (C. & G. S. b. m. Tidal 17)	8. 451
Galveston, at the northeast corner of the Hendley Building, corner of Twentieth and Strand streets; on the top of the stone water table, at the edge where the corner has been chipped off. This bench mark is the city	0. 101
datum (C. & G. S. b. m. Tidal 18). Galveston, on the north side of the Hendley Building, corner of Twentieth	5. 686
and Strand streets, about a foot from the northeast corner of the building and 4 feet above Tidal 18; a small hole in the center of the head of a	
copper bolt set flush with the wall (C. & G. S. b. m. Tidal 19)	9. 646

GATESVILLE QUADRANGLE.

[Latitude 31°-31° 30'; longitude 97° 30'-98°.]

From Nolanville west along Gulf, Colorado & Santa Fe Ry. to Kempner.	
Nolanville, 3 feet south of the first telegraph pole west of milepole 233, in	and the same
the right of way of the Gulf, Colorado & Santa Fe Ry., 30 feet south of the	
track; bottom of a square cut in top of a limestone post (C. & G. S.	Feet.
b. m. P ₄)	666. 324
Killeen, in the right of way of the railway, 2 feet south of milepole 241, and	
60 feet south of the track; bottom of square cut in top of limestone post	HOH 010
(0. & G. S. b. m. Q ₄).	787. 318
Copperas Cove, near, in the right of way of the railway, 10 feet south of the first telegraph pole east of milepole 250, 40 feet south of the railroad;	
bottom of square cut in top of limestone post (C. & G. S. b. m. R ₄)	939, 929
Copperas Cove, near, in the north top stone of the stone arch one-fourth mile	000.020
east of Copperas Cove, on the railway, 2 inches from the north and east	
edges of the stone, and 4 feet below the track level; bottom of square cut	
in stone (C. & G. S. b. m. S ₄)	1,072.363
Copperas Cove, about 2 miles southwest of, upon the highest point of a	The same
wooded starfish-shaped mountain, upon the land of J. N. Gilmore, 150	
yards north of the telephone line where it crosses the ridge, about 12	
miles a little southwest of the house of H. B. Scott, about 3 mile south	
of the house of C. H. Casper, in galvanized-iron pipe 2 inches in diameter	
and 18 inches long, filled with concrete level with surface of ground; top	7 000 510
of sixtypenny wire nail in upper end of pipe (C. & G. S. b. m. Gilmore A).	1, 286. 513
Copperas Cove, about 2 miles southwest of, 91.106 meters northeast of the station mark, in terra cotta pipe 2 feet long, covered with cement ½ inch	
thick, in the cement; top of a sixtypenny wire nail (Gilmore reference	
mark)	1 281 671
Kempner, in the right of way of the Gulf, Colorado & Santa Fe Ry., 60 feet	.,
south of the track, halfway between milepole 262 and the right-of-way	
fence; bottom of square cut in top of limestone post (C. & G. S. b. m. T ₄).	894. 073
GILMER QUADRANGLE.	
[Latitude 32° 30′-33°; longitude 94° 30′-95°.]	
From Hughes southeast along Missouri, Kansas & Texas Ry. to Avinger.	
Hughes, also called Hughes Spring, in the west face of a brick building	
owned by Mr. T. B. Keaster, in the new part of building, in the double	
column where the old and the new buildings join, 11 paces from the north- west corner of the building and the twenty-first tier of brick above the	
concrete sidewalk; intersection of lines in end of copper bolt (C. & G. S.	
b. m. B ₃)	378. 192
Avinger, 26 paces north of the old track, 19 paces west of the old railroad	0.0.102
station, 2 telegraph poles east of milepole 817, 12 paces north of the public	
road paralleling the railroad; bottom of square cut in top of limestone post	
(C. & G. S. b. m. C ₂)	395. 196
Avinger, about 1 mile east of, and 2½ telegraph poles west of milepole 818,	
on south side of an arched concrete culvert under the new grade, in center	
of the top of the coping, about 13 inches from the west end; intersection	
of lines in end of copper bolt (C. & G. S. b. m. D ₃)	399. 572

GRANBURY QUADRANGLE.

[Latitude 32°-32° 30'; longitude 97° 30'-98°.]

Near Granbury.

Granbury, on the east side of the Hood County courthouse, 10 feet north of the east door, in the stone water table, 4½ feet from the ground; intersection of lines in end of copper bolt (C. & G. S. b. m. S ₃)	
HALSTEAD QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 96° 30′-97°.]	
From Plum east along Missouri, Kansas & Texas Ry. to Boggy Tank.	
Plum, 4 telegraph poles west of the station, in the northwest corner of a grade crossing, one-third meter from the right-of-way fence, on the land owned by J. C. Brown of La Grange, set in clay; 3-inch red metal cap on iron pipe (C. & G. S. b. m. W ₆)	299. 596
railway tracks, in the corner of a fence, about 15 meters northwest of the store and on the land owned by Anton Legler; bottom of hole in top of stone post (C. & G. S. b. m. X ₆).	299. 474
La Grange, 2 miles northwest of, 14 telegraph poles west of mile board 987, 70 meters west of a grade crossing and one-third meter north of the right of way of the railway, in the corner of a fence, on land owned by Christian	000 500
Diers, set in clay; 3-inch red metal cap on iron pipe (C. & G. S. b. $m.Y_6$). La Grange, in the county courthouse, on the stone step of the Washington Street entrance, in the horizontal surface of the first step from the top,	282. 562
two-thirds of a foot from south end; bottom of hole (C. & G. S. b. m. Z_6). La Grange, on Colorado Street, in the northeast corner of the First National Bank Building, in the vertical surface of the water table, 0.2 meter from	269. 655
the east face; red metal disk (C. & G. S. b. m. A ₇)	269. 153
of hole in top of stone post (C. & G. S. b. m. B ₇). Halstead, 1½ miles west of, 30 meters west of mile board 993, two-thirds meter south of the right of way of the railway, in the southeast corner of a private grade crossing, on land owned by Ernest Nitschke, set in clay, 3-inch red	274. 307
metal cap on iron pipe (C. & G. S. b. m. C ₇). Halstead, 450 meters west of, on the right of way, two-thirds meter from the south fence in the southeast corner of a grade crossing; bottom of hole in	326. 059

top of stone post (C. & G. S. b. m. D₇)....

308. 585

Fayetteville, in the brick store owned by H. Zapp's Sons, in the concrete water table on the south side of the east entrance; red metal disk (C. & G. S. b. m. E ₇)	Feet. 417. 483
Fayetteville, 18 meters east of the station, on the right of way 6 meters	117. 100
north of the tracks, in range with a row of trees in the parking; bottom of	
hole in top of stone post (C. & G. S. b. m. F ₇)	393. 992
Boggy Tank, 9 telegraph poles west of mile board 1,006, near the south end	
of the west abutment of bridge 2,104, in the horizontal surface, 0.2 meter	
from the south edge of the capstone; copper bolt (C. & G. S. b. m. G ₇)	271. 108
HOUSTON QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 95°-95° 30′.]	
From Hillendahl east along Missouri, Kansas & Texas Ry. to Houston, thence south-	
east along Galveston, Houston & Henderson R. R. to League City.	
Hillendahl, three-fourths mile west of, on the right of way of the Missouri,	
Kansas & Texas Ry., 11 telegraph poles west of mile board 1,073, on a	
concrete culvert, in the center of the horizontal surface, 0.15 meter from	
the north edge; horizontal mark on three-eighths inch copper bolt (C. &	
G. S. b. m. E ₈)	87. 073
Hillendahl, 1 mile east of, 7½ telegraph poles east of mile board 1074, at the	
northeast corner of a grade crossing, on the public highway, 15 meters	
north of the Missouri, Kansas & Texas Ry. tracks on range with the right	
of way fence, set in clay; 3-inch red metal cap on iron pipe (C. & G. S. b. m.	78, 628
F_8)	10. 020
meters south of the Missouri, Kansas & Texas Ry. tracks, in the southeast	
corner of a highway junction, on land owned by Gustav Peachman;	
bottom of hole in top of 5 by 8 inch stone post (C. & G. S. b. m. G ₈)	71. 831
Eureka, on the right of way of the Missouri, Kansas & Texas Ry., 150 meters	THE PERSON
east of the Houston & Texas Central R. R. crossing, in the concrete foun-	
dation of a block signal; bottom of hole in horizontal surface (C. & G. S.	
b. m. H _s)	68. 595
Houston Heights, 7½ telegraph poles east of mile board 1081 and 25 meters	
south of the Missouri, Kansas & Texas Ry. tracks, in the parking and mid-	
way between two electric-car lines, set in clay; 3-inch red metal cap on	07 07 1
iron pipe (C. & G. S. b. m. I ₈)	61. 017
Houston, at the northeast corner of Willow and Baker streets, in the center	
of the west face of the supporting pillar at the southwest corner of the building of the Peden Iron & Steel Co., in the concrete water table, about	
1 meter above the cement walk; red metal disk (C. & G. S. b. m. J ₈)	45. 006
Houston, at the southeast corner of Franklin and Fannin streets, in the	10.000
stone step of the north entrance to the post office, on the horizontal surface,	
0.1 meter from the east end of the lower step; surface within an outlined	bootless.
square (C. & G. S. b. m. K ₈)	42. 356
Houston, on Gable Street, 90 meters north of the Galveston, Houston &	
Henderson R. R. tracks, on the south abutment of the steel highway bridge	San La Colonia
over Buffalo Bayou; in the horizontal surface, 25 centimeters from west	
edge; red metal disk (C. & G. S. b. m. L _s)	43. 599
Houston, at the southeast corner of Milby Street and Harrisburg Road, 10	
inches north of a telegraph pole; a bolt driven into the ground, the top	45 004
level with the curb (C. & G. S. b. m. City).	45. 824
Houston, 3 miles east of, on the right of way of the Galveston, Houston & Henderson R. R., 8½ telegraph holes east of mile board 3, and 3 meters	
north of the track, in the center of the top surface of a concrete culvert;	
bottom of hole in horizontal surface (C. & G. S. b. m. M ₈)	43. 393
bottom of note in normalist surface (o. t. o. b. o. m. mg)	

Harrisburg, three-fourths mile north of, on right of way of the Galveston,	
Houston & Henderson R. R., 5½ telegraph poles south of mile board 5, 8	
meters east of the tracks, and about 2 meters below the level of the rail,	
in the center of the top surface of a concrete culvert; copper bolt set in	Feet.
lead and lettered "U. S. B. M."; (C. & G. S. b. m. N ₈)	23. 359
Harrisburg, on the right of way of the Galveston, Houston & Henderson	
R.R., 25 meters south of the Galveston, Harrisburg & San Antonio Ry.	
crossing, 13 meters west of the tracks; cross on top of section rail (C. &	
G. S. b. m. R. M.)	38. 271
Harrisburg, 1 mile south of, 133 telegraph poles north of mile board 7, in the	
southeast corner of a grade crossing, 18 meters south of the Galveston,	
Houston & Henderson R. R. tracks, and 5 meters south of the corner of	
the right of way fence, on range with telegraph poles ouside the right of	97 509
way; 3-inch red metal cap on iron pipe set in clay (C. & G. S. b. m. O ₈).	37. 503
Harrisburg, 3½ miles southeast of, on the right of way of the Galveston, Houston & Henderson R. R., 15 meters southeast of mile board 9, and 15	
meters southwest of the track; cross on top of section rail (C. & G. S. b. m.	
M. M. 9)	35. 308
Harrisburg, 41 miles southeast of, on the right of way of the Galveston,	00.000
Houston & Henderson R. R., 35 meters northwest of mile board 10, on a	
steel and concrete bridge, 2 meters northeast of the tracks, in the center	
of the horizontal surface of the north abutment; copper bolt (C. &. G. S.	
b. m. P ₈)	38. 287
Genoa, 31 miles northwest of, 8 meters southwest of mile board 11, on range	
with the telegraph poles, outside of the right of way fence; bottom of hole	
in top of stone post, (C. & G. S. b. m. Q ₈)	37. 212
Genoa, 21 miles northwest of, on the right of way of the Galveston, Houston	
& Henderson R. R., 20 meters southeast of mile board 12 and 15 meters	
southwest of the tracks; cross on top of section rail (C. & G. S. b. m.	
M. M. 12)	41. 306
Genoa, about 55 meters northwest of the station, on the right of way of the	
Galveston, Houston & Henderson R. R., 8 meters southwest of the tracks,	
in the foundation of the water tank, on the southeast side of the horizontal	10 040
surface; red metal disk (C. & G. S. b. m. R ₈)	49. 846
R. R. station and about 55 meters northeast of the tracks, in the corner of	
a fence; bottom of hole in top of stone post (C. & G. S. b. m. S ₈)	47. 040
Genoa, 12 miles southeast of, on the right of way of the Galveston, Houston	11.010
& Henderson R. R., 20 meters northwest of mile board 16, and 15 meters	
southwest of the tracks; cross on top of section rail (C. & G. S. b. m.	
M. M. 16)	43. 573
Genoa, 33 miles southeast of, on the right of way of the Galveston, Houston	
& Henderson R. R., 20 meters southeast of mile board 18 and 15 meters	
southwest of the tracks; cross on top of section rail (C. & G. S. b. m.	
M. M. 18)	31. 165
Webster, 1 mile northwest of, 123 telegraph poles northwest of mile board	
21, 35 meters northeast of the Galveston, Houston & Henderson tracks,	
15 meters southwest of an artesian well, on land owned by Harvey T. D.	
Wilson; 3-inch red metal cap on iron pipe set in clay (C. & G. S. b. m. T ₈).	31. 506
Webster, 100 meters southwest of the Galveston, Houston & Henderson	
R. R. station, in the corner of a fence at the east corner of a street crossing,	
on land owned by Harvey T. D. Wilson; bottom of hole in top of stone post (C. & G. S. b. m. U ₈)	26. 900
post (O. & G. D. D. M. Og)	20. 900

 Webster, one-third mile southeast of, on the right of way of the Galveston, Houston & Henderson R. R., 12 meters southeast of mile board 22, 15	
meters southwest of the tracks; cross on top of section rail (C. & G. S. b.	Feet.
m. M. M. 22)	26. 943
League City, on the right of way of the Galveston, Houston & Henderson R. R., 7 meters southeast of the station and 10 meters northeast of the	
tracks, on the top surface of a 7 by 8 inch stone post set in the parking; red metal disk (C. & G. S. b. m. V ₈)	23. 547
JEFFERSON QUADRANGLE.	
[Latitude 32° 30′-33°; longitude 94°-94° 30′.]	
From Lassater southeast along Missouri, Kansas & Texas Ry. to Waskom.	
Lassater, 9 paces north of the old abandoned grade, 35 paces north of the new	
track, 10 feet east of second telegraph pole (old line), west of platform	
used as station, 44 paces west of railroad-crossing sign at road crossing;	
bottom of square hole in limestone post (C. & G. S. b. m. E ₃	334. 626
Kellyville, 30 feet west of and across the track from the switch stand at the	
west end of the siding, between the third and fourth telegraph poles east	
of mile pole 830 14 paces north of the track in an angle formed by the right of way fence and the fence crossing the railway; bottom of square hole in	
limestone post (C. & G. S. b. m. F ₃).	293. 411
Jefferson, 7 feet north of the telegraph pole just opposite the station, almost	
in line with the east end of the building and 16 paces north of the track;	
bottom of square hole in limestone post (C. & G. S. b. m. G ₃)	189. 445
Norwood, directly across the track from the second telegraph pole east of mile pole 843, 2½ poles west of the mail-catch stand, 30 paces north of the	
track, about 5 feet inside of the right of way fence; bottom of square	
hole in limestone post (C. & G. S. b. m. I ₃)	207. 010
Karnack, 600 feet east of and across the tracks from the station, 12 paces	
east of and 18 paces south of the fourth telegraph pole west of mile pole	
848, 24 paces south of the track and 10 paces north of the right of way fence;	001 047
bottom of square hole in limestone post (C. & G. S. b. m. J ₃)	231. 247
graph pole east of the station and 12 paces south of the track, top of a cor-	
ner of the post is broken off; bottom of square hole in limestone post (C.	
& G. S. b. m. K ₃)	264. 862
Waskom, about 250 feet west of the station (Missouri, Kansas & Texas Ry.)	
and 8 paces south of the track, 6 feet southwest of third telegraph pole west of station; bottom of square hole in limestone post (C. & G. S.	
b. m. L ₃	299. 248
KAUFMANN QUADRANGLE.	
[Latitude 32° 30′-33°; longitude 96°-96° 30′.]	
From Rockwall northeast to Royse.	
Rockwall, at the southwest corner of the county courthouse, in the south	
face, 4 feet above the ground, in the fourth tier from the foundation	
and about midway between the corner of the building and a window;	
intersection of lines on top of copper bolt (C. & G. S. b. m. G ₂)	595. 589
Fate, in the middle brick column of the double building owned by Low &	
Sawyer, in the front facing south and about 4 feet from ground; inter-	E00 =00
section of lines on top of copper bolt (C. & G. S. b. m. H ₂)	590. 760
the Royse City Bank, on the west side, about 16 inches above sidewalk;	
intersection of lines on top of copper bolt (C. & G. S. b. m. I ₂)	560. 524

KENT QUADRANGLE.

[Latitude 31°-31° 30'; longitude 104°-104° 30'.]

[Latitude 31°-31° 30'; longitude 104°-104° 30'.]	
From San Martine west along Texas & Pacific Ry. to Plateau.	
San Martine, 0.74 meter west of the southwest corner of the section hous	e.
and 9.3 meters north of the center of the Texas & Pacific Ry. trac	
bottom of hole in top of stone post (C. & G. S. b. m. X ₁₆)	
San Martine, on the southeast corner of the southeast masonry footing	
the railway water tank, 49 meters north of the center of the main track	
bottom of hole in horizontal surface (C. & G. S. b. m. Y ₁₆)	
San Martine, about 4.1 kilometers west of, on the railway bridge 6881	
on top of the north wing wall of the west abutment, 3.6 meters from the	
west end of a bridge girder, and 2.4 meters north of the center of th	
track; copper bolt (C. & G. S. b. m. Z ₁₆)	
Kent, about 9 kilometers east of, at the foot of the south point of the hi	
forming the west side wall of Levison pond, at the thirteenth telegrap	
pole west of milepost 691, 14.2 meters north of the center of the track	
1.05 meters from the right-of-way fence, and 14 meters northeast of the	
small water tank alongside the track; 3-inch red metal cap on iron pip	
(C. & G. S. b. m. A ₁₇)	
Kent, about 5.5 kilometers east of, 84 meters west of milepost 694, a	
the east end of a cut, 1.93 meters north of the gauge of the north rai	
0.2 meter from the south edge of a flat stone in the cut, and 0.3 meters	
below the rail; copper bolt (C. & G. S. b. m. B ₁₇)	1 196 995
Kent, 9.7 meters south of the main line of the railway, in the northeas	
corner of the section-house yard, 6.6 meters from the northeast corner	
of the section house, in range with two china trees, 3.80 meter	
east of the east tree; bottom of hole in top of stone post (C. & G	
S. b. m. C ₁₇)	
Kent, about 3.9 kilometers west of, 1.65 meters west of milepost 700 of th	. 4, 212. 044
railway, 12.80 meters south of the track, and 2.6 meters from the righ	
of way fence; bottom of hole in top of stone post (C. & G. S. b. m. D_{17}).	
Kent, about 4.6 kilometers west of, 700 meters west of milepost 700, 7	. 4, 505. 151
meters east of the section-line fence running north, on the highest round	
topped smooth rock in a cut, 2.60 meters north of the north rail, and	ing more
0.75 meter above the rail; copper bolt (C. & G. S. b. m. E ₁₇)	4 007 401
Boracho, on the railway right of way, in front of the section foreman's house	4, 327. 481
5 meters from section post 190, 14.5 meters south of the center of the	
track, and 0.7 meter from the fence; bottom of hole in top of stone pos	
(C. & G. S. b. m. F ₁₇)	4, 458. 525
feet east of bridge 356, 13.1 meters south of the center of the track, and	
2.2 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S.	
b. m. G ₁₇) Plateau, about 5.6 kilometers east of, on the railway right of way, opposit	4, 400. 638
the center of a great artificial and 175 material way right of way, opposite	17 19 19 19
the center of a small artificial pond 75 meters to the north, 14.10 meter	3
north of the center of the track, and 1 meter from the fence; bottom of the period of	1
hole in top of stone post (C. & G. S. b. m. H ₁₇)	4, 086. 802
LAMPASAS QUADRANGLE.	

LAMPASAS QUADRANGLE.

[Latitude 31°-31° 30'; longitude 98°-98° 30'.

Near Lampasas.

Lampasas, 3 miles east of, in the right of way of the Gulf, Colorado & S	Santa
Fe Ry., 20 feet south of the track and 20 feet from the fence; 50 feet w	
mile pole 271; bottom of square cut in top of limestone post (C. &	G. S.
b. m. U.)	

980.654

Lampasas, about 2½ miles south 80° east of, 250 meters north of the "Lampasas-Belton" road, on the highest and most northerly wooded point, and about 300 meters south of Sulphur Creek, on the land of J. W. Mosely; bronze station mark upon a limestone block, embedded in concrete (C. & G. S. b. m. Lampasas, northeast base)	
LEFORS QUADRANGLE.	
[Latitude 35°-35° 30'; longitude 100° 30'-101°.] From McLean west along Chicago, Rock Island & Pacific Ry. to Boydstown.	
McLean, on the east wall of the concrete foundation of the railway station,	
0.3 meter below the top and 0.2 meter from the northeast corner; red	0.050.504
metal disk (C. & G. S. b. m. S_0)	2, 858. 734
occupied by the Citizens' State Bank of McLean, to the left of the	
entrance on the southwest corner, 1.4 meters above the sidewalk; red	0.004.005
metal disk (C. & G. S. b. m. T ₉)	2, 804. 989
west end of a cut on a curve on the railway, 2½ poles southwest of milepole	
691, 14.3 meters northwest of the center line of the main track; 3-inch red metal cap on iron pipe (C. & G. S. b. m. U ₉)	9 961 765
Alanreed, about 1.5 miles northeast of, just outside the right of way at the	2, 301. 700
south end of a cut on the railway, 2 poles north of pole 694-15, 16 meters	
east of the center line of the main track and to the west of the highway; 3-inch red metal cap on iron pipe (C. & G. S. b. m. V ₉)	3, 008, 363
Alanreed, 21.2 meters south of a point on the center line of the main track	
of the railway, which is 10.7 meters east of the railroad station, 1.2 meters	
above the main tracks, and just north of the highway; bottom of hole in top of stone post (C. & G. S. b. m. W ₉)	3, 046, 487
Alanreed, at the northwest corner of Main Street and Second Avenue, on	
the brick building occupied by the Bank of Alanreed, on the southwest corner of the building, to the left of the entrance, and 0.3 meter above the	
sidewalk; red metal disk (C. & G. S. b. m. X_9)	3, 027. 445
A nreed, about 3 miles southwest of, at the north end of the curve in the	
cut on the track, and just east of the public highway, which follows the divide; 3-inch red metal cap on iron pipe (C. & G. S. b. m. Y_9)	3, 104, 055
Rockledge, 60 meters south of the center line of the main track of the rail-	,, -02. 000
way, even with and across the tracks from the signboard "Rockledge,"	
at the north fence line of the highway which follows the divide; 3-inch red metal cap on iron pipe (C. & G. S. b. m. Z ₉)	3, 167. 579
Jericho, about 3.5 miles east of, just outside the right of way, near the west	
end of the curve at the top of the grade on the railway, 1 pole east of pole 704-15, 15 meters south of the center line of the main track, and about	
40 meters north of the highway which follows the divide; 3-inch red metal	
cap on iron pipe (C. & G. S. b. m. A ₁₀)	3, 173. 203
Jericho, on the right-of-way property line of the railway, 60 meters west of the railroad station, 29.7 meters south of the center line of the main	
track; bottom of hole in top of stone post (C. & G. S. b. m. B ₁₀)	3, 202. 310
Jericho, about 3 miles west of, on the Chicago, Rock Island & Gulf Ry.	
right of way, 2 meters from the north fence, in line with the telegraph poles, 14 meters north of the center of the track and about midway	
between 2 concrete culverts, just west of milepost 711; 3-inch red metal	
cap on iron pipe (C. & G. S. b. m. I ₁₀)	3, 189. 636

Boydston, 7 meters northeast of a county-line post between Gray and Donley counties, on the Chicago, Rock Island & Gulf Ry. right of way, 15 meters north of the center of the track, and 10 meters east of the first pole east of the pole marked "713/30"; 3-inch red metal cap on iron pipe (C. & G. S. b. m. J ₁₀). MIDLAND QUADRANGLE. [Latitude 32°-32° 30'; longitude 102°-102° 30'.] At Midland. Midland, 0.79 meter east of the southwest corner of the Texas & Pacific Ry. depot, in the water table, 1.20 meters above the ground; copper bolt (C. & G. S. b. m. Z ₁₄). Midland, in the southeast corner of the Midland County courthouse yard, 47.5 meters from the southeast steps of the courthouse, 5.59 meters from a water plug in the street, 4.87 meters west and 1.02 meters north of inner edge of walk; bettern of hole in top of steps port (C. & G. S. b. m. A.)	Feet. 3, 231, 693 2, 781, 212
edge of walk; bottom of hole in top of stone post (C. & G. S. b. m. A ₁₅).	2, 774. 177
MINEOLA QUADRANGLE.	
[Latitude 32° 30′-33°; longitude 95°-95° 30′.]	
From Winnsboro east to Leesburg.	
Winnsboro, in the north face of the First National Bank Building, in the second brick from the corner just to left of entrance and about 4 feet above the ground; intersection of lines in end of copper bolt (C. & G. S. b. m. U ₂). Scroggins, about 7 feet within the right-of-way fence, 12 paces south of and at right angles to the track from a point 45 feet east of the east end of wooden bridge, 6 telegraph poles east of station sign; bottom of square cut in top of limestone post (C. & G. S. b. m. V ₂). Leesburg, about 250 feet from the station, 9 feet south of the second telegraph pole east of and across the tracks from the station; bottom of square cut in top of limestone post (C. & G. S. b. m. W ₂).	533. 382 355. 846 390. 862
MONAHANS QUADRANGLE.	000.002
[Latitude 31° 30′-32°; longitude 102° 30′-103°.]	
From Douro southwest along Texas & Pacific Ry. to Aroya.	
Douro, on the range of the west side of the section foreman's house, 21 meters south of the center of the main line of the railway, and 28 meters S. 50° E. of a large cottonwood tree north of the track; bottom of hole in top of stone post (C. & G. S. b. m. I ₁₅)	
Metz, in range with the west side of the section foreman's house, 20 meters north of the center of the railway track, and 1 meter from the right-of-way fence, in the top of a 5½-foot section of rail which is set to project about 1 foot above the ground; center of a 15-millimeter square cut (C. & G. S. b. m. K ₁₅) Metz, about 4.4 kilometers west of, on the railway right of way, 1,683 feet east of the summit of the highest hill between Metz and Monahans, 12 meters south of the center of the track, and 2 meters from the right-of-	, 862. 757
way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₅) 2,	, 899. 902

Metz, about 8.8 kilometers west of, on the railway right of way, 264 feet east of milepost 606, 125 feet west of a fence running north from the rail-	
way, 12.5 meters south of the center of the track, 2 meters from the right-	Feet.
of-way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. M ₁₅)	
Sand Hills, about 3.1 kilometers east of, on the railway right of way, 1.8	and and
meters east of milepost 609, 13 meters south of the center of the track,	
and 2 meters from the south right-of-way fence; 3-inch red metal cap on	
iron pipe (C. & G. S. b. m. N ₁₅)	2, 746, 828
Sand Hills, on the railway right of way, 28.95 meters northeast from the	we to the same
northeast corner of the section foreman's house (main upright), 26.75	
meters from the northwest corner of the tool house, 36.1 meters north of	
the center of the track, and 30 meters south of the right-of-way fence;	
bottom of hole in top of stone post (C. & G. S. b. m. O ₁₅)	2, 707. 935
Sand Hills, about 3.4 kilometers west of, 11.80 meters west of milepost 613	military .
of the railway, 13.5 meters south of the center of the track, and 1.85	
meters north of the right-of-way fence; 3-inch red metal cap on iron pipe	
(C. & G. S. b. m. P ₁₅)	2, 672. 456
Monahans, 20 meters east of the depot at the southwest corner of the yard	
of the railway agent's dwelling house, in line with two China trees in the	
yard, the nearest of which is 4 meters west; bottom of hole in top of stone	
post (C. & G. S. b. m. Q ₁₆)	2, 622. 495
Monahans, about 0.9 kilometer west of, on the railway right of way, 14	
meters south of the center of the track at the whistling post; 3-inch red	
metal cap on iron pipe (C. & G. S. b. m. R ₁₅)	2, 611. 766
Monahans, about 4 kilometers west of, on the railway right of way, 14	
meters north of the centre of the track and 15 meters west of the section-	
line fence running north; 3-inch red metal cap on iron pipe (C. & G. S.	0 005 500
b. m. S ₁₅)	2, 605. 533
Aroya, on the railway right of way, 87 paces west of the section foreman's	
dwelling house, 7.50 meters west of the southwest corner of the red sand- stone quarters for the section hands, and in line with the south side or	
front of same, 20.95 meters north of the center of the main-line track,	
and 5.5 meters north of the line of the right-of-way fence; bottom of hole	
in top of stone post (C. & G. S. b. m. T ₁₅)	2.665 914
MONTAGUE QUADRANGLE.	-, 000. 011
[Latitude 33° 30′–34°; longitude 97° 30′–98°.]	Day of the last of
From Bowie north along Chicago, Rock Island & Pacific Ry. to Ringgold.	
Bowie, at Brown Hotel, known in 1902 as Bowie Hotel, 100 feet east of the	
Fort Worth & Denver City Ry. station, at the southwest corner of the	
street, iron post marked "1124 Gainv." (A bench mark of the U.S.	
Geological Survey.)	1, 123. 869
Bowie, about 300 meters north of the railway station, about 25 feet west of	
the main track of the railway, and 10 feet below the same, on the west	
side of a stone culvert, $3\frac{1}{2}$ feet from the southwest corner, 3 inches from	
the edge of the stone; square cut on stone (C. & G. S. b. m. A)	1, 081. 241
Bowie, on the north side of the City National Bank building, in the fourth	
brick west of the third double window and 4 feet from the ground; inter-	1 1/2 1-4
section of lines on top of copper bolt (C. & G. S. b. m. B)	J., 145. 175
Bowie, 6 miles west of, about 30 feet south of the railroad track, in a rock in situ, on a line between the third and fourth telegraph poles west of mile	
pole 75 on the Fort Worth & Denver City Ry., 20 inches from the north	
and 16 inches from the west edge of the stone; top of copper bolt (C. &	
G. S. b. m. C).	950. 697
	000.00.

Bellevue, about a mile southeast of, on a prominent knoll on the farm belonging to the Orton brothers; bronze station mark in center of limestone block (C. & G. S. b.m. Bowie N. W. Base Triangulation)	
Base Triangulation). Bowie, 5 miles northwest of, just south of mile pole 539, on the west side of the track of the railway, in the northwest corner of the south concrete	
abutment of a bridge; top of copper bolt (C. & G. S. b. m. D)	959, 870
Geological Survey; iron post marked "989 Gainv.". Stoneburg, on the southwest corner of the southwest one of the four inner stone blocks supporting the railway water tank, 4 inches from either edge;	989. 358
top of copper bolt (C. & G. S. b. m. E)	935. 136
post marked "936 Gainv."	936, 228
Gainv." Ringgold, 3 miles south of, 7½ miles northwest of Stoneburg, at the intersection of a public road and railroad crossing, 300 feet north of milepost 528,	876. 028
46 feet east of the railroad track, a bench mark of the U.S. Geological Survey; iron post marked "897 Gainv."	896. 461
side of railway, 30 feet from the track and nearly in line with the poles, about in the center of the larger of two rocks in situ; top of copper bolt (C. & G. S. b. m. F)	881. 868
Ringgold, 180 feet east of the railway station, at the end of the platform, between the main tracks and the switch, a bench mark of the U. S. Geological Survey; iron post marked "894 Gainv."	894. 368
way bridge 3219 over Red River, in the top of the west side of the south concrete abutment, 8 inches from the north edge and 5 feet from the west edge; top of copper bolt (C. & G. S b. m. G).	815. 556
At Fruitland.	010, 000
Fruitland, in the west side of the stone chimney on the south side of the house owned by W. H. Scarborough, about 5 feet from the ground and 6 inches from edge of the chimney; intersection of two lines in end of a ½-inch copper bolt (C. & G. S. b. m. H).	1, 053, 800
MOUNT PLEASANT QUADRANGLE.	
[Latitude 33°-33° 15'; longitude 94° 45'-95°.]	
From Pittsburg east along Missouri, Kansas & Texas Ry. to Cason.	
Pittsburg, ‡ mile west of the station, on a concrete arched culvert on Missouri, Kansas & Texas Ry., one telegraph pole east of mile pole 786 and about 60 feet east of water tank, in the top of the coping to the north side, 6 inches from the north and 8 inches from the east edge; intersection of lines in end of copper bolt (C. & G. S. b. m. X ₂).	386. 554

Pittsburg, in the west face of the Carnegie library building, about 4 feet from the ground, in the middle brick of the second course of brick above the concrete forming the base of the pilaster at the right of the small entrance on the west side of the building; intersection of lines in end of copper bolt (C. & G. S. b. m. Y ₂)	Feet. 397. 897
MOUNT VERNON QUADRANGLE.	
[Latitude 33°-33° 30′; longitude 95°-95° 30′.]	
From Como to Pickton.	
Como, 10 paces north of the track, in a triangle formed by a telegraph pole and two guys thereto, about 100 feet east of and across tracks from the station; bottom of square hole cut in top of limestone post (C. & G. S. b. m. S ₂)	532. 263 536. 872
NEW BRAUNFELS QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 98° -98° 30′.]	amelia.
From Hunter west along International & Great Northern Ry. to New Braunfels.	
Hunter, 1 mile west of, 210 meters east of mile pole 218, opposite post with sign "Hunter, 1 mile," 4.5 meters east of a crossing on the right of way of	
the railroad; bottom of hole in top of stone post (C. & G. S. b. m. M ₆) Goodwin, 200 meters east of, opposite the switch block at the east end of the siding on the right of way of the railroad, 16 meters north of the track;	648. 936
bottom of hole in top of stone post (C. & G. S. b. m. N ₆)	690. 418
"92 S. A. 695 feet" (U. S. G. S. b. m. 695 S. A.)	690. 173
New Braunfels, about 4 miles southeast of, on the New Braunfels-Seguin highway, about 10 meters east from the center of the road, in the northwest corner of the front yard of Gottfried Janer, 1 meter from both the north and west yard fences; bottom of hole in top of stone post (C. & G. S.	
b. m. T ₆)	615, 953
outer circles (Seguin West Base Triangulation Station) Seguin, near, about 2 miles northwest of Von Beckman's store and gin, 1,050 meters east of the main road between Von Beckman's and New Braunfels, on the land of Henry Soefje, at the western edge of the live-oak timber; monument and mark are similar to those at Seguin West Base Triangula-	620. 418
tion Station (Seguin East Base Triangulation Station)	596. 728

New Braunfels, 1.35 miles east of, in the top of the northeast limestone pier	
of the bridge of the railroad over Guadalupe River, 0.2 meter from the east edge and 0.6 meter from the north edge of the pier; bottom of a square	Feet.
hole, unlettered (C. & G. S. b. m. O ₆).	624. 303
New Braunfels, near, on the railroad bridge over Comal Dry Creek, in the	
top of the north end of the east rock pier; a copper bolt marked "638	
feet" (U. S. G. S. b. m. 638 Comal)	633. 293
Otto Seekatz, about 1.4 meters from the sidewalk, at the base of the	
window just to the left of the entrance on San Antonio Street; copper	
bolt (C. & G. S. b. m. P ₆)	638. 709
New Braunfels, in the Comal County prison, at the left of the entrance	
to the building (of limestone), in the face of the square corner limestone pillar, about 1.5 meters above the sidewalk; copper bolt (C. & G. S.	
b. m. Q ₆)	635. 242
New Braunfels, in the square park at the intersection of San Antonio and	
Seguin streets, in the northwest part, about 8 meters west of the center	
line of San Antonio Street and 20 meters north of the center line of	000 511
Seguin Street; bottom of hole in top of stone post (C. & G. S. b. m. R ₆) New Braunfels, in the courthouse (of limestone), in the top of the low	630. 511
limestone wall, top dressed, at the right of the steps leading to the side	
entrance on San Antonio Street; the bottom of a square hole, 3 centi-	
meters square and 0.6 centimeter deep, lettered "U. S. C. & G. S."	
(C. & G. S. b. m. S ₆)	633. 801
ODESSA QUADRANGLE.	
[Latitude 32°-32° 30′; longitude 102°-102° 30′.]	
From Midland southwest along Texas & Pacific Ry. to Odessa.	
Midland, about 7.6 kilometers west of, on the railway right of way, at the	
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters	
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence	
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters	, 842. 229
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	, 842. 229
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	, 842. 229
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 2, 869. 453
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 2, 869. 453
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 3, 869. 453 4, 860. 316
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 3, 869. 453 4, 860. 316
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 3, 869. 453 4, 860. 316
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 3, 869. 453 4, 860. 316
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 3, 869. 453 4, 860. 316
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 2, 869. 453 3, 860. 316 2, 882. 731
Midland, about 7.6 kilometers west of, on the railway right of way, at the west end of a spur track, 18 meters east of a byroad crossing, 13 meters south of the center of the main-line track and 0.5 meter from the fence between the right of way and the road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₁₅)	2, 889. 253 2, 869. 453 3, 860. 316 2, 882. 731

Odessa, in the southwest corner of the Ector County courthouse yard,	
42.1 meters from the southwest corner of the courthouse and 0.72 meter	
from the concrete corner post of the yard; bottom of hole in top of stone	Feet.
post (C. & G. S. b. m. G ₁₅)	, 902. 569
Odessa, about 8.2 kilometers west of, on the railway right of way, 58 meters	
east of milepost 585 (old numbering), 13 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on	
iron pipe (C. & G. S. b. m. H ₁₅)	943 793
	, 010. 100
PALO PINTO QUADRANGLE.	
[Latitude 32° 30′-33°; longitude 98°-98° 30′.]	
From Millsap west along Texas & Pacific Ry. to Strawn.	
Millsap, about 2.5 miles west of, on the railway bridge 294B over Rock	
Creek, on the west concrete abutment, 0.3 meter below the rail and 1.5	
meter north of the center of the track; copper bolt (C. & G. S. b. m. Z ₁₀).	753. 952
Bennetts, 13 meters south of the main-line track at the station; bottom	PEO 470
of hole in top of stone post (C. & G. S. b. m. A ₁₁)	753. 473
Brazos, about 1.5 miles east of, on the railway right of way, 1 meter north of the south fence and 1 meter west of the west side of the road that	
crosses the track at this point and 19 meters west of bridge 300A; 3-inch	
red metal cap on iron pipe (C. & G. S. b. m. B ₁₁)	813. 870
Brazos, about 0.7 mile east of, on the railway bridge 301A, on the south	
end of the east abutment wall, 0.2 meter below the rail; copper bolt (C. &	
G. S. b. m. C ₁₁)	783. 667
Brazos, in front of the depot, 1 meter south of the north fence, on the rail-	000 155
way right of way; 3-inch red metal cap on iron pipe (C. & G. S. b. m. D ₁₁).	808. 155
Santo, about 3 miles east of, on the railway bridge 305B over Palo Pinto Creek, on the north end of the west abutment, 0.2 meter north of the	
northwest corner of the footplate of the truss; copper bolt (C. & G. S.	
b. m. E ₁₁)	787. 315
Santo, about 0.7 mile east of, on the railway bridge 308A over Sunday Creek,	
on the top of the north end of the east abutment, 1.6 meters below the rail	
at the end of the truss; copper bolt (C. & G. S. b. m. F ₁₁)	804.989
Santo, on the north side of the main-line track, 90 meters west of the depot	
and 1 meter from the corner of the right of way fence; bottom of hole in top of stone post (C. & G. S. b. m. G ₁₁)	822.459
Santo, about 3.9 miles east of, on the railway right of way, 465 feet west of	022. 100
a siding and 1 meter south of the fence between the railway and the county	
road; 3-inch red metal cap on iron pipe (C. & G. S. b. m. H ₁₁)	880.993
Judd, on the railway right of way, 1 meter south of the fence between the	
right of way and the county road, about 15 meters east of the station;	
3-inch red metal cap on iron pipe (C. & G. S. b. m. I _{II})	913.955
Gordon, about 1.9 miles east of, on the railway bridge 317E over Bartons	
Creek, on top of the coping stone on the south end of the west abutment, 4.3 meters from the center of the track and 0.8 meter below the rail;	
copper bolt (C. & G. S. b. m. J ₁₁)	934.476
Gordon, 38 meters east of the center of the depot, on the east line of Locust	0011110
Street: bottom of hole in top of stone post (C. & G. S. b. m. K ₁₁)	967.252
Mingus, about 1 mile east of, north of the main-line track of the railway and	
1 meter south of the right of way fence; bottom of hole in top of stone post	The same of the sa
(C. & G. S. b. m. L ₁₁)	955.996
Mingus, on the east face of the concrete water table of the center pillar sup-	
porting the porch roof of the railway depot and 3 feet from the ground; red metal disk (C. & G. S. b. m. M ₁₁)	958. 105
red metal disk (U, & G, S, D, III, III ₁₁)	000. 100

Mingus, about 1.4 miles west of, on railway bridge 324A over the South	
Fork of Palo Pinto Creek, on the north end of the east abutment 3.5 meters	
from the center of the track and 1 meter below the rail; copper bolt (C. & G. S. b. m. N_{11}).	Feet. 953, 466
Strawn, on the north side of the track in line with the telegraph poles, 530	000. 100
meters east of the depot and 1 meter east of the fence to the cattle guard;	
3-inch red metal cap on iron pipe (C. & G. S. b. m. O ₁₁)	995.930
Strawn, on the north side of the railway track, 394 meters west of the depot, 7 meters west of a pile culvert and 1 meter from the right of way fence;	
bottom of hole in top of stone post (C. & G. S. b. m. P ₁₁)	997.472
PYOTE QUADRANGLE.	
[Latitude 31° 30′-32°; longitude 103°-103° 30′.]	
At Pyote.	
Aroya, about 4 kilometers west of, on the Texas & Pacific Ry. right of way,	
at east end of a mound of earth and rock used as a rail rest, 13.02 meters	
south of the center of the track, and 2.21 meters from the right of way	
fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. U ₁₅)	2, 653. 269
Pyote, on the railway right of way, 53.0 meters west of the depot, 13.40 meters south of the center of the track, 1.95 meters north of the right of	
way fence, and 1.05 meters west of the cattle-guard fence; 3-inch red	
metal cap on iron pipe (C. & G. S. b. m. V ₁₅)	2, 619. 798
Pyote, 11.21 meters west of the railway depot, 18.4 meters west of the south-	
west corner of the stone house used as quarters for the section hands, and	
17.7 meters north of the center of the main track; bottom of hole in top of stone post (C. & G. S. b. m. W ₁₅)	625 484
The state of the s	, 020. 101
RIO GRANDE QUADRANGLE.	
[Latitude 31°-31° 30'; longitude 106°-106° 30'.] Near Polyo.	
Polvo, about 2 miles west of, 0.9 meter northwest of milepost 792 of the Galveston, Harrisburg & San Antonio Ry., 14.3 meters south of the center	
of the track, and 1.2 meters from the fence; 3-inch red metal cap on iron	OFFICE STATE
pipe (C. & G. S. b. m. S ₁₈)	, 576. 850
Polvo, about 2.2 miles west of, 8 poles west of milepost 792 of the railway,	
13.9 meters south of the center of the track, and 1.3 meters from the fence; 3-inch cap on iron pipe (U. S. G. S. 3560)	573 674
Fabens, about 3 kilometers east of, 2.2 meters east of milepost 798 of the	, 013.014
Galveston, Harrisburg & San Antonio Ry., 14.3 meters south of the center	
of the track, and 0.4 meter from the fence; 3-inch red metal cap on iron	
pipe (C. & G. S. b. m. T ₁₈)	, 596. 719
ROBY QUANDRANGLE.	
[Latitude 32° 30′-33°; longitude 100°-100° 30′.]	
From Trent west along Texas and Pacific Ry. to Eskota.	
Trent, on the railway right of way, 33 meters west of the center of the depot,	
14 meters north of the main line of the railway, and on the west line of the main street of the town; bottom of hole in top of stone post (C. & G. S. b.	
main street of the town; bottom of note in top of stone post (C. & G. S. b. m. J_{13})	914 861
Trent, 62 meters west of the railway depot, beside the track of the county	, 011.001
road, and 1 meter outside the railway right of way fence at milepost 430;	
3-inch red metal cap on iron pipe (C. & G. S. b. m. K ₁₃)	, 917. 810

Eskota, about 4 miles east of, on the railway right of way, south of the track at milepost 434 and 1 meter from the county-road fence; 3-inch red metal	Feet.
cap on iron pipe (C. & G. S. b. m. L ₁₃)	
Eskota, on the railway right of way, 349 meters west of the depot, 12 meters	
north of the track, and just inside the county-road fence; bottom of hole	
in top of stone post (C. & G. S. b. m. M ₁₃)	1, 938. 264
Sweetwater, about 4.9 miles east of, on the railway bridge 443C over Sweet-	
water Creek, on the south end of the east abutment at the level of the	
bridge seat, 1.45 meters below the rail, and 3.3 meters from the center of the track; copper bolt (C. & G. S. b. m. N ₁₃)	1, 992. 824
ROSENBERG QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 95° 30′-96°.]	
From Brookshire east along Missouri, Kansas & Texas Ry. to Hillendahl.	
Brookshire, 300 meters west of the station, on the right of way of the rail-	
way, in the southwest corner of grade crossing, 1/3 meter from right-	
of-way fence; bottom of hole in top of stone post (C. & G. S. b. m. U7)	162. 470
Brookshire, 3 miles east of, 4 rails west of mile board 1051, on the right	
of way of the railway, in the northwest corner of a grade crossing, ½ meter from the right-of-way fence, set in clay; 3-inch red metal cap on	
iron pipe (C. & G. S. b. m. V ₇)	157. 158
Katy, 14 miles west of, 121/3 telegraph poles east of mile board 1054, on	1011100
the right of way of the railway, in the northwest corner of a grade cross-	
ing, 15 paces north of the tracks; bottom of hole in top of stone post (C. &	
G. S. b. m. W ₇)	143. 737
Katy, 175 meters west and 100 meters south of the railway station, in the	
water tank owned by the Katy Rice Milling Co., in the horizontal sur-	141 000
face of the southwest foundation; copper bolt (C. & G. S. b. m. X_7) Katy, on the right of way of the railway, 65 meters east of the station, on	141. 355
the water tank, at the east end of the fourth concrete mudsill from the	
tracks, in the vertical surface; red metal disk (C. & G. S. b. m. Y ₇)	142. 487
Katy, 24 miles east of, on the right of way of the railway, 15 telegraph	
poles east of mile board 1058, in the southeast corner of a grade crossing,	
15 meters south of the tracks; bottom of hole in top of stone post (C. & G.	
S. b. m. Z ₇)	134. 488
Burnap, 20 meters west of the signboard, 35 meters south of the railway	
tracks, on the south side of a public highway, ½ meter from the property	124. 816
line; bottom of hole in top of stone post (C. & G. S. b. m. A ₈)	124. 010
tracks, in the corner of a fence, on land owned by G. T. Miller, set in	
cement; 3-inch red metal cap on iron pipe (C. & G. S. b. m. B ₈)	105. 476
Letitia, on the right of way of the railway, 65 meters east of the station	
and 30 meters south of the tracks, in the corner of a fence, set in clay;	
3-inch red metal cap on iron pipe (C. & G. S. b. m. C ₈)	96. 332
Hillendahl, 2½ miles west of, 8½ telegraph poles west of mile board 1071,	
in the southeast corner of a grade crossing, 15 meters south of the rail-	
way tracks, set in clay; 3-inch red metal cap on iron pipe (C. & G. S. b. m. D ₈)	89. 905
D. III. D ₈)	00.000

SAN MARCOS QUADRANGLE.

[Latitude 29° 30′-30°; longitude 97° 30′-98°.]

From Dale west along Missouri, Kansas & Texas and International & Great Northern railroads to Hunter.	
Dale, $\frac{3}{4}$ mile east of, on the right of way of the Missouri, Kansas & Texas Ry., on a red sandstone culvert, 2.3 meters east of mile pole 997, in the	
center of the top of the upper southwest corner stone, 0.25 meter from	
the south and west edges of the culvert; top of copper bolt roughly lettered "U. S. B. M." (C. & G. S. b. m. C ₆)	Feet. 500.088
Lockhart, 2½ miles east of, on the right of way of the Missouri, Kansas &	
Texas Ry., in the west limestone pier of the bridge over Plum Creek,	
in the northwest corner of the top of the southernmost topstone, 0.2	
meter from the joint, 0.1 meter from the west edge, and 0.9 meter south of the south rail of the track; the bottom of a square hole (C. & G. S. b.	
$\dot{\mathbf{m}}$, $\mathbf{D}_{\mathbf{n}}$)	429. 103
Lockhart, 20 feet south of the track of the Missouri, Kansas & Texas Ry.,	
200 feet west of the transfer track of the San Antonio & Aransas Pass Ry.,	
and 40 feet west of the road; iron post (reported slightly loose in 1904)	F04 H04
(U. S. G. S. b. m. Geol. Lockhart)	504. 704
the northeast corner and about 1.2 meters above the ground, about 0.52	
meter south of the granite corner stone, and 0.14 meter above the layer of	
red sandstone, in a block of limestone dressed ready for lettering but	
not lettered, in the face of a copper bolt; a cross cut (C. & G. S.	I Sile
b. m. E ₆).	525. 766
Lockhart, in the Eugene Clark Library building, about 0.42 meter north of the southeast corner of the front wall of the building and about 1.2	
meters from the ground, in the limestone window ledge; a cross in the	
face of a copper bolt, lettered "U. S. C." (C. & G. S. b. m. F ₆)	524. 103
Lockhart, about ½ mile west of the Missouri, Kansas & Texas Ry. depot,	pa, idi.
about 100 meters west of the westernmost switch in the yards, in the	albert .
line of telegraph poles on the railway right of way, south of the track; bottom of hole in top of stone post (C. & G. S. b. m. G ₆)	E94 900
Clear Fork, 400 feet east of the spur at, 25 feet north of the center of the	534. 222
track and 50 feet south of the San Marcos and Lockhart road crossing;	
an iron post (reported very slightly loose in 1914) (U. S. G. S. b. m.	
Geol. Clear Fork)	569. 747
Maxwell, 30 feet south of the center of the main track, directly in front	000 010
of the station; an iron post (U. S. G. S. b. m. Geol. Maxwell)	603. 916
right of way of the Missouri Kansas & Texas Ry., 10 meters south of the	
track; bottom of hole in top of stone post (C. & G. S. b. m. H ₆)	582. 938
Reedville, about 5 mile west of, 10 feet west of ninth telegraph pole east	
of mile pole 1018, 40 feet south of the track and 30 feet east of the wagon	MOT OCC
road; an iron post marked "100 S. A." (U. S. G. S. b. m. 100 S. A.) San Marcos, opposite the freight depot of the International & Great North-	581.006
ern Ry, and just south of the track, in the middle of the southeast face of	
the octagonal limestone base (3 meters high) of the steel water tank, 1	
meter above the ground; copper bolt (C. & G. S. b. m. I ₆)	585. 084
San Marcos, at the east entrance of the courthouse, in the face of the cor-	
ner pillar of dressed limestone, about 1.5 meters north from the entrance	610 550
and 1.5 meters above the ground; copper bolt (C. & G. S. b. m. J_{θ}) San Marcos, in the building of the Glover National Bank, in the top of the	618. 752
limestone ledge step below the window at the left of the entrance, in the	
center of the step; copper bolt (C. & G. S. b. m. K ₆)	623. 319

The second secon	
San Marcos, near, on the International & Great Northern Ry. bridge over San Marcos River, in the west end of the north rock pier; a copper bolt	Feet.
marked "585 feet" (U. S. G. S. b. m. 585 San Marcos)	577. 755
Hunter, 2.8 miles east of, 25 meters east of mile pole 214, on the right of way	
of the railroad, 6 meters south from the track; bottom of hole in top of stone post (C. & G. S. b. m. L ₆).	672. 823
Hunter, on the railroad bridge over Yorks Creek, near mile pole 219, in the	012.020
top of the west end of the north rock pier; copper bolt marked "627 feet"	and the same
(U. S. G. S. b. m. 627 Yorks)	621. 656
SEALY QUADRANGLE.	
[Latitude 29° 30′-30°; longitude 96°-96° 30′.]	and the same
From New Ulm east along Missouri, Kansas & Texas Ry. to Brookshire.	
New Ulm, 3½ miles west of, 6 meters east of mile board 1010, in the corner of the right-of-way and cattle-guard fences; bottom of hole in top of stone post	
(C. & G. S. b. m. H ₇). New Ulm, 100 meters northeast of the railway station, in the brick store	359. 032
owned by L. R. Fink, on the east side of the building, 1 meter from the	
north side, 1½ meters above ground; copper bolt (C. & G. S. b. m. I ₇)	402.089
New Ulm, 225 meters west of mile board 1014, on the north right of way, in	
the corner of the right-of-way and cattle-guard fences; bottom of hole in top of stone post (C. & G. S. b. m. J ₇)	393. 391
New Ulm, 4½ miles east of, 9 telegraph poles east of mile board 1018, on the	333. 331
right of way of the railway, 11 paces north of the tracks, set in sand; 3-inch	
red metal cap on iron pipe (C. & G. S. b. m. K ₇).	361. 499
Cat Spring, 125 meters west of mile board 1024, \(\frac{1}{3} \) meter south of the right of way, at the southwest corner of a grade crossing; bottom of hole in top of	
stone post (C. & G. S. b. m. L ₇)	303. 733
Sealy, 6 miles west of, 10 telegraph poles east of mile board 1029, on the right	
of way of the railway, in the northeast corner of a grade crossing, \(\frac{1}{3} \) meter from the right-of-way fence; 3-inch red metal cap on iron pipe (C. & G. S.	
b. m. M ₇)	226, 532
Sealy, 33 miles west of, 13 telegraph poles east of mile board 1031, in the	and a
northeast corner of a grade crossing, 0.2 meter north of the right of way of	
the railway; bottom of hole in top of stone post (C. & G. S. b. m. N_7) Sealy, on the right of way of the railway, 35 meters east of the station, on the	218. 516
water tank on the top of the second concrete mudsill from the tracks, 0.1	3 101
meter from the west end of the sill; bottom of hole in horizontal surface	
(C. & G. S. b. m. O ₇)	203. 563
Sealy, on Foulken Street, in the center of the east face of the brick store owned by A. Preibisch, about 1.3 meters above the walk; copper bolt	
(C. & G. S. b. m. P ₇)	204. 199
Sealy, on Foulken Street, in the cement walk in front of the brick store	
owned by Mistroit Bros. & Co., 0.15 meter from the northwest corner of the building; surface within an outlined square (C. & G. S. b. m. Q_7)	000 074
San Felipe, $1\frac{1}{2}$ miles east of, $4\frac{1}{2}$ telegraph poles west of mile board 1040, in	200. 374
the northwest corner of a grade crossing, ½ meter from the right of way of	
the railway, on land owned by John Hluchan, set in clay; 3-inch red	
metal cap on iron pipe (C. & G. S. b. m. R ₇)	147. 733
River, at the south end of the first pier west of the Austin-Waller county	
line, on the top surface of the southernmost short section of rail, resting	
on the cement pier; a 2.5 centimeter square, chiseled in outline between	104 700
two transverse girders (C. & G. S. b. m. S ₇).	124. 520

Brookshire, 3 miles west of, 5 telegraph poles west of mile board 1045, on the right-of-way of the railway, in the northeast corner of a grade crossing, 3 meter from the right-of-way fence, set in clay; 3-inch red metal cap on iron pipe (C. & G. S. b. m. T ₇)	Feet. 120.095
SIERRA BLANCA QUADRANGLE.	
[Latitude 31°-31° 30'; longitude 105°-105° 30'.]	
From Allamore west along Texas & Pacific Ry. to Sierra Blanca, thence west along Galveston, Harrisburg & San Antonio Ry. to Etholen.	
Allamore, about 4 miles west of, at milepost 749 of the Texas & Pacific Ry., 12.7 meters north of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. R ₁₇) Eagle Flat, about 3 kilometers east of, 9.9 meters east of milepost 751 of the Texas & Pacific Ry., 11.60 meters south of the center of the track, and 3.4 meters from the right of way fence; 3-inch red metal cap on iron	4, 458. 364
pipe (C. & G. S. b. m. S ₁₇) Eagle Flat, in front of and across the tracks from the section foreman's house, in the range of the west end of the house, 24.9 meters south of	4, 465. 407
the main line of the railway, and 1.65 meters from the right of way fence; bottom of hole in top of stone post (C. & G. S. b. m. T ₁₇)	4, 459. 581
post (C. & G. S. b. m. U ₁₇). Sierra Blanca, about 9.3 kilometers east of, 4.1 meters west of milepost 759 of the Texas & Pacific Ry., 11.9 meters south of the center of the track, and 3.3 meters north of the fence between the right of way and wagon road;	
3-inch red metal cap on iron pipe (C. & G. S. b. m. V ₁₇). La Valley, 8.6 kilometers east of Sierra Blanca, on the Texas & Pacific Ry. right of way, 12.8 meters south of the center of the track, 3.7 meters from the fence, and in front of the west wing of the La Valley Hotel, about 40 meters distant; bottom of hole in top of stone post (C. & G. S.	4, 357. 622
b. m. W ₁₇) Sierra Blanca, about 5.6 kilometers east of, 11.5 meters south of the center of the Texas & Pacific Ry. track, 3.9 meters from the right of way fence and 2 meters west of milepost 764; 3-inch red metal cap on iron pipe	
(C. & G. S. b. m. X ₁₇) Sierra Blanca, in range with the north side of the Galveston, Harrisburg & San Antonio Ry. and the Texas & Pacific Ry. depot, 16 meters west of the northwest corner, 9.20 meters south of the center of the main line of the latter railway, and 15.55 meters north of the center of the main line of	
the former railway; bottom of hole in top of stone post (C. & G. S. b. m. Y ₁₇). Sierra Blanca, about 2.7 kilometers west of, 28.9 meters north of the center of the Galveston, Harrisburg & San Antonio Ry. track, 1.66 meters from the right of way fence, 1,075 feet east of bridge 738-B, and 13½ telegraph poles east of milepost 739; bottom of hole in top of stone post (C. & G. S.	4, 519. 902
b. m. Z ₁₇)	4, 557. 590

Etholen, 13.20 meters north of the station sign, 13 meters west of the engine house (pump station), 24.5 meters north of the center of the track, and 5.8 meters from the right of way fence; bottom of hole in top of stone post

Sand Stillie Gold Harden.
[Latitude 32°-32° 30′; longitude 101° 30′-102°.]
From Big Spring west along Texas & Pacific Ry. to Midland.
Big Spring, about 6.2 kilometers west of, on the railway right of way, at milepost 524 (old numbering), about 160 meters west of the fill over the arm of Hughes Lake, and 12 meters north of the main-line track; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₄)
Big Spring, about 10.3 kilometers west of, on the railway right of way, 11 meters south of the center of the track, 4 meters west of the fence at a road crossing, and 2 meters from the right of way fence; 3-inch red metal
cap on iron pipe (C. & G. S. b. m. O ₁₄)
(C. & G. S. b. m. P ₁₄)
of a byroad or trail that crosses the track to a house on the south side of the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. Q ₁₄) 2,472.977 Stanton, about 5.8 kilometers east of, on the railway right of way, 25 meters
north of the center of the track, and 2 meters from the fence of the county road paralleling the railroad; 3-inch red metal cap on iron pipe (C. & G. S. b. m. R ₁₄)
Stanton, I mile southeast of, on the highest point of a narrow ridge running north and south, about ½ mile south of the railway, and S. 54° E. from the Stanton city water tower; the surface mark of a C. & G. S. triangulation station, a standard cap triangulation station mark, screwed to the top of a 3-inch iron pipe which is embedded in concrete (Stanton Trian-
gulation Station)
in top of stone post (C. & G. S. b. m. S ₁₄)
from the center of the track; copper bolt (C. & G. S. b. m. T ₁₄)
b. m. U ₁₄)
3-inch iron pipe which is embedded in concrete (C. & G. S. b. m. Stanton south base) 2, 698. 755

Germania, on the railway right of way, 44 meters west of the section foreman's house, 26.5 meters north of the center of the track, and 1 meter from the north right of way fence; bottom of hole in top of stone post (C. & G. S. b. m. V ₁₄)	Feet. 2, 751. 609 2, 769. 565 2, 785. 152
SULPHUR SPRINGS QUADRANGLE.	
[Latitude 33°-33° 30′; longitude 95° 30′-96°.]	
From Campbell east along Missouri, Kansas & Texas Ry. to Sulphur Springs.	
Campbell, 9 paces south of the main track, 10 feet east of the railroad-crossing sign about 175 feet east of the station, the side of the top of the post has a piece broken off; bottom of square cut in top of limestone post (C. & G. S. b. m. O ₂)	585. 730
and about midway between the corner and the window; intersection of lines in end of copper bolt (C. & G. S. b. m. P ₂)	649. 110
post (C. & G. S. b. m. Q ₂) Sulphur Springs, to the right of entrance, at Church and Jefferson streets, of the county courthouse, in the red sandstone cap to a small basement window facing Church Street, 6 inches from the top and left side of window cap; intersection of lines in end of copper bolt (C. & G. S. b. m. R ₂)	515. 006 503. 614
	000.011
SUNSET QUADRANGLE.	
[Latitude 33°-33° 30'; longitude 97° 30'-98°.]	
From Sunset south to Herman.	
Sunset, in the middle column of store owned by Dr. H. F. Schoolfeld, in the center of the fourth stone above the sidewalk; intersection of lines on top of copper bolt (C. & G. S. b. m. I). Alvord, in the stone column at the east side of the Masonic Building (occupied by bank), in the center of the third block above the sidewalk; inter-	999. 736
section of lines on top of copper bolt (C. & G. S. b. m. J). Cowen, 40 feet from the track, on the east side and in line with the station sign, and 3 feet from the right of way fence; bottom of square hole in top	885. 772
of limestone post (C. & G. S. b. m. K). Decatur, at the northwest corner of the public school building (1883), about 4 feet above the ground, in the center of the north side of the second sand-	872. 842
stone block; intersection of lines on top of copper bolt (C. & G. S. b. m. L).	1, 096. 526

Herman, about 3 feet inside of the right of way fence, 50 feet east of the rail-road track and in line with the station sign, bottom of square hole in top of limestone post (C. & G. S. b. m. M).	Feet. 927. 363
SWEETWATER QUADRANGLE.	
[Latitude 32°-32° 30'; longitude 100°-100° 30'.]	
Near Merkel.	
Merkel, on top of the southwest side of the circular concrete foundation of	
the railway water-filtering tower, and about 6 inches above the ground; copper bolt (C. & G. S. b. m. F ₁₃). Merkel, at the northeast corner of Front and Kent streets, on the south face of the corner stone at the southwest corner of a stone building belonging to Dr. Adkissen, and 1.3 meters above the sidewalk; copper bolt (C. & G.	1, 870. 469
S. b. m. G ₁₃).	1, 875. 259
Merkel, in front of the section foreman's house, 10 meters north of the main line of the railway and just west of a road that crosses the track; bottom of hole in top of stone post (C. & G. S. b. m. H ₁₃). Merkel, about 2.5 miles west of, on the railway right of way, 14 meters north of the center of the track, 85 meters east of milepost 426, just west of a byroad crossing, and 2 meters from the fence of a county road paralleling the railway; 3-inch red metal cap on iron pipe (C. & G. S. b. m. I ₁₃).	
Near Sweetwater.	The same of
Sweetwater, about 4 miles east of, on the east face of the west abutment of the Santa Fe Ry. bridge over Sweetwater Creek near the overhead crossing of the Texas & Pacific Ry., 1.3 meters above the ground and 0.5 meter from the south end of the abutment; red metal disk (C. & G. S.	
	2, 000. 918
Sweetwater, in the southwest corner of the yard of the Nolan County courthouse, 32.6 meters from the southwest corner of the courthouse, and 4 paces from each of two trees in the southwest corner of the yard;	
bottom of hole in top of stone post (C. & G. S. b. m. P_{13})	2, 176. 174
from the south end of the abutment, 3.4 meters from the center of the Texas & Pacific Ry. track, and 1.04 meters below the rail; copper bolt	
(C. & G. S. b. m. Q ₁₃)	2, 174. 664
Sweetwater, about 3.6 miles west of, on the Texas & Pacific Ry. right of way, at the top of the first long, steep grade west of Sweetwater, and 12 meters south of the center of the track; 3-inch red metal cap on iron	
pipe (C. & G. S. b. m. R ₁₃)	2, 361. 947
TAYLOR QUADRANGLE.	
[Latitude 30° 30′-31°; longitude 97°-97° 30′.]	
From Little River south along Missouri, Kansas & Texas Ry. to Holland.	
Little River, one-fourth mile south of, in the right of way of the railway,	
70 feet west of the main track and 7 feet south of the telephone pole opposite milepost 888; bottom of a square cut in top of limestone post	400 600
(C. & G. S. b. m. V ₄)	492. 630
(C. & G. S. b. m. W ₄)	507. 493

Holland, in the brick building occupied by the Bank of Holland, the building is on the north side of the main street and is the easternmost building of the row, b. m. is 3 feet from the corner and 4 feet from the ground, in the wall facing the railway track; bottom of a square hole ir top of an Indiana Bedford limestone post (building partially burned and rebuilt previous to November, 1903, but without apparently changing the bench mark (C. & G. S. b. m. X ₄). Holland, in a brick culvert 300 yards north of the Missouri, Kansas & Texas Ry. station; cut is east of the track and 2 inches from the north and east edges of the cement top of the culvert; bottom of a square cut in brick (C. & G. S. b. m. Z ₄). (Reported settled, November, 1903)	Feet. 528, 024 526, 593
From Holland south along Missouri, Kansas & Texas Ry. to Taylor.	
Bartlett, about three-fourths mile north of, on the line of the railway, about 20 feet south of milepole 902, on the west side of the track, 6 feet east of a telegraph pole and 3 feet east of the barbed wire fence; bottom of hole in top of stone post (C. & G. S. b. m. A ₅)	591. 193
maker, corner of Commerce and Ash streets, 21 feet northeast of the	
picket fences surrounding the yard and about 140 feet east of the track; bottom of hole in top of stone post (C. & G. S. b. m. B ₅)	575. 645
the First National Bank of Granger, in the top of the triangular lime-	
stone step about 6 millimeters below the wearing surface; a copper bolt, unlettered (C. & G. S. b. m. C ₅)	575. 427
Sar Gabriel Creek; at the railroad water tank, about 2 meters west of the track, in the top of the sandstone base of the southeast column, which is 3 feet square and 2½ feet high above ground; bottom of a square	
hole (C. & G. S. b. m. D ₅)	539. 947
bottom of hole in top of stone post (C. & G. S. b. m. E ₅). Taylor, in the south wall of the Taylor National Bank, corner of Main and Second streets, a brick building, with first story granite; 20 feet west of the east entrance, in the wall, 2½ feet above the sidewalk; copper bolt	544. 625
(C, & G, S, b, m, F ₅).	552. 614
TEMPLE QUADRANGLE.	
[Latitude 31°-31° 30'; longitude 97°-97° 30'.]	
From Hewitt south along Missouri, Kansas & Texas Ry. to Temple, thence west to Belton.	
Hewitt, between two telegraph poles, 100 yards north of the station, 4 feet from either pole, and about 70 feet west of the Missouri, Kansas & Texas Ry. track, in the right of way; bottom of a square cut in top of limestone	
post (C. & G. S. b. m. H ₄). Lorena, 100 feet east of the railway track, in very rocky ground about two telegraph poles south of the water tank, and near the highway, across the track from a cotton gin; bottom of a square cut in top of limestone	655. 134
post (C. & G. S. b. m. I ₄).	589. 237

Eddy, in the railway right of way, 45 feet west of the track and 300 yards north of the depot; the stone is in rocky ground, and could be sunken only a part of its length, the stones and dirt being mounded about it to a height of 1 foot; bottom of a square cut in top of limestone post (C. &	Feet.
G. S. b. m. J ₄)	670. 973
Troy, 5 feet south of the second telegraph pole south of the depot, 50 feet east of the railway main track, 30 feet west of the side track; bottom of	070.073
square cut in top of limestone post (C. & G. S. b. m. K ₄)	678. 102
Temple, at the crossing of the Missouri, Kansas & Texas and the Santa Fe railways, 60 feet west from the Missouri, Kansas & Texas Ry. track and	
40 feet north of the Gulf, Colorado & Santa Fe Ry. track, halfway	
between a telephone pole and its guy-wire pole; bottom of a square cut	679 404
in top of a limestone post (C. & G. S. b. m. L ₄)	673. 404
Main streets, occupied by the Palace Saloon, in the alley corner of the	
building, 3 feet above the sidewalk, and 8 inches from the corner of the	
building; intersection of two lines cut in end of copper bolt (C. & G. S. b. m. M ₄)	702. 748
Temple, in the right of way of the Missouri, Kansas & Texas Ry., across the	702.710
track from a large cotton-oil mill, 35 feet east of the main track and 1 foot	
from the fence, 6 feet south of a telephone pole and diagonally opposite the railroad crossing sign; bottom of a square cut in top of limestone post	
(C. & G. S. b. m. N ₄)	687. 476
Belton, in the northwest stone abutment of the iron bridge, Gulf, Colorado	
& Santa Fe Ry., across the Leon River, 2 inches from the north and east	508, 539
edges of the top stone; bottom of square cut in stone (C. & G. S. b. m. G ₄).	508, 559
TOYAH QUADRANGLE. [Latitude 31°-31° 30'; longitude 103° 30'-104°.]	
11.8111110e 31 -31 30 : 1011911110e 103 30 -104 1	
From Hermosa southwest along Texas & Pacific Ry. to San Martine.	
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the	
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆)	2, 688. 505
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north	2, 688. 505
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆). Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S.	Market Links
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆). Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆). Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666,	Market Links
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆). Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆). Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of	2, 730. 431
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆) Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the	2, 730. 431
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆) Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the railway track, 1.5 meters from the north right of way fence, and 40 meters	2, 730. 431
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆) Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the railway track, 1.5 meters from the north right of way fence, and 40 meters from point of curvature of the only curve between Hermosa and Toyah;	2, 730. 431 2, 788. 886
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆) Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the railway track, 1.5 meters from the north right of way fence, and 40 meters	2, 730. 431 2, 788. 886
Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆)	2, 730. 431 2, 788. 886
Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆)	2, 730. 431 2, 788. 886
Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆)	2, 730. 431 2, 788. 886 2, 848. 905
Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆) Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the railway track, 1.5 meters from the north right of way fence, and 40 meters from point of curvature of the only curve between Hermosa and Toyah; 3-inch red metal cap on iron pipe (C. & G. S. b. m. O ₁₆) Toyah, a stone post on the railway right of way, 395 meters west of the depot, 7.10 meters east of the southeast corner of the section house in range with the front of the house, 2.05 meters east of a large cotttonwood tree, and 10.3 meters north of the center of the main track; bottom of hole in top of stone post (C. & G. S. b. m. P ₁₆) Toyah, 559 meters west of the depot, on the southeast corner of the south-	2, 730. 431 2, 788. 886 2, 848. 905
From Hermosa southwest along Texas & Pacific Ry. to San Martine. Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆). Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆). Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the railway track, 1.5 meters from the north right of way fence, and 40 meters from point of curvature of the only curve between Hermosa and Toyah; 3-inch red metal cap on iron pipe (C. & G. S. b. m. O ₁₆) Toyah, a stone post on the railway right of way, 395 meters west of the depot, 7.10 meters east of the southeast corner of the section house in range with the front of the house, 2.05 meters east of a large cotttonwood tree, and 10.3 meters north of the center of the main track; bottom of hole in top of stone post (C. & G. S. b. m. P ₁₆) Toyah, 559 meters west of the depot, on the southeast corner of the southeast stone footing of the more westerly one of two water tanks opposite the	2, 730. 431 2, 788. 886 2, 848. 905
Hermosa, about 3.9 kilometers east of, on the railway right of way, 2.3 meters from the south fence and 13.3 meters south of the center of the track at the west end of a mound of earth used as a rail rest; 3-inch red metal cap on iron pipe (C. & G. S. b. m. L ₁₆) Hermosa, in the line of the south side (front) of the section foreman's dwelling house, 3.19 meters from the southwest corner and 13.4 meters north of the center of the track; bottom of hole in top of stone post (C. & G. S. b. m. M ₁₆) Hermosa, about 5.9 kilometers west of, 5.5 meters southwest of milepost 666, 13.4 meters south of the center of the track, and 2 meters from the right of way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N ₁₆) Toyah, about 3.9 kilometers east of, 14.7 meters north of the center of the railway track, 1.5 meters from the north right of way fence, and 40 meters from point of curvature of the only curve between Hermosa and Toyah; 3-inch red metal cap on iron pipe (C. & G. S. b. m. O ₁₆) Toyah, a stone post on the railway right of way, 395 meters west of the depot, 7.10 meters east of the southeast corner of the section house in range with the front of the house, 2.05 meters east of a large cotttonwood tree, and 10.3 meters north of the center of the main track; bottom of hole in top of stone post (C. & G. S. b. m. P ₁₆) Toyah, 559 meters west of the depot, on the southeast corner of the south-	2, 730. 431 2, 788. 886 2, 848. 905 2, 907. 832

Toyah, 759 meters west of the depot on the circular concrete foundation of
the railway water-softening tower, 0.48 meter east of the manhole near the
bottom of the tank, and 7.6 meters south of the center of the main-line Feet.
track; copper bolt (C. & G. S. b. m. R ₁₆)
Toyah, about 6.3 kilometers west of, at the point of curve of the first curve
of the railway west of Toyah, 27.95 meters north of milepost 669, 14.4
meters north of the center of the track, and 1 meter from the north fence;
3-inch red metal cap on iron pipe (C. & G. S. b. m. S ₁₆)
Toyah, about 11.2 kilometers west of, on the railway right of way, 3.8 meters
southwest of milepost 672, 13.8 meters south of the center of the track,
and 1.6 meters from the fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. T_{16})
Gomex, 1.95 meters west of the southwest corner of the section house, 13.55
meters north of the center of the track and 26 meters north by west from
milepost 676; bottom of hole in top of stone post (C. & G. S. b. m. U ₁₆) 3, 275. 613
Gomex, about 4.1 kilometers west of, 2.58 meters west of milepost 679, 12.90
meters south of the center of the track, and 2.5 meters from the fence; 3-
inch red metal cap on iron pipe (C. & G. S. b. m. V ₁₆)
San Martine, about 1.6 kilometers east of, at the point of tangency of the
first curve on the railway, east of San Martine, 1,920 feet east of milepost
686, 13.2 meters south of the center of the track, and 2.3 meters from the
fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. W ₁₆)
VAN HORN QUADRANGLE.
[Latitude 31°-31° 30′; longitude 104° 30′-105°.]
From Plateau west along Texas & Pacific Ry. to Allamore.
Plateau, about 3 kilometers east of, on top of a rock in the first cut of the
railway east of Plateau, about 1 meter north of the north rail and on a
level with the top of the rail; copper bolt (C. & G. S. b. m. I ₁₇)
Plateau, about 2.4 kilometers west of, 100 feet south of the track of the rail-
way and 10 feet north of a wagon road; 3-inch cap on iron pipe (C. & G.
S. b. m. U. S. G. S. 3889 Vn Hn) 3,897.505
Plateau, in front of and across the track from the section-foreman's house,
2 meters from the south right of way fence of the railway; bottom of hole
in top of stone post (C. & G. S. b. m. J ₁₇)
Plateau, about 4.5 kilometers west of, on the railway right of way, 6.05
meters west of milepost 721, 13.70 meters south of the center of the track, and 1.45 meters from the fence; 3-inch red metal cap on iron pipe (C. &
G. S. b. m. K ₁₇)
Wild Horse, about 6.4 kilometers east of, 15 feet southeast of the thirteenth
telegraph pole east of milepost 723 of the railway, 16. 45 meters south of
the center of the track, 1.6 meters south of the right of way fence, and on
the north side of a wagon road; 3-inch cap on iron pipe (C. & G. S. b. m.
U. S. G. S. 3840 Vn Hn)
Wild Horse, about 1.5 kilometers east of, 1,900 feet east of milepost 726 of
the railway, 23.6 meter south of the track, 8.6 meters south of the right-
of-way fence, and on the north side of a wagon road; 3-inch cap on iron
pipe (U. S. G. S. b. m. 3826 Vn Hn)
Wild Horse, in front of and across the track from the section foreman's
house, 21.8 meters south of the main line of the railway, 1.8 meters from
the right-of-way fence; bottom of hole in top of stone post (C. & G. S.
b. m. I ₁₇)
Wild Horse, about 3.5 kilometers west of, 1,000 feet east of the railway
bridge 329, 50 feet south of the railroad track, and 10 feet south of a wagon
road; 3-inch cap on iron pipe (U. S. G. S. 3867 Vn Hn)

Wild Horse, about 5.3 kilometers west of, 13.1 meters south of the center	The party
of the railway track, 7.3 meters from right-of-way fence, 38 meters east of milepost 730; 3-inch red metal cap on iron pipe (C. & G. S. b. m. M ₁₇)	Feet.
Van Horn, about 4.4 kilometers east of, 12.85 meters south of the center of	3, 003. 041
the railway track, 2 meters from the fence, and 3.70 meters west of mile-	
post 732; 3-inch red metal cap on iron pipe (C. & G. S. b. m. N_{17})	3. 934. 385
Van Horn, 60 meters west of the railway depot, 10.8 meters south of the	0,001.000
center of the track, and 0.47 meter east of the fence of the section fore-	
man's yard; bottom of hole in top of stone post (C. & G. S. b. m. O ₁₇)	4, 048. 253
Van Horn, 240 feet west of the railway station, 100 feet south of the main	
track, and 4 feet south of a telegraph pole; 3-inch cap on iron pipe (U.S.	
G. S. b. m. 4039 Vn Hn)	4, 047. 462
Van Horn, about 5.1 kilometers west of, 378 meters west of milepost 737,	
and 25 meters north of the center of the track; 3-inch cap on iron pipe	1 047 105
(U. S. G. S. 4239 Vn Hn)	4, 247. 105
of the railway, and 10 feet south of a wagon road; 3-inch cap on iron pipe	
U. S. G. S.b. m. 4395 Vn Hn)	4, 403, 364
Allamore, about 2 miles east of, 7 meters east of the east row of Spanish	
dagger trees, and 8.55 meters north of the center of the track (the station	
and section house to which the earlier description referred have been	
moved 2 miles west); 3-inch cap on iron pipe (U. S. G. S. 4603 Vn Hn)	4, 611. 812
Allamore, 1 mile east of, at milepost 744, 13.75 meters north of the center	
of the track, and 1.45 meters from the right-of-way fence; bottom of	4 540 050
hole in top of stone post (C. & G. S. b. m. P ₁₇)	4, 543. 659
Allamore, about 9 meters N. 20° W. from the center of the water tank, 12.5 meters north of the north rail of the railway, and 1.6 meters south	
of the railway fence line (the present water tank probably differs a foot	
or two in position from the one referred to above); top of a cap of the	
usual type for marking a C. & G. S. triangulation station, the cap being	
screwed to the top of a 3-inch iron pipe (C. & G. S. b. m. Allamore Tri-	
angulation Station)	4, 551. 126
Allamore, 1 mile west of, at milepost 746,-240 feet west of bridge 747-A,	
14.2 meters north of the center of the track, 3.2 meters from the right-	4 501 500
of-way fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. Q ₁₇)	4, 521. 500
WACO QUADRANGLE.	- Indian
[Latitude 31° 30′-32°; longitude 97°-97° 30′.]	
From Abbott south along Missouri, Kansas & Texas Ry. to Waco.	
Abbott, near, 12 miles north of the station, 35 feet west of the railway	
track and 10 feet from the right-of-way fence, 6 feet northwest of tele-	
graph pole, fifth south of bridge No. 672, near the opening of the first railway cut north of Abbott; bottom of square cut in top of limestone	
post (C. & G. S. b. m. C ₄)	694. 339
West, in the brick building on Main Street, on the east side of the street	0011 000
and faces the railway track, south of the south window of the third store	
north of Boone Street, building is occupied by a grocery, and is two	
doors north of the West National Bank; copper bolt leaded into brick	
(C. & G. S. b. m. D ₄)	655. 534
Elmmott, in the right of way 40 feet east of the Missouri, Kansas & Texas	
Ry. track, in angle of the right-of-way fence, and 2 feet west of the	
telegraph pole, the second south of the depot, directly across the track from the cattle-loading pen, opposite a small brown house on the road	
leading south from the station; bottom of square cut in top of limestone	
post (C. & G. S. b. m. E ₄)	514. 796
4/	

Waco, in the brick building on the southeast corner of South Fifth and Jackson streets, occupied by McCleary's feed store, the bolt is 4½ feet above the ground and 1½ feet from the southernmost window toward the Missouri, Kansas & Texas Ry. tracks; intersection of lines in end of copper bolt (C. & G. S. b. m. F ₄)	Feet. 413. 087 402. 902 426. 603
G. S. b. m. G ₄)	414. 382
WEATHERFORD QUADRANGLE.	
[Latitude 32° 30′-33°; longitude 97° 30′-98°.]	
From Cresson southwest to Waples.	
Cresson, just across the county line from, in Parker County 50 paces east of the station, 5 paces east of mile pole 25, and 20 paces north of the track of the Fort Worth & Rio Grande Ry.; bottom of square cut in top of limestone post (C. & G. S. b. m. Q ₃)	1, 045. 109 841. 389
From Iona west along Texas & Pacific Ry. to Millsap.	
Iona, about 130 meters west of the section house, 15 meters south of the west end of the siding, and 1 meter north of the fence between the railroad right of way and the county road; 3-inch red metal cap on iron pipe (C. & G. S. b. m. I ₁₀)	980. 303 888. 049
Mr. J. J. Sears and occupied by his general merchandise store, and 2 meters above the sidewalk; red metal disk (C. & G. S. b. m. K ₁₀)	892.032
Creek, on top of the highest course of the east masonry abutment, and in line with the west girder; copper bolt (C. & G. S. b. m. L ₁₀)	805. 894
b. m. M ₁₀)	818.059
Anneta, about 0.4 mile west of, on the railway bridge 270B over Burgess Creek, on the stone coping, at the northern end of the eastern abutment, and on a level with the bottom of the girder; bottom of hole in horizontal surface (C. & G. S. b. m. N ₁₀)	856. 927
of the Trinity River on top of the northern end of the western abutment; bottom of hole in horizontal surface (C. & G. S. b. m. O ₁₀)	901.392
Earls, on the railway right of way, midway of a switch, and 1 meter north of the south fence; 3-inch red metal cap on iron pipe (C. & G. S. b. m. P ₁₀).	906.140

	Weatherford, about 2.5 miles east of, on the railway bridge 275B over the Clear Fork of the Trinity River, on the south end of the east abutment, 0.2 meter from the corner of the stone, and 6 meters from the center of the track; copper bolt (C. & G. S. b. m. Q ₁₀)	Feet. 938. 240 989. 716	
	east corner stone, 1 meter from the ground; red metal disk; probably destroyed in rebuilding the courthouse (C. & G. S. b. m. S ₁₀)	1, 052. 456	
	(C. & G. S. b. m. T ₁₀)	1, 010. 917	
	the rail; copper bolt (C. & G. S. b. m. U_{10})		
	Lambert, in the southwest corner of the section-house yard, on the railway property, on the north side of the track, and east of the main road crossing of the railway; 3-inch red metal cap on iron pipe (C. & G. S. b. m. W ₁₀) Millsap, about 4 miles east of, on the railway right of way, 12 meters north of the track, 2 meters west of the west fence of a road that crosses the track;		
]	3-inch red metal cap on iron pipe (C. & G. S. b. m. X_{10})		
	WHEELER QUADRANGLE.		
	[Latitude 35°-35° 30'; longitude 100°-100° 30'.]		
	From Benonine west along Chicago, Rock Island & Pacific Ry. to Ramsdell.		
]	Benonine, on the right of way fence line of the railway, 12 meters north of the center line of the main track, just even with the signboard "Beno- nine," opposite the gates of the stock pens; 3-inch red metal cap on iron		
]	pipe (C. & G. S. b. m. H ₉)	2, 145. 658	
8	of stone post (C. & G. S. b. m. I ₉)	2, 184. 999	
\$	metal cap on iron pipe (C. & G. S. b. m. J ₉)		
	tom of hole in top of stone post (C. & G. S. b. m. K ₉)	2, 332. 784	
	20200 —Bull. 051—10—10		

Shamrock, at the northwest corner of Main and Second streets, 1 decimeter above the sidewalk, in the base stone on the east side of the First National Feet.
Bank building; red metal disk (C. & G. S. b. m. L_0)
Shamrock, about 3.5 miles west of, at the top of the grade between Sham-
rock and Lela, 1½ poles west of milepole 668, 14.3 meters south of the
center line of the main track near the line fence between the railroad
right of way and an east and west highway; 3-inch red metal cap on iron
pipe (C. & G. S. b. m. M ₉)
Lela, (formerly Story), 72 meters west of the railway station, 12.2 meters
north of the center line of the main track, and just west of the crossing
signboard; bottom of hole in top of stone post (C. & G. S. b. m. N_9) 2, 413. 436 Ramsdell, about 3.1 miles northeast of, just inside the right of way of the
railway, on a small ridge near an abandoned road crossing, 2 poles north-
east of pole 673–20, and 14 meters northwest of the center line of the main
track; 3-inch red metal cap on iron pipe (C. & G. S. b. m. O ₉)
Ramsdell, inside the right of way of the railway, in the line with the east
highway fence at the road crossing, 440 feet east of the ticket office in the
railroad station, and 30 meters north of the center line of the main track;
bottom of hole in top of stone post (C. & G. S. b. m. P ₉)
Ramsdell, on the west end of the concrete foundation of the railway station,
0.3 meter below the top and 0.6 meter from the northwest corner; red
metal disk (C. & G. S. b. m. Q ₉)
of the center line of the main track, and about 0.25 meter east of the
Wheeler-Gray county fence line; 3-inch red metal cap on iron pipe (C.
& G. S. b. m. R ₈)

APPENDIX B.

SECONDARY ELEVATIONS.

Secondary elevations from records and topographic maps of the United States Geological Survey, including altitudes of well-known summits and other useful elevations, are given below. These elevations are approximate only and should not be used for accurate work.

Locality.	Quadrangle.	County.	Eleva-
			Feet.
Allen triangulation station	Uvalde	Uvalde	1,286
Anacacho triangulation station	Brackett	Kinney	1,349
Anthonys Nose	El Paso	El Paso	6, 91
Apache Peak	Van Horn	do	5,69
Baldy Peak triangulation station	Valentine	Jeff Davis	8, 38
Baylor Mountain triangulation station	Van Horn	El Paso	5, 560
Bee Mountain	Terlingua	Brewster	3, 460 7, 550
Black Mountain	Fort Davis	Jeff Davis Uvalde	1, 27
Black Mountain	Uvaldedo	do	1, 27
Blue Mountain	Valentine	Jeff Davis	7,33
Boracho Peak	do	do	5, 66
Capote Peak	San Carlos	Presidio	6, 18
Casket Mountain	Fort Davis	Jeff Davis	6, 180
Cerro Alto triangulation station.	Cerro Alto	El Paso	6, 76
Chinati Peak triangulation station	Shafter	Presidio	7, 730
Christmas Mountain triangulation station	Chisos Mountains.	Brewster	5, 73
Cienega Mountain	Shafter	Presidio	5, 22
Cline triangulation station	Brackett	Kinney	1,51
Corazone Peak triangulation station	Chisos Mountains.	Brewster	5, 300
Croton Peak triangulation station	do	do	4,60
Culebra Hill	San Antonio	Bexar	1, 14
Delaware Mountain triangulation station	Van Horn	El Paso	5, 870
Diablo triangulation station	do		6, 513
Eagle Mountain triangulation station.	Eagle Mountain		7,510
El Capitan, highest point in the State yet determined.	El Paso	• • • • • • • • • • • • • • • • • • • •	9,02
Elevation by U. S. C. & G. S.	Decolects	Kinney	1 44
Elm Mountain Emory Peak triangulation station	Brackett	Brewster	1,449 7,83
Franklin Mountain V. A. B. M.	El Paso	El Paso	7, 15
Franklin Mountain V. A. B. MFresno Peak	Terlingua	Presidio	5, 13
Gettysburg Peak	San Carlos	do	4, 89
Goat Mountain.	Chisos Mountains.	Brewster	4, 53
Hen Egg Mountain	Terlingua	do	5,00
Indianola Peak triangulation station	Chisos Mountains.	do	5, 24
Las Moras Mountain triangulation station	Brackett	Kinney	1,66
Lost Mine Peak	Chisos Mountains.	Brewster	7,55
Mayerick Mountain	Terlingua	do	3,49
Newman triangulation station	Valentine	Jeff Davis	6,40
North Diable triangulation station	Van Horn	El Paso	6,630
Vincent Mountain	Chisos Mountains.	Brewster	4,78
Pinto Mountain	Brackett	Kinney	1,55
Quitman Mountain	Eagle Mountain	El Paso	5, 90
Salmon Peak	Brackett	Kinney	1,94
San Antonio Mountain	Cerro Alto	El Paso	7, 02
Sawtooth Mountain	Valentine		7, 74 2, 28
Seep Springs Mountain	Nueces Chisos Mountains.	Edwards Brewster	5, 85
Sue Peaks triangulation station.	Cerro Alto	El Paso	5, 17
Tepee Butte	Fort Davis	Jeff Davis	6, 44
Timber Mountain	Terlingua	Brewster	3, 88
Finaja Blanca. Furkey Mountain triangulation station	Brackett	Kinney	1,80
Victoria Peak	Van Horn	El Paso	6, 43
Viola triangulation station	San Carlos	Presidio	6, 46
Wylie Mountains	Van Horn	El Paso	5, 03
Wylle Mountains	van norm	E1 1 dou	0,0

n xrozansz

A.	Page.		Page.
Abbott	239	Austin quadrangle 66-6	57, 194
Abilene	191-192	Avinger	215
Abilene quadrangle	191-192	Avondale	210
Adams siding			
Addicks		В.	
Addicks quadrangle		Babyhead	93
Adobe Walls		Bachelor Peak	77
Agua Fria quadrangle		Bacon 1	44, 149
Agua Fria Springs		Bagswells	
Agua Negra quadrangle		Bailey triangulation station	84
Alamo		Baird	195
Alanred		Baird quadrangle	94-195
Alba		Baldwin, D. H., work of	5
Albert	85.86	Baldy Peak triangulation station	243
Aldine		Bandera	67
Aldine quadrangle		Bandera County	65
Aledo	240	Bandera quadrangle	67
Alfalfa		Barker 176-1	78, 229
Alief		Barnard, E. C., work of	5
Alief quadrangle		Barnes Bridge	30-32
		Barstow	196
Allamore		Barstow quadrangle 1	96-197
Allen triangulation station		Bartlett	
Almeda quadrangle		Bassett	
Almira		Bassett quadrangle	13-14
Alpine		Bastrop 67, 69, 70, 1	
Alpine quadrangle		Bastrop County	65, 191
Alum Creek		Bastrop quadrangle 67–72, 1	98-200
Alvarado		Bateman	208
Alvord		Baylor Mountain triangulation station	243
Amarillo	102 103	Bayou Bridge	47
Ambia		Bear Creek	66
Amboy		Beaukiss	
		Bee Caves	
Anacacho triangulation station Anapra quadrangle	8	Bee Mountain	
		Belcherville	20,22
Anderson		Belen	
Anderson Creek Bridge		Bellaire	
		Bellaire quadrangle	
Angleton quadrangle		Bell County	34, 191
Anthonys Nose		Bellevue	224
Apache Peak		Belmont	
Archer City quadrangle		Belt Junction	. 211
Archer County	144	Belton	. 237
Argo		Benbrook	. 212
Arlington		Bench marks, description of	
Aroya		views of	
Ashford quadrangle	176, 185	Bennetts	. 227
Atascosa County	65	Benonine	. 240
Atchison, Topeka & Santa Fe Ry	8,	Benson Knob	. 105
192-193, 204-20	5, 212, 213, 235	Bertram	. 74,79
Atlanta		Bethel	
Atlanta quadrangle	9-10	Bexar	. 101
Aue		Bexar County	65, 243
Austin		Big Cypress	. 18
Austin County	34, 191	Big Spring. 197-	198, 233

Page.	Page.
Big Spring quadrangle 197–198	Burkburnett 147–148, 157
Birdseye, C. H., leveling by	Burleson
Birkett, D. S., leveling by	Burleson County
Bivins	Burleson Lake 144
Black 212	Burnap. 229
	Burnet
Black Bridge 52,61	
Black Mountain	Burnet County 65
Blalock	Burnet quadrangle 74-79, 164
Blanco	Burns
Blanco County	Burro Springs 113
Blanco quadrangle 72-73	Butcherknife Wells
Blanco River 105, 108	
Blanco River bridge 104	C.
Blocker 219	Caddo Mills 207
Blodgett	Calaveras. 100
Bloomburg	Caldwell 70
Blossom. 28	Caldwell County 65, 191
Blowout. 85,87	
	Callahan County 191
Blue	Callaway Crossing 142–144
Blue Mound	Callisburg 23
Blue Mountain	Calvert
Bluffton	Calvert Junction
Bobbin quadrangle. 45-46, 158-163, 182-185, 188-189	Cameron
Boerne 73	Cameron County
Boerne quadrangle	Campbell 234
Boggy Tank 217	Camp County 191
Bohemian Catholic Church 81	Canutillo8
Bois d'Arc Creek	Canyon
Bone Springs. 115	Capote Peak 243
Bonham	
Bonham quadrangle 27–28	Carpenters Bayou Bridge
	Casket Mountain
Bonita	Cason
Boquilla	Cass County
Boracho	Castell95
Boracho Peak 243	Cat Spring
Bovina	Cedar Creek
Bowie	Cedar Park 88
Bowie County	Cedar Springs Bridge
Boxelder	Cedar Valley 63-67
Boxelder quadrangle 16-17	Center Point
Boydston 222	Centerville
Brashear	Cerro Alto quadrangle
Brays Bayou 170, 187	Cerro Alto triangulation station
Brazos	Charlie
Brazos County	
Brazos River	Chatauqua 195
	Cherokee 93,95
Brazos River Bridge	Chicago, Rock Island & Gulf Ry 19,
Breckenridge quadrangle 200	192-193, 200-201, 221-222
Brenham quadrangle 36–45, 189	Chicago, Rock Island & Pacific Ry 155,
Brewster County 108, 243	210, 221-224, 241-242
Bright, M. S., leveling by 8, 19, 65, 108, 118, 120	Chihuahua 122
Brink schoolhouse 178, 181–182	Chimneys 113
Brookline 171–172	Chinati triangulation station 243
Brookshire	Chisos Mountains quadrangle
Brownsville 124-125	Chispa quadrangle
Brownsville quadrangle 124–125, 126	Choctaw
Brushy slough	Christmas Mountain. 243
Bryan quadrangle	Cibola Creek Bridge
Bryant Bridge 57–58	Cibola River Bridge 97
Buckholtz	Cienega Mountain
Buda	Cigar Springs
Buffalo Bayou	Circleville
Bulcher	Cisco
Burdette 105	Cistern
Burgess 58-59	Clara
Burk 146	Clarksville

Page.	Page.
Clarksville quadrangle	Dallas quadrangle
Claude quadrangle	Dalton
Clay	Darden Springs
Clay County	Datum, explanation of 6-7
Clear Fork	Davenport 97
Clem Sawmill spur	Dawn. 204
Click	Dean
Cline triangulation station 243	Decatur 234
Clint	Deepwater. 168, 173
Clodine	Deepwater quadrangle
Clodine quadrangle	Deer Park. 169, 173
Closner	De Kalb
Clyde	Delaware Mountain triangulation station 243
Coahoma. 197	Delhi
Coast and Geodetic Survey, elevations from . 5,	Denison
9, 13, 15, 18, 19, 22, 29, 30, 34, 64, 65, 102, 115, 116,	Denison quadrangle 26-27
121, 126, 136, 139, 169, 170, 177, 179, 189-242	Denton quadrangle. 25, 204
Cochran	Detroit. 28
Collin County	Dewees mine 111
Collinsville	Dexter
Colony	D'Hanis
Colorado 202	Diablo triangulation station
Colorado quadrangle	Dickinson
Colquitt-Tigner mines 111	Dimmit quadrangle
Comal County	Dixon
Comfort	Dogwood Creek 82
Como	Donna
Concan schoolhouse	Dorson
Conley	Dothan
Conroe quadrangle	Douglas, E. M., work of 5
Converse 97,99	Douglasville
Conway	Douro
Cooke County	Downs
Cookville	Dry Branch 80
Cooperation, method of	Dry Comal Creek
Copperas Grove	Dry Valley schoolhouse
Corazone triangulation station 243	Dunlay
Corbyn	Durkee school
Corley 11	Duval
Corps of Engineers, elevations from	Dye Mound 21
38, 46, 129, 130–135, 167, 189, 214	Dysart 109,110
Coryell County	E.
Coupland	
Courtney41	Eads
Cow Bayou	Eagle Flat
Cowen	Eagle Ford 203
Crabtree Ferry 130–134 Creedmore 66	Eagle Mountain triangulation station 243
O'COURT OF THE PROPERTY OF THE	Earle
Croton Peak triangulation station	Earls
	Eastland
Cumby	Eastland County 191
Cuthand 17, 19	Eastland quadrangle
Cuthand Creek bottom	Ebenezer
Cypress	Ecklund, C. A., leveling by
Cypress Creek bridge	Ector County 191
Cypress Mill. 72	Eddy
Cypress quadrangle	Edwards County 243 Egan 201
	Egan
D. 194	Electra. 144–146, 150, 151
	Elevations, classification o. 5-6
Daingerfield	Elevations, secondary
Daingerfield quadrangle	Elgin
Dalby Springs. 14 Dale. 230	Elks siding. 104
Dallas	Ellis
Dallas County	Ellis bridge. 17
Dunus County	

Page.	Page.
Ellis County 129	Franklin Mountain
Elmdale 191	Fredericksburg
Elmendorf 99,100	Fredericksburg quadrangle 84–87
Elm Grove Church 82	Free Mound
Elmmott	Fresno Peak 243
Elm Mountain 243	Frio County
El Paso	Friona
El Paso & Southwestern R. R	Friona quadrangle
El Paso County	Friotown. 90
El Paso quadrangle 8, 120–121, 206–207	Fruitland
Emory	Fuller
Emory Peak triangulation station 243	
Enchanted Rock	G.
Engle	Gainesville 23–25
Enright 47	Gainesville quadrangle
Enterprise schoolhouse	Galveston
Era	Galveston County
Eschite quadrangle	Galveston, Harrisburg & San Antonio Ry. 79-81, 83,
Escota	84, 89-91, 97-99, 101, 104, 108, 112, 167,
Ethel	168, 170, 171–173, 206–207, 209–210, 228, 232
Etholin	Galveston, Houston & Henderson R. R 167,
Eureka	169–170, 172, 193, 213–214, 217, 219
Eureka schoolhouse	Galveston quadrangle
Everett schoolhouse	Gannett, S. S., work of
Evlan 10	Gano Springs
	Garland
F.	Garvensville
Fabens 206, 228	Gates Valley Church
Fairbanks 167, 180–181, 183, 186	Gatesville quadrangle
Fairland 74,75	Gayhill 43, 45
Fairview 100	Gelbach, W. A., leveling by
Falls County	Genoa
Fannin County	Georgetown quadrangle
Farmersville quadrangle 136–137, 207–208	Germania
Fate 219	Geronimo
Faught	Gettysburg Peak 243
Fauna quadrangle	Ghio Park
Fay 115	Giddings
Fayette County 65, 191	Giddings quadrangle
Fayetteville	Gilmer quadrangle
Fedor	Ginger
Fentress 103	Givens
Field Creek 94	Gladys
Fink	Glafcke, E. W., leveling by
Finley	Goat Mountain 243
Fisher	Golden 142
Fisher, C. R., leveling by	Gomex
Flat Creek Church 15	Gonzales
Flatonia	Gonzales County 65
Flatonia quadrangle	Goodwin
Flat Prairie Church	Goolesboro
Florence schoolhouse	Gordon 227 Gordon Chapel 44
Fordyce	Gordon Chapel 44 Gordonville 26
Fort Bend County	
Fort Bliss 120	Graball 37–38
Fort Brown (Old)	Granbury 216 Granbury quadrangle 216
	Grand Canyon of St. Helena
Fort Hancock quadrangle 209–210	Grand Canyon of St. Freiena 111-112 Grand Point 37
Fort Worth	Grand Point. 37 Grand Prairie. 203
	Grand View 201
Fort Worth & Denver City R. R	Granger 236
Fort Worth & Rio Grande Ry	Granite Mountain
Fort Worth & Rio Grande Ry 211 Fort Worth quadrangle 210–212	Graphite 92
Fort worth quadrangle 210–212 Fowk siding 11	Gravel Slough
Franklin 120	Grayson County
120	

D	1 Page
Page.	Page.
Greens Bayou 168	Hood
Green Valley Church 45	Hooks
Greenville	Hopkins County 191
Griggsby schoolhouse	Houston 165–170, 175, 184, 186, 217
Groom	Houston & Texas Central R. R 26,
Guadalupe County	37, 39, 40, 64, 66, 68, 71-72, 74-75, 88, 92,
Guadalupe River Bridge	
	94, 158–159, 178–184, 186, 188–189, 194, 198
Gulf, Colorado & Santa Fe Ry 25,	Houston & Texas Central R. R. bridge 39,40
29, 33, 38, 39, 41-43, 45, 64, 215, 220, 237	Houston Belt & Terminal Ry 167, 168, 170
Gulf, Colorado & Santa Fe Ry. bridge 39	Houston Harbor 167, 168
Gurley 63, 64	Houston Heights 184, 217
	Houston quadrangle 164-175, 217-219
H.	Howard County 191
	Howe
Hale Spring Church 78	
Halstead 216	Hufsmith 162
Halstead quadrangle 92, 216-217	Hughes Spring 15, 215
	Humble quadrangle 164
Hamilton Ridge	Hunt County
Handley 211	
Haney	Hunter
Hardy 21	I.
	CHARLES AND AND AND ADDRESS OF THE PARTY OF
Harlingen quadrangle	Iatan
Harmon	Idlewild. 98
Harrington	
Harrington switch	Independence
Harrisburg	Indianola Peak triangulation station 243
	International & Great Northern R. R 42,
Harris County	44-46, 49-52, 59-60, 66, 90, 97, 98, 104, 139,
cooperation of 5	
Harrison County	161–166, 169–171, 174–175, 225–226, 230–231
	International & Great Northern R.R.bridge. 51, 163
Harwood	International boundary monument 1 8
Hassan, A. F., leveling by	Iona
Havana	Iowa Park
Haw Creek	
Hays County 65, 191	Irvine, Chester, work of
	Irwin
Hazel mine. 117	Isabel quadrangle
Hearne & Brazos Valley R. R 49	Iser
Hearne quadrangle	Itasca
Hellemans	
Hemkens. 308	Ivanhoe
	Ivy siding
Hempstead	
Hen Egg Mountain 243	J.
Henkhaus 80	Jackson Creek dam
Henrietta 152, 153	
Henrietta quadrangle 151-155	
Hereford	Jeanetta
	Jeddo 81
Herman	Jeff Davis County 243
Hermosa 237	Jefferson
Hewitt	
Hidalgo	Jefferson quadrangle
	Jericho 221
Hidalgo County	Joe Black Springs 111, 113
Highbank 59-61	Joel
Highbank Bridge	Johnson County 191
Hill County	
Hillendahl	Jolly
Hillendahl quadrangle	Jones Bridge
	Joppa
Hillsboro	Judd
Hills Prairie 72, 199	Junior 102
Hinman, J. A., leveling by 65	
Hockley 158, 159, 179, 181, 182–183	K.
	Kansas City, Mexico & Orient Ry 235
Holik quadrangle	Kansas City Southern Ry 10,11
Holland 235–236	Karnack 219
Hondo	Katy 178-179, 182, 190, 229
Hondo River 91	Katy quadrangle
Hondo River bridge 89,90	Kaufman County
Honey Grove	
28, 29	Kaufman quadrangle 30-31, 219

Page.	Page.
Kellyville	
Kempner 215	Llano Grande 124
Kendall County 65	
Kent	
Kent quadrangle 220	The state of the s
Kerby 98	
Kerr County. 65	
Kildare	
Kingsbury. 104	
Kingsland. 74-75	
Kinnie County	
Kirtley	Lost Mine Peak 243
Kohrville 161	Louetta
Kokernot 80	
Kyle 104	
The state of the s	Lydia
L.	M.
Lacoste 98	
La Grulla 216	
La Grulla	
Lamar County 19	
Lamarque	
Lamasco. 28	
Lambert 241	McKinney Bros. mines 111
Lampasas	McKinney quadrangle 33–34
Lampasas County	McKinney Spring
Lampasas quadrangle 220-221	Macks
Lanark 10	201
La Porte quadrangle	
Lark	
Las Moras Mountain triangulation station. 243	
Lassater	1
Lavaca County. 65	McNeil 66
La Valley	
League City	Mallard 22
Leander 88	Malloy Bridge 129, 135, 136
Lean spur 79	Malta
Leary	Mamie 121
Lee County 65	Manchaca
Leesburg 222	Manda
Lefors quadrangle 221-222 Lela 242	Manor
Lem. 205	Marble Falls
Leon 99	María
Leona River bridge	María quadrangle
Leon Creek	Marietta 15
Lester 204	Marion 97
Letitia	Marion County
Leveling. See Precise leveling, Primary lev-	Mariscal Mountain 114
eling.	Marleys Ferry
Lewisville Church	Marlin 60, 62
Lexington 69,71 Liberty Hill 88	Marlin Bridge. 62-63 Marlin quadrangle. 59-63
Liberty Hill. 88 Lincoln 89	Marriam station 50
Linden 9, 12	
Linden quadrangle	
Lindsay	Martindale 103
Lindsey triangulation station	Martinez
Littig 72	
Little Brazos River 48	Mason County
Little Brazos River Bridge 48	Mason Crossing
Little River 51, 59, 235	Maud
Llano 92-95	Maverick Mountains 243

	P
Page.	Page.
Maxey	New Boston. 11
Maxwell	New Boston quadrangle
Medina County	New Braunfels 97, 225, 226
Medina River	New Braunfels quadrangle 97, 225-226
Medina River Bridge	Newhope
Modifie 2017 Ct. 2017 Cg.	Policy
Merkel	
Mesquite	Newman triangulation station 243
Metz	New Ulm
Michigan schoolhouse	New Years Creek
Midland	Nickel
	Nocono. 20, 21
Mildred County !	
Midland quadrangle 222	Nolan County
Mier quadrangle	Nolanville
Milam County 34	Noonan 97
Mills	Nopal siding
Millsap	North Diablo triangulation station 243
Mills Creek	North Houston
Mills Creek Bridge	Norwood
Mineola	Nugent Mountain 243
Mineola quadrangle	Nulo
Mingus	Nussle, F. A., leveling by 65
	2,333,2,2,33,30,33,33,33,33,33,33,33,33,33,33,33,
The state of the s	0.
Mission	
Mission quadrangle 121–122, 127–128	Oak Hill 66
Missouri City	Odessa
Missouri, Kansas & Texas Ry 9,19-20, 23, 25-27,	Odessa quadrangle 226-227
30, 32–35, 59, 64, 65, 67–68, 71, 72,	Olden
79, 81, 102–104, 136–137, 140–142,	Olimate Division 111
144, 147, 149, 151–156, 176–179, 184,	Omaha 14, 15, 19
189–190, 198–201, 208–211, 215–219,	Ottine
224-225, 229-232, 234-237, 239-240	Oxford 84, 92, 93, 96
Mitchell County	
	P.
ALCOHOL: NO.	
Monahans quadrangle	Paige 68, 69
Monbeck, R. R., leveling by 129, 136, 158	Paisano 112
Montague	Palo Pinto County
Montague County	Paris
Montague quadrangle 19–22, 155–156, 223–224	Park
Montoya 8	
Montrose	Park Place quadrangle 169
Moore 90	Parmerton 212
Morita 233	Parsons Slough Bridge
Morman Mill 78	Pasadena
Mormon Grove	Pearson
Morris County	Pecos
Moseleys Ferry 49	Pena Springs 111
Moulton	Penick, S. T., leveling by 115
Moulton (Old)	Penn City Ferry 169
Mount Pleasant	Personnel, details of
Mount Pleasant quadrangle 17–19, 224–225	Petrolia
Mount Vernon quadrangle	
Muenster	Pickton
Muldoon	Pierce Junction
Mumford 49	Pierson 80
Murphy	Pilot Knob 66
Mykawa	Pinkham. 14
Mykawa quadrangle	Pinto Mountain
Myra 23	Pittbridge 47, 48, 49
	Pittsburg 18, 225–226
N.	Plateau
Naples	Plum
Naruna 75–76	Pointer
	Point Isabel 125
Traditio T or J	7. KM (3.4)
Navasota	10110
Navasota River Bridge	Port Browsville
Neville Spring. 113	Port Sullivan
	O GEOTO N
	(1)
	(17014)
	(09.)

Page.	Page.
Possumtrot	Rosson siding
Pottsboro	Rosstown
Prairie Cottage schoolhouse 149	Rossville 101
Prairie Lea 103	Rotherwood spur
Prairie View 189–189	Round Mountain
Precise leveling, definition of 5-6	Rowans spur 10
elevations from	Rowlett
Presidio County 108, 243	Royal 192
Primary leveling, definition of 5-6	Royse
elevations from 9-190	Run
Primm 79-81	The Party of the P
Primrose 217	S.
Putnam	Sabinal
Pyote	Sabinal quadrangle
Pyote quadrangle	Sabine River bridge
The second secon	Sachse
Q.	Sage
Queen City 9–10	Saginaw
Quitman	Said Bend 114
Quitman Mountain 243	St. Jo
Quito	St. Louis, Brownsville & Mexico R. R 121-124
	St. Louis Southwestern Ry 10, 11, 13-14, 16-17, 33
R.	St. Matthews Church
Rains County	Salmon Peak
Ramsdell	Samfordyce quadrangle 128
Ranger 205	Sampasco switch
Ravenna	San Antonio
Rayder	San Antonio & Aransas Pass Ry 55, 63, 73-74
Reclamation Service, elevations from 118, 120	79–80, 84, 88–89, 102–105, 166, 170, 175–176, 186–187
Red River County	San Antonio Mountain 243
Red Rock	San Antonio special quadrangle 97-101
Redwater	Sand Hills
Reedville	Sand Pit
Reeves, Roscoe	San ly Fork
Reeves County	San Elizario
Reid bottom	San Felipe
Reids Lake	San Jacinto battle eld
Relampago	San Juan
Rhone	San Juan quadrangle
Rices Crossing. 71 Riley Mountain 93	San Marcos
Riley Mountain	San Marcos River 104
Ringgold 19, 21, 131–132, 133–130, 224 Rio Grande City 128	San Marcos River bridge 104
Rio Grande quadrangle	San Martin 220, 238
Rio Grande Ry	San Saba County
Rising Sun Church	Santa Maria Church 127
Rita	Santo
Roach 12	San Vicente 114
Robertson County	Saratoga Mountain quadrangle
Roby quadrangle	Sardis
Rock Crossing	Satsuma
Rockdam Bridge 60, 63	Savoy
Rock Hut	Sawtooth Mountain 243
Rockledge. 221	Sayers
Rockwall	Sayersville
Rockwall County	Schofield
Rocky Branch	Scroggins
Rocky Creek bridge 38	Sea level, definition of 6-7
Rogersville	Sealy 36, 231
Roma 129	Sealy quadrangle 34–36, 231–232
Rosanky 79, 81, 208	Seawillow 102
Roscoe	Seco
Rose Hill	Seco Creek crossing
Rosenberg quadrangle	Secondary elevations 243
185-188, 189-190, 229	Seco River bridge
Rosita quadrangle 126	Seep Springs Mountain 243
149 Wall 201	

Page.	Page.
Seguin	Taylor quadrangle 55-59, 235-236
	Tepee Butte
Seitz, R. C., leveling by	Temple
Semper, C. H., leveling by	
Serbin	Temple quadrangle
Settegast quadrangle	Terlingua
Shafter quadrangle 109	Terlingua quadrangle
Shamrock. 241–242	Terral
Shawnee Church	Texarkana. 10
Shawneetown quadrangle 16	Texarkana quadrangle 10–11
Sherman 26, 27	Texas, cooperation of
Sierra Blanca	publication on
Sierra Blanca quadrangle 232–233	Texas & New Orleans R. R 166
Simms. 13	Texas & Pacific Ry. 9-11, 16, 26, 28, 32, 115-117, 137,
Sisterdale	142-144, 191-192, 194-197, 200, 202-203, 205, 211-
Sixmile Bridge 50	212, 220, 222-223, 226-229, 232-234, 235, 237-241
Sixmile Creek	Texas, Arkansas & Louisiana Ry 10
Slaughter quadrangle	Texas Central R. R
Slayden	Texas City
	Texas Hill triangulation station
	Thornberry
Smithville	Tiffin
Smithwick	Tiger Town 29
Somerville	
Southern Pacific R. R	Tilmon. 102
Southmayd	Timber Mountain 243
Southwestern Ky 151–153	Tinaja
Spanish Pass	Tinaja Blanca 243
Spring 163, 164	Titus County
Springdale 10	Tobin
Spring quadrangle 163-164	Tom Ball
Stanley	Tompkins convict farm 56
Stanton	Topographic maps, list of 7-8
Starkeye graveyard	Torcer
Starr County	Tow 77
Steedman 27	Toyah
	Toyah quadrangle
Stella	Travis County
Stellar 82	Travis Peak 78
Stephens County	Trent
Stoneburg	Trimble, K. W., leveling by
Stone City 48, 49	Trinity
Strawn	Trinity & Brazos Valley Ry 161, 166-167, 185, 186
Stubner	Troy
Sudduth 74	Turkey Mountain triangulation station 243
Sue Peaks triangulation station 243	
Sullivan siding 104	Twomile Creek 50
Sulphur 10	Two Windmills
Sulphur River Bridge	Tye
Sulphur Springs	U.
Sulphur Springs quadrangle 140, 234	Uhland
Summerfield	Umbarger 204
Summerset 101	United States and Mexico Boundary Commis-
Sunny Lane	
Sunnyside	sion, elevations from 121, 122, 124-126
Sunset 234	Upton
Sunset quadrangle 234–235	Uvalde
	Uvalde County
Sunshine schoolhouse	Uvalde quadrangle
Swanson	v.
Swanson quadrangle	
Sweetwater 229, 235	Valley Junction 50, 51, 52
Sweetwater quadrangle 235	Valley Spring
m and a second	Valley View
T.	Van Raub
Tarrant County	Van Horn
Tatsie switch	Van Horn quadrangle 115-118, 238-239
Tatum, S., work of 5	Verdi 100
Taylor 236	Victoria Peak 243
Taylor County 191	Vieja triangulation station

Page.	Page.	
Vinton 8	Whites spur 8	
Virgile. 211	Whitman Gap 84	
Virginia City	Wichita County 144	
The state of the s	Wichita Falls	
W.	Wichita Falls & Northern R. R 147-149	
Waco	Wichita Valley Ry	
Waco quadrangle	Wiethe schoolhouse	
Waelder 80, 82, 83	Wildcat Bridge 51–52	
Walkers Creek	Wild Horse	
Waller	Wiles	
Waller County 34, 188, 191	Wilkins	
Waller quadrangle	Wilkinson. 17	
Walter quadrangle 156–157	Williamson County	
Walton siding 152	Williamson Creek bridge	
Waples 240	Willow 162	
Ward County 191	Willow City. 87	
Warfield 226	Wills Point quadrangle 140–144	
Waring 73	Wilmer Bridge 129, 132	
Wascom	Wilsey 192	
Washington	Wilson County 65	
Washington (Old)	Wilson siding 15	
Washington County 34	Winchester 68,88	
Watch Mountain	Winnsboro 138–139, 222	
Watson, D. H., leveling by 144	Winsor, Thomas, leveling by 65	
Wayne 9	Wise County 191	
Weatherford 241	Withers 98	
Weatherford quadrangle 241-242	Witting 84	
Webster	Witting Wolf Ridge. 23	
Welfare 73	Woodbine. 23-24, 27	
Wendts Ferry	Wood County	
Wesley Church	Woodland	
West		
West, F. H., leveling by	Wylie 34 Wylie Mountains 243	
Westbrook	Wyne Mountains	
Westfield	Y.	
West Point	Yarnall	
Wetmore	Yegua River 42	
Whaley 11	Yorks Creek bridge 97	
Whatley 11	Ysleta	
Wheeler quadrangle	151000	
White Oak River bottom	Z.	
Whitesboro	Zavalla County 65	
Whites Chapel	Zita	
Whites Creek	Zorn	
to the same time the same to		



